



Neewer HS200B BI-COLOR LED Light (Portable)



Modelis: 10106508

Gamintojas: NEEWER

EAN: 6921268817381

Prekės kodas: 576901

314.99€

Neewer HS200B BI-COLOR LED Light (Portable)

The NEEWER HS200B is a handheld bi-color LED light designed for videographers, photographers, and film production professionals. It offers up to 280W of power, a wide color temperature range of 2700K-6500K, and high-quality light confirmed by CRI 95+ and TLCI 97+ ratings. Thanks to its separate controller, lightweight design, and battery-powered operation, it performs well both in the studio and during on-location shoots.

High power and high brightness

The light provides a very powerful light output, making it ideal for professional photo shoots, film productions, and commercial shoots. In Boost mode, it achieves an intensity of up to 84,400 lux/m² when using a reflector, allowing you to effectively illuminate larger sets or achieve a clear key light even in challenging conditions. Constant Power and Silent Mode are also available, allowing you to tailor the device's operation to your current needs.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Color temperature adjustment and natural color rendering

A color temperature range from 2700K to 6500K allows for a smooth transition from warm to cool light. This makes it easier to adapt the lighting to existing conditions or create a specific scene atmosphere. High CRI and TLCI values ensure natural color rendering of skin, clothing, and products, which is particularly important during beauty shoots, portraits, and advertising productions.

Creative operating modes and versatile control

The HS200B offers a wide range of operating modes, including CCT, SOURCE, and FX, allowing you to quickly create dynamic scenes with 13 special effects and 11 simulated light sources. Precise control of light intensity and adaptation to your project is possible thanks to four dimming curves. The lamp can be operated using a control panel with a color LCD screen and physical knobs, the NEEWER mobile app, or a 2.4G system for group control. Additionally, DMX support allows the HS200B to be integrated with professional lighting systems in studios and on film sets.

Design for ease of use on set

A separate controller reduces the weight of the light itself, making it easier to mount on a tripod, boom arm, or use handheld. The body weighs less than a kilogram, which increases comfort during mobile work. Its compact dimensions make the equipment easier to transport between locations and use in smaller studio spaces.

Compatibility with light modifiers

The lamp is equipped with the popular Bowens mount, which allows you to use a wide range of accessories, such as softboxes, reflectors, beauty dishes, or lantern-style modifiers. This makes it easy to change the character of the light and adapt it to portrait photography, interviews, podcasts, or product shoots.

Mains Power and Mobile Operation

The NEEWER HS200B can operate on both AC/DC mains power and V-Mount batteries connected to the controller. This solution increases mobility during outdoor shoots and allows you to work in

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

locations without access to a constant power source. Built-in cooling fans help maintain stable operation even under heavy load.

Included

- 1 x HS200B Bi-Color Video Light
- 1 x Controller
- 1 x Reflector (dome)
- 1 x Mounting bracket
- 1 x DMX cable
- 1 x Power cable
- 1 x Carrying bag

Manufacturer	Neewer
Model	HS200B
Input Power	AC 100-220V / 50-60 Hz, DC 48V / 7A
Power	100W (Silent Mode) / 210W (Constant Power Mode) / 280W (Boost Mode)
Maximum Illuminance	84,400 lx/1m in Boost mode, 67,700 lx/1m in constant mode, or 37,500 lx/1m in silent mode (all measurements at 4400K, using a reflector)
Lighting modes	CCT / SOURCE / FX
CRI/TLCI ratings	95+ / 97+
Dimming range	0-100%
Color temperature	2700K – 6500K
Special effects (stage)	13 types
Simulated light sources	11 types
Dimensions (without reflector)	12.9 × 12.9 × 6 cm
Light weight	990 g

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

**Controller
dimensions**

16 × 16.9 × 6.1 cm

Controller weight 1.125 kg

GPSR Link: <https://psr->

[assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf](https://psr-assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf), Gross weight: 4080, Net weight: 265, Box length: 32,50, Box width: 30,50, Box height: 21,00

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903