

Epson EB-815E Ultra short throw projector 5000 ANSI lumens 3LCD 1080p (1920x1080) Black

Gamintojas: **EPSON** · Modelis: **V11HA99180** · EAN: **8715946726540** · Prekės kodas: **577004**



4 758,91 €

Kaina su PVM

Be PVM: **3 932,98 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 4KE super-UST display
- ✓ Scalable - 80" to 160"
- ✓ 5,000 lumens 3LCD laser
- ✓ Wireless connectivity

Aprašymas

EB-815E, Epson's first 4KE super-ultra-short-throw laser display designed for businesses, hybrid working and immersive spaces. The EB-815E can be placed just centimetres away from a wall to create bright 4KE images up to 160". It projects content in stunning clarity and offers a low cost, energy efficient large display solution with a convenient and quick set up.

Techninė specifikacija

Specifications

Sandėlio grupė: Unterhaltungselektronik > Projektoren/Beamer [+334][-300]

Projector

Projector brightness	5000 ANSI lumens
Projection technology	3LCD
Projector native resolution	1080p (1920x1080)
Contrast ratio (typical)	25000000:1
Native aspect ratio	16:9

Smart projector	No
Screen size compatibility	2032 - 4064 mm (80 - 160")
Projector brightness (economic mode)	3500 ANSI lumens
Matrix size	1.57 cm (0.62")
Light source	
Light source type	Laser
Service life of light source	20000 h
Service life of light source (economic mode)	30000 h
Lens system	
Focus	Manual
Fixed focal length	2.3 mm
F-number (relative aperture)	1.8
Zoom ratio	1.35:1
Throw ratio	0.16 - 0.40:1
Video	
Analog signal format system	Not supported
Full HD	Yes
3D	No
Video colour modes	Blackboard, Cinema, DICOM simulation mode, Dynamic, Natural, Presentation
Ports & interfaces	
VGA (D-Sub) ports quantity	0
HDMI ports quantity	3
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	0
Serial interface type	RS-232C
Service port type	USB Type-B
USB 2.0 ports quantity	2
Network	
Smart TV	No
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1

Ethernet LAN data rates	10,100 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
Miracast	Yes
Storage	
Card reader integrated	No
Features	
Noise level	35 dB
Interactive	No
Noise level (economic mode)	26 dB
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Password protection	Yes
Multimedia	
Built-in speaker(s)	No
Design	
Product type	Ultra short throw projector
Market positioning	Business
Product colour	Black
Placement	Ceiling, Desktop, Wall
Cable lock slot	Yes
Cable lock slot type	Kensington
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	290 W
Power consumption (max)	380 W
Power consumption (economy mode)	192 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
AC adapter output voltage	100 - 240 V
Operational conditions	
Storage temperature (T-T)	-10 - 60 °C
Operating relative humidity (H-H)	20 - 80%

Storage relative humidity (H-H)	10 - 90%
---------------------------------	----------

Weight & dimensions

Weight	12.5 kg
--------	---------

Width	695 mm
-------	--------

Depth	341 mm
-------	--------

Height	156 mm
--------	--------

Packaging content

Remote control included	Yes
-------------------------	-----

Batteries included	Yes
--------------------	-----

Matmenys ir svoris

Matmenys (I × P × A)	37,00cm × 73,00cm × 19,00cm
----------------------	-----------------------------

Svoris	14,00kg
--------	---------