

ASUS ROG Ryuo III 240 ARGB Processor Liquid cooling kit 12 cm Black

Gamintojas: **ASUS** · Modelis: **90RC00J1-M0UAY0** · EAN: **4711081927617** · Prekės kodas: **577430**



128,90 €

Kaina su PVM

Be PVM: **106,53 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ The latest 8th gen Asetek pump is armed with a 3-phase motor that delivers ultimate cooling performance with higher flow and lower impedance
- ✓ The ASUS-exclusive Anime Matrix™ is a mini LED array that can display ROG-exclusive anime content, core system stats, and customized animations
- ✓ Premium ROG ARGB fans offer high airflow and optimized noise levels
- ✓ Aluminum components and vacuum coating provide high durability and flagship aesthetics
- ✓ The ROG Ryuo series is styled to complement the ROG motherboards at the heart of a high-end build



Aprašymas

RYUO III 240 ARGB

Gloriously tame the thermals of your high-performance rig with the ROG Ryuo III 240 ARGB. Its premium shell frames an AniMe Matrix display that can be customized to uniquely express your allegiance. Encased deeper within is an 8th Gen Asetek pump that spins coolant through a higher capacity radiator chilled by 120mm ROG ARGB fans, giving your CPU the headroom to flex through everything.

ANIME MATRIX™ LED PERSONALIZATION

ROG Exclusive

Animation

System Monitoring

Aura Sync

Pixel Editor

Ten exclusive ROG animations are available for you to cast through the Matrix screen. Select your favorite and customize the sequence or use the Pixel Editor to create your own!

EXTENSIVE COMPATIBILITY

The ROG Ryuo III series features 400mm of tubing and is compatible with a wide range of Intel® and AMD motherboard platforms, giving you ample processor and build flexibility.

Techninė specifikacija

Specifications	
Sandėlio grupė	Cooling - water cooling kits [+38][-39]
Performance	
Suitable location	Processor
Type	Liquid cooling kit
Fan diameter	12 cm
Supported processor sockets	LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1156 (Socket H), LGA 1200 (Socket H5), LGA 1700, Socket AM4, Socket AM5
Rotational speed (max)	2200 RPM
Noise level (high speed)	36.45 dB
Maximum airflow	70.07 cfm
Maximum air pressure	3.88 mmH2O
Pump motor speed	800 RPM
Pump motor speed (min)	2600 RPM
Design	
Product colour	Black
Material	Aluminium, Rubber
Radiator material	Aluminum
Base plate material	Copper
Number of fans	2 fan(s)
Illumination LED	Yes
Illumination colour	Blue, Green, Red
Display type	LED
Weight & dimensions	
Radiator width	27.9 cm

Radiator depth	12 cm
Radiator height	3 cm
Tube length	40 cm
Waterblock width	8.9 cm
Waterblock depth	8.9 cm
Waterblock height	6.83 cm
Fan dimensions (W x D x H)	120 x 120 x 25 mm
Packaging content	
Package type	Box
Cables included	Fan
Screws included	Yes
Matmenys ir svoris	
Matmenys (l × P × A)	13,00cm × 31,00cm × 24,00cm
Svoris	2,43kg