



**Brother MFC-
L2802DN
multifunction
printer Laser A4
1200 x 1200 DPI
32 ppm**

Modelis: MFC-L2802DN

Gamintojas: BROTHER

EAN: 4977766831833

Prekės kodas: 578609

233.99€

Package width: 580 mm | Custom media width: 76.2 - 215.9 mm | Built-in display: Yes | Ethernet LAN: Yes | Direct printing: Yes | Operating temperature (T-T): 10 - 32.5 °C | Custom media length: 127 - 355.6 mm | Display number of lines: 2 lines | Power consumption (off): 0.08 W | Copier resize: 25 - 400% | Weight: 10.5 kg | Product colour: Black | Print technology: Laser | Package depth: 517 mm | Printing: Mono printing | Cabling technology: 10/100Base-T(X) | AC input voltage: 220 - 240 V | Depth: 399 mm | Windows operating systems supported: Windows 7 | Storage temperature (T-T): 0 - 40 °C | Mac operating systems supported: Yes | AC input frequency: 50/60 Hz | Windows operating systems supported: Windows 8.1 | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 8 | N-in-1 copy function (N=): 2 | Height: 319 mm | Operating relative humidity (H-H): 20 - 80% | Package weight: 14.1 kg | Copy speed (black, normal quality, A4): 32 cpm | Linux operating systems supported: Yes | Ethernet LAN data rates: 10,100 Mbit/s | Display:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

LCD | N-in-1 copy function (N=): 4 | Width: 410 mm | Security algorithms: SSL/TLS | Optical scanning resolution: 1200 x 1200 DPI | Security algorithms: SMTP-AUTH | Security algorithms: SNMPv3 | Package height: 434 mm | Card reader integrated: No | Security algorithms: APOP | Wi-Fi: No | Input colour depth: 30 bit | Image formats supported: JPEG | Image formats supported: TIFF | Fax memory: 400 pages | Duplex functions: Print | Scan to: E-mail Server | Scan to: E-mail | Output greyscale depth: 8 bit | Copying: Mono copying | Scan to: File | Scan to: FTP | Modem speed: 33.6 Kbit/s | Scan to: Image | Auto document feeder (ADF) input capacity: 50 sheets | USB port: Yes | Scan to: OCR | Scan to: USB | Output colour depth: 24 bit | Number of print cartridges: 1 | Scanning: Colour scanning | Maximum scan resolution: 19200 x 19200 DPI | Image formats supported: PNG | Scanner type: ADF scanner | Faxing: Mono faxing | Auto Document Feeder (ADF) media weight: 60 - 105 g/m² | Mobile printing technologies: Brother iPrint & Scan | Mobile printing technologies: Google Cloud Print | Internal memory: 128 MB | Mobile printing technologies: Mopria Print Service | Mobile printing technologies: Apple AirPrint | Total number of input trays: 3 | Paper tray 1 input capacity: 250 sheets | Paper input type: Paper tray | Maximum duty cycle: 15000 pages per month | Power consumption (sleep): 4.1 W | Maximum number of copies: 99 copies | Power consumption (standby): 43 W | Paper tray media types: Plain paper | Fax forwarding: Yes | N-in-1 print function: Yes | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Letterhead | Paper tray media types: Executive | Duplex printing mode: Auto/Manual | Scan drivers: TWAIN | ISO A-series sizes (A0...A9): A5 | Sound pressure level (standby): 30 dB | Time to first copy (black, normal): 10 s | Time to first page (black, normal): 8.5 s | Supported network protocols (IPv6): NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/PPS, klient SMTP, serwer FTP, SNMPv1/v2c/v3, serwer HTTP/HTTPS, klient i serwer TFTP, ICMPv6, Usługi sieci Web (Dr | Maximum copy resolution: 600 x 600 DPI | Sound pressure level (printing): 66.3 dB | Duplex printing: Yes | ISO A-series sizes (A0...A9): A6 | ISO B-series sizes (B0...B9): B6 | Input greyscale depth: 10 bit | Paper tray media weight: 60 - 163 g/m² | Poster printing function: Yes | Paper tray media types: Recycled paper | Scan drivers: WIA | Economical printing: Yes | Document formats supported: PDF | Power consumption (printing): 470 W | N-up printing: 4 | Multi-Purpose tray input capacity: 1 sheets | Scan technology: CIS | Other operating systems supported: ChromeOS | N-up printing: 9 | Watermark printing: Yes | Print speed (black, normal quality, A4/US Letter): 32 ppm | Sound pressure level (quiet mode): 44 dB | Manual feeder: Yes | Multi-Purpose Tray media weight: 60 - 230 g/m² | Fax forwarding to: E-mail | Fax forwarding to: PC | Control type: Buttons | ISO B-series sizes (B0...B9): B5 | Error Correction Mode (ECM): Yes | Printing colours: Black | Page description languages: GDI | ID-card copy function: Yes | Power consumption (copying): 480 W | Fax forwarding to: Fax | N-up printing: 2 | N-up printing: 16 | Greyscale levels: 256 | Cartridge(s) included: Yes | Scan drivers: SANE | Maximum ISO A-series paper

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

size: A4 | N-up printing: 25 | Power cord included: Yes | Auto document feeder (ADF): Yes | Included cartridge capacity (black): 700 pages | Maximum resolution: 1200 x 1200 DPI | N-in-1 copy function: Yes | Total output capacity: 120 sheets | Duplex print speed (black, normal quality, A4/US Letter): 16 ppm | Booklet printing function: Yes | Total input capacity: 301 sheets | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Multi-Purpose tray: Yes | ID printing function: Yes | Warnings: The product requires special disposal - do not dispose of in normal waste. | Warnings: Be careful when handling the device, it may contain live parts.