



Brother MFC-B7810DW multifunction machine

Modelis: MFC-B7810DW

Gamintojas: BROTHER

EAN: 4977766831796

Prekės kodas: 578629

345.00€

AC input voltage: 220 - 240 V | Print speed (black, normal quality, A4/US Letter): 35 ppm | Card reader integrated: No | Optical scanning resolution: 600 x 600 DPI | Maximum resolution: 1200 x 1200 DPI | ISO B-series sizes (B0...B9): B6 | Control type: Buttons, Touch | Watermark printing: Yes | Time to first copy (black, normal): 8.2 s | Mobile printing technologies: Mopria Print Service | Custom media length: 148 - 355 mm | Booklet printing function: Yes | Auto reduction: Yes | Scan to: USB | Copying: Mono copying | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Multi-Purpose Tray media weight: 60 - 216 g/m² | Auto Document Feeder (ADF) media weight: 52 - 120 g/m² | Included cartridge capacity (CMY): 1500 pages | Ethernet LAN data rates: 1000 | Mac operating systems supported: Mac OS X 10.14 Mojave | Scan to: FTP | ISO A-series sizes (A0...A9): A6 | ISO A-series sizes (A0...A9): A4 | Paper tray media types: Plain paper | Package height: 570 mm | Mobile printing technologies: Apple AirPrint | Paper tray media weight: 60 - 216 g/m² | Optical scanning resolution (black): 600 x 600 ppi | AC input frequency: 47-63 Hz | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 8 | Printing: Mono printing | Power consumption (sleep): 1.44 W | Display: LCD | Scan drivers: TWAIN | Height:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

319 mm | Power consumption (max): 530 W | Wi-Fi standards: 802.11b | Fax coding methods: JBIG | Wi-Fi standards: 802.11g | Fax coding methods: MH | Weight: 27.1 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Document formats supported: XPS | Fax coding methods: JPEG | ISO A-series sizes (A0...A9): A5 | Paper tray media types: Labels | Scan drivers: ICA | Document formats supported: PDF | Power consumption (printing): 360 W | Multi-Purpose tray input capacity: 1 sheets | Sound pressure level (duplex printing): 53 dB | Processor frequency: 1200 MHz | Paper tray media types: Thin paper | Operating relative humidity (H-H): 15 - 80% | Maximum duty cycle: 80000 pages per month | Duplex scanning mode: Auto | Maximum ISO A-series paper size: A4 | Fax coding methods: MMR | Scan to: Network folder | Total output capacity: 250 sheets | Duplex functions: Copy | Windows operating systems supported: Windows 8.1 | Maximum copy size: A4 | Cabling technology: 10/100/1000Base-T(X) | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Maximum scan area: 216 x 297 mm | Optical scanning resolution (colour): 600 x 600 ppi | Paper tray media types: Heavy paper | Duplex printing mode: Auto | Recommended duty cycle: 0 - 6000 pages per month | Power cord included: Yes | Total input capacity: 150 sheets | Width: 410 mm | Scan to: E-mail | Duplex functions: Print | Power consumption (standby): 26.2 W | Sound pressure level (printing): 52 dB | Number of bitmap fonts: 2 | Wi-Fi: Yes | Scan to: File | Manual feeder: Yes | Duplex functions: Scan | Image formats supported: JPEG | Fax forwarding to: Folder | Duplex print speed (black, normal quality, A4/US Letter): 34 ppm | Built-in display: Yes | Fax forwarding: Yes | N-in-1 print function: Yes | Print technology: Laser | Print resolution black: 1200 x 1200 DPI | Operating temperature (T-T): 10 - 32.2 °C | Duplex printing: Yes | Scan technology: CIS | Power consumption (off): 1.44 W | Package depth: 591 mm | Maximum copy resolution: 600 x 600 DPI | Display diagonal: 10.9 cm (4.3") | Scan drivers: WIA | Processor cores: 4 | Number of PCL fonts: 6 | Fax coding methods: MR | Paper tray media types: Recycled paper | Package width: 567 mm | Duplex functions: Fax | USB connector: USB Type-A / USB Type-B | Package weight: 10.7 kg | Windows operating systems supported: Windows 10 | Cables included: AC | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Paper tray media types: Bond paper | Copier resize: 25 - 400% | Printer fonts: PostScript | Storage temperature (T-T): 10 - 32.2 °C | Internal memory: 2048 MB | Number of print cartridges: 4 | Page description languages: PostScript 3 | Image formats supported: JPG | Image formats supported: TIFF | Digital sender: Yes | Fax forwarding to: E-mail | Number of PostScript fonts: 158 | Number of scalable fonts: 89 | Duplex faxing: Yes | Quick installation guide: Yes | Communication: Wi-Fi | Auto-redialing: Yes | Server operating systems supported: Windows Server 2008 | Maximum print size: 216 x 356 mm | Server operating systems supported: Windows Server 2012 R2 | Server operating systems supported: Windows Server 2008 R2 | Secure printing: Yes | Multi-Purpose tray: Yes | Printer fonts: PCL | Duplex copying: Yes | Scanner

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsijyiant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

type: Flatbed & ADF scanner | Auto document feeder (ADF) input capacity: 250 sheets | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Maximum number of copies: 9999 copies | Colour display: Yes | Included cartridge capacity (black): 1000 pages | Server operating systems supported: Windows Server 2012 | USB port: Yes | Page description languages: PCL 6 | Fax forwarding to: FTP | Depth: 399 mm | Product colour: Grey | Fax resolution (black): 600 x 600 DPI | Custom media width: 98 - 216 mm | Image formats supported: BMP | Cartridge(s) included: Yes | Duplex scanning: Yes | Server operating systems supported: Windows Server 2019 | Faxing: Mono faxing | Page description languages: PCL 5