



**Power Supply
SEASONIC
FOCUS GX ATX
3.0 1000 Watts
Efficiency 80
PLUS GOLD
MTBF 100000
hours FOCUS-
GX-1000-V4**

Modelis: FOCUS-GX-1000-V4

Gamintojas: SEASONIC

EAN: 4711173878421

Prekės kodas: 578752

196.00€

FOCUS GX ATX 3.0

Following the well-established legacy of the Seasonic FOCUS Series, the FOCUS GX Series was upgraded to comply with the ATX 3.0 and PCIe 5.0 standards. Offering a complete range of power supplies ranging from 750 W to 1000 W with in a 140 mm depth, these units will be the perfect allies

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

to power the newest high power graphics cards and processors on the market.

Digital Hybrid Fan Control

The industry's first, Seasonic patented, advanced three-phased thermal control achieves optimal between silence and cooling. This Digital Hybrid Fan Control functions in three operational stages: Fanless Mode, Silent Mode, and Cooling Mode.

Reduced noise without increase in temperature

Extended fan life due to the reduced number of fan rotations

Optimized heat dissipation at all times

Unsurpassed silent performance in Fanless Mode

Fluid Dynamic Fan Bearing

High performance Fluid Dynamic Bearing (FDB) fans are designed to take advantage of the impact absorbance effects of oil. They are extremely reliable and generate considerably less operating noise and heat than ball bearing fans. The lubrication of the bearing surface reduces friction and vibration and therefore lowers overall power consumption. Due to the effortless, quieter rotations and its robust construction, this reliable fan technology also greatly increases the lifespan of the fan.

When the fan shaft rotates, high pressure oil drifts along the grooves of the bearing sleeve to generate a thin layer of lubrication between the bearing faces.

As the speed increases, so does dynamic oil pressure and the shaft is lifted from the bearing to create smooth, effortless rotations. The herringbone shape of the grooves helps to efficiently channel the lubricant and avert leakage.

- 80 PLUS® GOLD
- Fully Modular
- ATX 3.0 & PCIe 5.0

Summary: Seasonic Focus GX ATX 3.0. Total power: 1000 W, AC input voltage: 100 - 240 V, AC input frequency: 50/60 Hz. Motherboard power connector: 20+4 pin ATX, Motherboard power cable length: 61 cm, SATA power cable length: 550 mm. Purpose: PC, Power supply unit (PSU) form factor: ATX, 80 PLUS certification: 80 PLUS Gold. Product colour: Black, Cooling type: Active, Fan diameter: 13.5 cm. Compliance certificates: CB, CE, EAC, REACH, RoHS, WEEE, cTUVus | Vendor Homepage:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš išsilyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

<https://seasonic.com/atx3-focus-gx/> | AC input frequency: 50/60 | AC input voltage: 100 - 240 | Combined power (+12V): 996 | Combined power (+3.3V): 125 | Combined power (+5V): 125 | Combined power (+5Vsb): 15 | Combined power (-12V): 3.6 | Input current: 13 - 6.5 | Max output current (+12V): 83 | Max output current (+3.3V): 25 | Max output current (+5V): 25 | Max output current (+5Vsb): 3 | Max output current (-12V): 0.3 | Maximum input current (@110V): 13 | Maximum input current (@220V): 6.5 | Power protection features: Over current/Over power/Over voltage/Overheating/Short circuit/Under voltage | Total power: 1000 | Cabling type: Fully-Modular | CPU power cable length: 700 | CPU power connector (4+4 pin): Yes | Motherboard power cable length: 610 | Motherboard power connector: 20+4 pin ATX | Number of SATA power connectors: 2 | PCI Express power connectors (12+4 pin): 1 | PCI Express power connectors (6+2 pin): 3 | Peripheral (Molex) power cable length: 690 | Peripheral (Molex) power connectors (4-pin): 3 | SATA power cable length: 550 | 80 PLUS certification: 80 PLUS Gold | Bearing technology: FDB | Mean time between failures (MTBF): 100000 | Power supply unit (PSU) form factor: ATX | Purpose: PC | Cooling type: Active | Fan diameter: 135 | Number of fans: 1 | On/off switch: Yes | Product colour: Black | Operating temperature (T-T): 0 - 50 | Compliance certificates: CB/CE/cTUVus/EAC/REACH/RoHS/WEEE | Safety: cTUVus, TUV, CB, CCC, BSMI, EAC, CE | Depth: 140 | Height: 86 | Width: 150 | Package type: Box | Sustainability certificates: ENERGY STAR | Warranty period: 10 | Model name: FOCUS GX ATX 3.0 | Units per Shipping Box: 5 | Unit Calculated Volume: 0.00804 | Unit Calculated Weight: 3.62