

# Chieftec ELP-500S power supply unit 500 W 20+4 pin ATX PS/2 Black

Gamintojas: **CHIEFTEC** · Modelis: **ELP-500S** · EAN: **4710713230958** · Prekės kodas: **578913**



## 44,90 €

Kaina su PVM

Be PVM: **37,11 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 500 W 200 - 240 V 47 - 63 Hz
- ✓ Motherboard power connector: 20+4 pin ATX
- ✓ PC PS/2 80 PLUS Bronze
- ✓ Active 12 cm
- ✓ Black



## Aprašymas

The brand new ELEMENT series combines innovation, high quality, great design and efficiency. With a silent running 12cm fan, the PSU is held in decent black, equipped with long native cables, a power cord, and a solid and eye catching retail box. With an efficiency of over 85% (BRONZE) @230V, the ELEMENT series fulfills the requirement of GREEN IT at an attractive price.

## Techninė specifikacija

### Specifications

Sandėlio grupė

Desktop PC PSU [+0][-0]

### Power

|                                    |                                                        |
|------------------------------------|--------------------------------------------------------|
| Total power                        | 500 W                                                  |
| AC input voltage                   | 200 - 240 V                                            |
| AC input frequency                 | 47 - 63 Hz                                             |
| Input current                      | 4 A                                                    |
| Power factor                       | 0.9                                                    |
| Power Factor Correction (PFC) type | Active                                                 |
| Combined power (+3.3V)             | 110 W                                                  |
| Combined power (+12V)              | 456 W                                                  |
| Combined power (+5V)               | 110 W                                                  |
| Combined power (-12V)              | 3.6 W                                                  |
| Combined power (+5Vsb)             | 12.5 W                                                 |
| Max output current (+3.3V)         | 18 A                                                   |
| Max output current (+12V1)         | 38 A                                                   |
| Max output current (+5V)           | 17 A                                                   |
| Max output current (+5Vsb)         | 2.5 A                                                  |
| Efficiency                         | 85%                                                    |
| Power protection features          | Over power, Over voltage, Short circuit, Under voltage |

#### Ports & interfaces

|                                        |              |
|----------------------------------------|--------------|
| Motherboard power connector            | 20+4 pin ATX |
| Motherboard power cable length         | 50 cm        |
| Number of SATA power connectors        | 3            |
| SATA power cable length                | 150,500 mm   |
| EPS power connector (4+4 pin)          | Yes          |
| PCI Express power connectors (6+2 pin) | 1            |
| PCI Express power cable length         | 50 cm        |
| Floppy disk drive connector            | Yes          |
| PCI Express connector                  | Yes          |
| Cabling type                           | Non-Modular  |

#### Performance

|                                     |                |
|-------------------------------------|----------------|
| Purpose                             | PC             |
| Power supply unit (PSU) form factor | PS/2           |
| 80 PLUS certification               | 80 PLUS Bronze |
| Supported motherboard form factors  | ATX            |
| ATX version                         | 2.3            |

#### Design

|                      |                                         |
|----------------------|-----------------------------------------|
| Product colour       | Black                                   |
| Cooling type         | Active                                  |
| Fan diameter         | 12 cm                                   |
| Number of fans       | 1 fan(s)                                |
| On/off switch        | Yes                                     |
| Packaging content    |                                         |
| Cables included      | AC, PCIe, Peripheral (Molex), SATA      |
| Certificates         |                                         |
| Certification        | CE, CB, EAC, ErP, RoHS, interseroh, TÜV |
| Weight & dimensions  |                                         |
| Width                | 140 mm                                  |
| Depth                | 150 mm                                  |
| Height               | 86 mm                                   |
| Weight               | 1.44 kg                                 |
| Packaging data       |                                         |
| Package weight       | 1.7 kg                                  |
| Package type         | Box                                     |
| Matmenys ir svoris   |                                         |
| Matmenys (I × P × A) | 24,00cm × 17,00cm × 10,00cm             |