

iiyama G-MASTER GB2771HSU-B1 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD Black

Gamintojas: IIYAMA · Modelis: GB2771HSU-B1 · EAN: 4948570126439 · Prekės kodas: 579049



179,90 €

Kaina su PVM

Be PVM: 148,68 €

Sandėlyje





Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ Height adjustment 15 cm Built-in speaker(s)
- ✓ USB upstream port type: USB Type-B HDMI HDMI version: 2.0 DisplayPorts quantity: 1 DisplayPort version: 1.2
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 240 Hz Response time (MPRT): 0.4 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: Fast IPS
- ✓ Energy efficiency class (SDR): E ErP CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE



Aprašymas

Gain the competitive edge you need to unlock your full gaming potential with the 27" GB2771HSU monitor with FHD (1920x1080) resolution. Featuring an ultra-fast 0.4ms MPRT and a 240Hz refresh rate, this monitor ensures smooth gameplay. Compatible with NVIDIA G-SYNC so you can make split second decisions and forget about ghosting effects or smearing issues. The ability to adjust brightness and the dark shades with the Black Tuner delivers greater viewing performance in shadowed areas and the IPS panel technology guarantees superb image quality.

Techninė specifikacija

Specifications

Sandėlio grupėGaming - Gaming Displays - Gaming Monitors [+55][-39]

Display

Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Touchscreen	No
HD type	Full HD
Panel type	Fast IPS
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	240 Hz
Display number of colours	16.7 million colours
Display brightness (typical)	350 cd/m²
Response time (MPRT)	0.4 ms
Contrast ratio (dynamic)	80000000:1
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.311 x 0.311 mm
Horizontal scan range	30 - 285 kHz
Vertical scan range	48 - 240 Hz
Viewable size, vertical	33.6 cm
Display diagonal (metric)	68.6 cm
High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)
DDC/CI	Yes
Haze rate	25%
Colour depth	8 bit

Performance

NVIDIA G-SYNC	Yes
AMD FreeSync	Yes
NVIDIA G-SYNC type	G-SYNC Compatible
VESA Adaptive Sync support	Yes
Flicker-free technology	Yes
Low Blue Light technology	Yes

Multimedia

Built-in speaker(s)	Yes
Built-in camera	No
Number of speakers	2
RMS rated power	4 W

Design

Market positioning	Gaming
Product colour	Black

Ports & interfaces

Built-in USB hub	Yes
HDMI	Yes
Headphone out	Yes
USB hub version	3.2 Gen 1 (3.1 Gen 1)
USB upstream port type	USB Type-B
Number of downstream ports	2
Number of USB Type-B upstream ports quantity	1
USB Type-A downstream ports quantity	2
USB Type-C downstream ports quantity	1
HDMI ports quantity	2
HDMI version	2
DisplayPorts quantity	1
DisplayPort version	1.2
Headphone outputs	1
Headphone connectivity	3.5 mm
HDCP	Yes

Ergonomics

VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	Yes
Panel mounting interface	100 x 100 mm
Cable management	Yes
Cable lock slot type	Kensington
Adjustable height (max)	15 cm
Pivot	Yes

Pivot angle	0 - 90°
Swivelling	Yes
Swivel angle range	-45 - 45°
Tilt adjustment	Yes
Tilt angle range	-5 - 23°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Czech, German, English, French, Italian, Japanese, Dutch, Polish, Portuguese, Russian
Number of OSD languages	10

Power

Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	G
Energy consumption (SDR) per 1000 hours	18.6 kWh
Energy consumption (HDR) per 1000 hours	29 kWh
Power consumption (typical)	19 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%

Weight & dimensions

Width (with stand)	612 mm
Depth (with stand)	213 mm
Height (with stand)	553.5 mm
Weight (with stand)	5.6 kg
Width (without stand)	612 mm
Depth (without stand)	63.5 mm
Height (without stand)	408.5 mm
Weight (without stand)	3.8 kg

Packaging data

Package width	690 mm
Package depth	465 mm
Package height	140 mm
Package weight	8.2 kg
USB cable length	1.8 m

Packaging content

Cables included	AC, USB, HDMI, DisplayPort
Quick start guide	Yes
DisplayPort cable length	1.8 m
HDMI cable length	1.8 m
Power cable length	1.8 m

Sustainability

Sustainability certificates	ErP
-----------------------------	-----

Other features

Packaging content	quick start guide, safety guide
Weight	5.6 kg
Width	612 mm
Depth	213 mm
Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
Certification	CE, TÜV-Bauart, EAC, PSE, RoHS support, ErP, WEEE, VCCI, REACH, UKCA
User controls	picture adjust (contrast, brightness, OverDrive, HDR, Adaptive Sync, Adv. Contrast, night mode, blue light reducer, Motion Blur Reducer, gamma), input select (input source), audio adjust (volume, mute), store user setting (user modes), colour settings (6-axis, colour temperature, user preset, black tuner), image adjust (i-Style colour, X-Res Technology, sharpness, HDMI range, Direct Drive Mode, video mode adjust), language, setup menu (OSD H. position, OSD V. position, OSD time, opening logo, power LED, DDC/CI control, USB charge), display information, reset (reset all)
Control panel	power switch, joystick, menu (center), up / signal select, down / shortcut, left / volume -, right / volume +

Matmenys ir svoris

Matmenys (I × P × A)	69,00cm × 15,00cm × 50,00cm
Svoris	5,60kg