



HP OfficeJet Pro 8132e Wireless All-in-One Color Printer, Instant Ink; Two-sided printing

Modelis: 40Q45B#686

Gamintojas: HEWLETT-PACKARD

EAN: 196786567629

Prekės kodas: 580140

125.99€

Replacement cartridges: HP 924 Black Original Ink Cartridge (~500 pages) 4K0U6NE HP 924 Cyan Original Ink Cartridge (~400 pages) 4K0U3NE HP 924 Magenta Original Ink Cartridge (~400 pages) 4K0U4NE HP 924 Yellow Original Ink Cartridge (~400 pages) 4K0U5NE HP EvoMore planned to be available April 2024: HP 924e EvoMore Black Original Ink Cartridge (~1,000 pages) 4K0V0NE HP 924e EvoMore Cyan Original Ink Cartridge (~800 pages) 4K0U7NE HP 924e EvoMore Magenta Original Ink Cartridge (~800 pages) 4K0U8NE HP 924e EvoMore Yellow Original Ink Cartridge (~800 pages) 4K0U9NE Actual yield varies considerably based on content of printed pages and other factors. For details, see <https://www.hp.com/go/learnaboutsupplies> | Manufacturer warranty: Standard one-year HP commercial hardware warranty. One-year extra HP warranty through HP+ activation at setup and (3) One year bonus HP warranty through separate online registration, which must be completed at www.hp.com/eu/bonuswarranty/ within 60 days of printer purchase. For up to

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

3 years of warranty. Warranty and support options vary by product, country, and local legal requirements. See: <http://www.hp.com/limitedwarranty>. | Compatible operating systems: Windows 11 Windows 10 Windows Server macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Linux Chrome OS | Recommended system requirements: Microsoft Windows 11 10 32-bit or 64-bit 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma macOS 15 Sequoia Internet required. | Box contents: HP OfficeJet Pro 8132e All-in-One Printer HP 924 Setup Black Ink Cartridge HP 924 Setup Cyan Ink Cartridge HP 924 Setup Magenta Ink Cartridge HP 924 Setup Yellow Ink Cartridge Power Cord Regulatory Flyer Ink Caution Flyer Setup Poster Reference Guide | Bundled software: HP Printer Software | Certification: CISPR 32:2015 / EN 55032:2015 Class B CISPR 24:2010 / EN 55024:2010 CISPR 35:2016 / EN 55035:2017+A11:2020 EN 61000-3-2:2014 / IEC 61000-3-2:2014 EN 61000-3-3:2013 / IEC 61000-3-3:2013 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.4 FCC CFR 47 Part 15 Class B ICES-003, Issue 7 Class B VCCI V-3:2015 | Security algorithms: WPA3-Personal | Security algorithms: EAP-TLS | Security algorithms: SSL/TLS | Bluetooth: Yes | Security algorithms: WPA3-Enterprise | Security algorithms: WPA2-Enterprise | Internal memory: 512 MB | Wi-Fi standards: 802.11a | Product colour: Grey | Custom media length: 127 - 355.6 mm | Custom media width: 76.2 - 215.9 mm | Security algorithms: PEAP | Printing: Colour printing | Mac operating systems supported: Mac OS X 14.0 Sonoma | Mac operating systems supported: Mac OS X 12.0 Monterey | Built-in display: Yes | Display: CGD | Mac operating systems supported: Mac OS X 13.0 Ventura | AC input frequency: 50/60 Hz | Operating relative humidity (H-H): 20 - 80% | Mac operating systems supported: MacOS | Storage temperature (T-T): -40 - 60 °C | Package depth: 298 mm | Windows operating systems supported: Windows 11 | Package height: 408 mm | Copying: Colour copying | Package weight: 10.2 kg | Operating temperature (T-T): 5 - 40 °C | AC input voltage: 100 - 240 V | Copy speed (black, normal quality, A4): 25 cpm | Display diagonal: 6.86 cm (2.7") | Wi-Fi standards: Wi-Fi 4 (802.11n) | Ethernet LAN: Yes | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Maximum print size: 210 x 297 mm | Mac operating systems supported: Mac OS X 11.0 Big Sur | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11g | Weight: 8 kg | Wi-Fi standards: Wi-Fi 5 (802.11ac) | Height: 233 mm | Power consumption (off): 0.12 W | Processor frequency: 1200 MHz | USB 2.0 ports quantity: 2 | Processor frequency: 1.2 GHz | Windows operating systems supported: Windows 10 | Cables included: AC | Print technology: Thermal inkjet | Copier resize: 25 - 400% | Borderless printing media sizes: Letter | Wi-Fi: Yes | Package width: 506 mm | Depth: 337.5 mm | Linux operating systems supported: Yes | Width: 460.3 mm | Optical scanning resolution: 1200 x 1200 DPI | Borderless printing media sizes: A4 | Security algorithms: HTTPS | Non-ISO print media sizes: Hagaki card | Maximum copy resolution: 600 x 600

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

DPI | ISO A-series sizes (A0...A9): A6 | Number of print cartridges: 4 | USB port: Yes | ISO A-series sizes (A0...A9): A4 | ISO A-series sizes (A0...A9): A5 | Fax memory: 100 pages | Maximum duty cycle: 20000 pages per month | Greyscale levels: 256 | Number of users: 5 user(s) | Photo paper sizes: 13x18 | Print speed (colour, normal quality, A4/US Letter): 10 ppm | Maximum input capacity: 225 sheets | Envelopes sizes: C6 | Fax transmission speed: 4 sec/page | Built-in processor: Yes | Harmonized System (HS) code: 8443310000 | Power consumption (sleep): 1.15 W | Document formats supported: PDF | Modem speed: 33.6 Kbit/s | Photo paper sizes: 10x15 cm | Maximum scan area: 215.9 x 297 mm | Scan to: Software | Maximum resolution: 4800 x 1200 DPI | Fax forwarding: Yes | Scan technology: CIS | Auto fit function: Yes | Duplex printing: Yes | Recommended duty cycle: 0 - 800 pages per month | Scan speed (colour): 3.5 ppm | Duplex functions: Print | Scanning: Colour scanning | Multi-Purpose Tray media weight: 60 - 280 g/m² | Power consumption (ready): 4.45 W | Auto document feeder (ADF) input capacity: 35 sheets | Copy speed (colour, normal quality, A4): 17 cpm | Auto reduction: Yes | Time to first page (black, normal): 15 s | Maximum ISO A-series paper size: A4 | Mobile printing technologies: Mopria Print Service | JIS B-series sizes (B0...B9): B5 | Mobile printing technologies: Apple AirPrint | All-In-One-multitasking: Yes | Scan drivers: TWAIN | ISO C-series sizes (C0...C9): C6 | ISO C-series sizes (C0...C9): C5 | Fax delayed sending: Yes | Duplex printing mode: Auto | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: TIFF | Fax resolution (black): 300 x 300 DPI | Envelopes sizes: C5 | Print speed (black, normal quality, A4/US Letter): 20 ppm | Faxing: Colour faxing | Duplex functions: Fax | Scan speed (black): 8 ppm | Document formats supported: RTF | Document formats supported: TXT | Digital sender: Yes | Image formats supported: PNG | Control type: Buttons, Touch | Image formats supported: BMP | Maximum output capacity: 60 sheets | Other operating systems supported: ChromeOS | Input colour depth: 24 bit | Auto-redialing: Yes | Photo paper sizes (imperial): 8.5x13 | Time to first page (colour, normal): 18 s | Printing colours: Black, Cyan, Magenta, Yellow | Power supply type: Internal (Built-in) Universal Power Supply | Maximum number of copies: 99 copies | Maximum internal memory: 512 MB | Duplex copying: Yes | Copy speed (colour, draft, A4): 17 cpm | Colour display: Yes | Copy speed (black, draft, A4): 25 cpm | Paper tray media types: Plain paper | Recommended operating temperature range (T-T): 15 - 32 °C | Page description languages: PCL 3 GUI | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | Wi-Fi Direct: Yes | Number of print heads: 4 | Paper tray media weight: 60 - 280 g/m² | Auto document feeder (ADF): Yes | Included cartridge capacity (CMY): 270 pages | Print speed (black, draft quality, A4/US Letter): 29 ppm | Paper tray media types: Lightweight paper | Print speed (colour, draft quality, A4/US Letter): 25 ppm | Fax resolution (colour): 200 x 200 DPI | General Product Safety Regulation (GPSR)

URL: [https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225-](https://support.hp.com/gb-en/product/setup-user-guides/hp-color-laserjet-professional-cp5225)

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

printer-series/model/3974356?sku CE710A https://kaas.hpcloud.hp.com/pdf-public/pdf_10340661_en-US-1.pdf | Booklet printing function: Yes | Print resolution black: 1200 x 1200 DPI | Recommended humidity operating range: 25 - 75% | Total output capacity: 60 sheets | Paper tray media types: Recycled paper | Cartridge(s) included: Yes | Envelope feeder: No | Custom media sizes: Tray 1: 76.2 x 127 to 215.9 x 355.6 mm | Total input capacity: 225 sheets | N-in-1 print function: Yes | Included cartridge capacity (black): 255 pages | HP GTIN (EAN/UPC): 886111043361 | HP Auto-On/Auto-Off: Yes | Maximum number of input trays: 1 | Print resolution colour: 4800 x 1200 DPI | Paper tray media types: Photo paper | Duplex faxing: Yes | UNSPSC-code: 43212104 | Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Total carbon emissions, w/o use phase (kg of CO₂e): 499 | Carbon emissions, end-of-life (kg of CO₂e): 0.6 | Carbon emissions, logistics (kg of CO₂e): 50 | Hazard pictogram(s): GHS07: Harmful | Speed dialling: No | Colour name: Light Cement | Total number of input trays: 1 | Warnings: Do not dispose of used appliances and toner cartridges in the regular rubbish bin, they may contain substances harmful to the environment. | HP GTIN (EAN/UPC) with options: (A2S) 884420971535 (ABU) 884420971405 (ABY) 884420971450 (ACQ) 884420971436 (B13) 888182819975 (B19) 884420971412 (BAZ) 884420971429 | Secure printing: Yes | Warnings: Avoid contact with ink, may cause skin irritation. | Sound power level (printing): 6.6 dB | Borderless printing: Yes | Carbon emissions, manufacturing (kg of CO₂e): 377 | Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | HP segment: Home, Home office | Total carbon footprint (kg of CO₂e): 14.8 | HP Dynamic security: Yes | Sustainability compliance: Yes | Print speed (ISO/IEC 24734) black: 20 ppm | Sustainable technologies and materials: Contains ocean-bound recycled plastic Recyclable through HP Planet Partners FSC Certified Packaging | HP Instant Ink: Yes | Print speed (ISO/IEC 24734) colour: 10 ppm