

Lindy 25m USB 3.2 Gen 1 Type A to C Fibre Optic Hybrid Cable

Gamintojas: **LINDY** · Modelis: **43396** · EAN: **4002888433969** · Prekės kodas: **580255**



270,89 €

Kaina su PVM

Be PVM: **223,88 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10m Active Optical USB 3.2 Gen 1 Cable, backwards compatible with USB 2.0
- ✓ Supports transfer rates up to 5Gbps, backwards compatible with USB 2.0 devices
- ✓ Aramid fibers for a robust cable structure
- ✓ Low RFI/EMI for sensitive environments



Aprašymas

The Lindy USB 3.2 Gen 1 Type A to C Hybrid Cable allows to deploy a USB Type C device up to 25m away from the computer whilst retaining SuperSpeed transfer rates of up to 5Gbps . It is typically used in meeting rooms and with video conference systems or webcams, which have their own power supply i.e. the Logitech Rally Camera.

This cable is designed for installation in walls, cable trays and through conduits. Aramid fibers ensure a robust cable structure and provide unparalleled strength and durability. The cable is CPR-certified, which means that the cable meets stringent fire safety regulations. Designed with low Radio Frequency Interference (RFI) and Electromagnetic Interference (EMI), this cable is suitable for sensitive environments where signal integrity is paramount.

Please note that this cable only works with self-powered devices and USB hubs with external power supplies.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB / Lightning Cables [+0][-0]
Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB A
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
Connector contacts plating	Nickel
Magnetically shielded	Yes
Cable jacket material	Thermoplastic elastomer (TPE)
Maximum data transfer rate	5 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Power consumption	1.5 W
Weight & dimensions	
Cable length	25 m
Weight	1 kg
Bend radius (min)	1.25 cm
Connector 1 dimensions (WxDxH)	47.5 x 8.2 x 18.5 mm
Connector 2 dimensions (WxDxH)	45 x 8.2 x 14.5 mm
Packaging data	
Package width	240 mm
Package depth	240 mm
Package height	65 mm
Package weight	1.18 kg
Packaging content	
Quantity per pack	1 pc(s)
Manual	Yes
Operational conditions	

Operating temperature (T-T)	-20 - 70 °C
-----------------------------	-------------

Storage temperature (T-T)	-30 - 75 °C
---------------------------	-------------

Certificates

Certification	CE, UKCA, FCC, RoHS, REACH & California Proposition 65
---------------	--

Logistics data

Warranty period	2 year(s)
-----------------	-----------

Other features

Packaging content	25m USB 3.2 Gen 1 Type A to C Hybrid Cable Lindy manual
-------------------	---

Matmenys ir svoris

Matmenys (I × P × A)	25,00cm × 7,00cm × 25,00cm
----------------------	----------------------------