

Lindy 5m USB 2.0 Active Extension Slim

Gamintojas: **LINDY** · Modelis: **42817** · EAN: **4002888428170** · Prekės kodas: **580316**



19,90 €

Kaina su PVM

Be PVM: **16,45 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 5 metre USB 2.0 Active Extension Repeater Lead
- ✓ Supports transfer rates up to 480Mbps
- ✓ For even greater distances simply connect up to 5 cables in series
- ✓ Plug and Play
- ✓ 2 year warranty



Aprašymas

The Lindy USB 2.0 Active Extension Cable Slim uses built-in active electronics to extend the cable length of a USB 2.0 device by an additional 5m whilst continuing to support data transfer rates of up to 480Mbps.

With its USB A male and USB A female connector it allows Type A devices to be connected at longer distances and ensures flexible positioning. Up to 5 extension cables can be chained together to achieve a distance of 25m.

The cable's unique and slim design allows the active electronics to fit into a standard USB connector - an advantage over other active USB leads which use bulky connectors. Compatible with all USB Type A equipped computers.

Techninė specifikacija

Specifications

Sandėlio grupė	USB / Lightning Cables [+0][-0]
----------------	---------------------------------

Features

USB version	USB 2.0
Connector 1	USB A
Connector 2	USB A
Connector 1 gender	Male
Connector 2 gender	Female
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	24/28
Connector material	Nickel
Contact material	Brass
Connector contacts plating	Gold
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Tinned copper
Connector shielding	Yes
Connector shield material	Aluminium
Connector housing material	Plastic
Maximum data transfer rate	480 Mbit/s
Maximum data transfer rate	0.48 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Transmission medium	Twisted pair
Nominal attenuation	24AWG: 93.25Ohm/km 28AWG: 237.25Ohm/km

Weight & dimensions

Cable length	5 m
Cable diameter	4.8 mm
Weight	180 g
Bend radius (min)	4.8 cm
Connector 1 dimensions (WxDxH)	15 x 40 x 6 mm
Connector 2 dimensions (WxDxH)	15 x 45 x 8 mm

Packaging data

Package type	Blister
Package width	214 mm
Package depth	146 mm
Package height	38 mm
Package weight	200 g
Packaging content	
Quantity per pack	1 pc(s)
Operational conditions	
Operating temperature (T-T)	0 - 70 °C
Storage temperature (T-T)	-10 - 80 °C
Certificates	
Certification	CE, UKCA, FCC, RoHS & REACH
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Matmenys (I × P × A)	26,00cm × 23,00cm × 2,00cm