Lindy 36975 USB cable USB 3.2 Gen 2x2 1.5 m USB C Black

Gamintojas: **LINDY** · Modelis: **36977** · EAN: **4002888369770** · Prekės kodas: **580320**

17,90 €

Kaina su PVM

Be PVM: **14,79 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Ultra-high-speed data transfer up to 20Gbps, perfect for large file transfers, fast backups, and smooth high-resolution media streaming in professional workflows
- ✓ Delivers up to 100W of power via USB Power Delivery (20V 5A) to rapidly charge laptops, tablets, and smartphones, keeping devices powered throughout demanding workdays
- ✓ Made from recycled materials and certified with the Global Recycled Standard (GRS). Double-shielded cable, recycled TPE jacket and nickel-plated connectors for durable, corrosion-resistant performance and reliability
- ✓ Supports video at up to 4K 60Hz via DisplayPort Alternate Mode, enabling high-resolution video output for today´s laptops, workstations, and AV systems

Aprašymas

The USB 3.2 Gen 2x2 Type C, GRS cables from Lindy are designed for reliable performance and crafted from sustainable recycled materials to comply with strict environmental and social standards.

These USB cables are GRS certified and comply with the Global Recycled Standard. Both the cable jacket and connector housing are made from high-quality recycled materials, ensuring the cable meets rigorous GRS certification requirements.

The robust double-shielded design with tinned copper conductors and nickel-plated connectors provides reliable signal quality and solid protection against EMI/RFI in everyday and office environments.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

An integrated E-Mark chip enables safer 100W (20V 5A) fast charging with USB Power Delivery, allowing for the voltage and current to be automatically adjusted to the needs of connected such as mobile phones, tablets and laptops to prevent overvoltage and overcurrent.

USB 3.2 Gen 2x2 delivers blistering 20Gbps transfer speeds, doubling the performance of previous USB generations. Whether you're transferring massive design files, editing high-resolution videos directly from external storage, or connecting next-gen peripherals, this standard ensures maximum efficiency and zero bottlenecks.

DisplayPort Alternate Mode enables crisp 4K video output at 60Hz, making them perfect for connecting to high-resolution displays and AV equipment.

With reversible USB Type C connectors and full bi-directional communication, these cables guarantee simple, reliable connections every time.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB / Lightning Cables [+0][-0]
Features	
USB version	USB 3.2 Gen 2x2
Connector 1	USB C
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	24/32
Connector contacts plating	Nickel
Cable jacket material	Recycled Thermoplastic Elastomer (rTPE)
Conductor material	Copper
Connector shielding	Yes
Maximum data transfer rate	20 Gbit/s
Cable type	Round cable
Plug and Play	Yes
USB Power Delivery (USB PD)	Yes
USB Power Delivery up to	100 W
Maximum resolution	4096 x 2160 pixels
Maximum refresh rate	60 Hz
Nominal attenuation	-12. 2dB@5G, -18. 3dB@10G
Weight & dimensions	

Cable length	1.5 m
Cable diameter	4.5 mm
Bend radius (min)	4.5 cm
Connector 1 dimensions (WxDxH)	30 x 11.9 x 6.93 mm
Packaging data	
Package type	Polybag
Packaging content	
Quantity per pack	1 pc(s)
Sustainability	
Sustainability certificates	Global Recycled Standard (GRS)
Operational conditions	
Operating temperature (T-T)	-10 - 60 °C
Storage temperature (T-T)	-20 - 80 °C
Certificates	
Compliance certificates	RoHS, REACH, UL
Matmenys ir svoris	
Matmenys (I × P × A)	19,00cm × 18,00cm × 1,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903