Axagon BUCM32-CF05AB USB kabelis USB 3.2 Gen 2x2 0,5 m USB C 20 Gbit/s 240 W Juoda

Gamintojas: **AXAGON** · Modelis: **BUCM32-CF05AB** · EAN: **8595247907356** · Prekės kodas: **580362**



11,89 €

Kaina su PVM

Be PVM: **9,83 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt


Pagrindinės savybės

- ✓ 0,5 m
- ✓ USB C Tiesus Kištukinis
- ✓ USB C Tiesus Lizdinis
- ✓ USB 3.2 Gen 2x2 Spartusis įkrovimas „USB Power Delivery“ 3.1 240 W
- ✓ Juoda
- ✓ 1 vnt













Aprašymas

Premium USB-C <-> USB-C data and charging extension AXAGON BUCM32-CF05AB SPEED+ EXTENSIONS USB 3.2 Gen 2 cable with USB-C male and USB-C female connectors. The cable is designed for very fast data transfers and notebook, phone, tablet and other mobile device charging. Enables high-speed extensions for devices with short cables, such as multiport hubs and port replicators. You will not be limited by space and the location of

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

ports on the laptop.

The cable supports up to 20 Gb/s data transfer and also allows image transfer up to 8K/60Hz Full Ultra HD resolution and audio. The cable is compatible with charging technologies Power Delivery up to 240W (depends on the extension cable), Quick Charge, Samsung AFC, Huawei FCP, SMART and others. Connected devices can be charged with up to 5A current.

Durable data and power cable with extended service life is equipped with metal terminals, connectors with a nickel-plated surface and gold-plated contacts. Cable conductors are made of Tin-plated oxygen free copper. High-quality cable insulation, made of flexible TPE, guarantees maximum durability and also maintains sufficient flexibility. The nylon braid gives the cable ultimate strength. Power cables 22AWG (lower number = larger cross-section and lower wire resistance) guarantee fast charging of phones and other mobile devices. Data wires 32AWG together with high-quality shielding, ensure reliable data transmission. Triple shielding protects transmitted signals from adverse interference.

Nylon braid in combination with a cable gland significantly reduces dangerous cable bending. The cable life is extended to more than 8000 standard bends. The mechanical resistance of the cable is also increased by the aluminum terminal covers.

Connectors:
• USB-C (M) male
• USB-C (F) female

Other features:
• DATA SYNC & FAST CHARGING - simultaneous data transfer and mobile device battery charging.
• SuperSpeed USB 10 Gbps - USB 3.2 Gen 2, compatible also with SuperSpeed USB 20 Gbps - USB 3.2 Gen 2x2.
• Backward compatible with USB 3.2 Gen 1 (formerly USB 3.1 Gen 1 / USB 3.0), USB 2.0.
• Supports 20 / 10 Gb/s (SuperSpeed+) second generation transmission rates.
• Supports 20.000 / 10.000 / 5.000 / 480 / 12 / 1.5 Mb/s (SuperSpeed+ dual-lane / SuperSpeed+ / SuperSpeed / High / Full / Low speed) transmission rates.
• Video up to 8K@60Hz Full Ultra HD resolution and audio transfer support - USB-C port with DisplayPort Alternate Mode (DP Alt Mode) support or Thunderbolt 3/4 port is required.
• Supported charging technologies: Power Delivery 2.0 / 3.0 / 3.1 240W (48V/5A), Qualcomm Quick Charge 2.0 / 3.0 / 4+, Samsung Adaptive Fast Charging, Huawei Fast Charge Protocol, SMART Charging and others.
• Support for fast charging with a current of up to 5A.
• Cable includes power wires 22AWG, data wires 32AWG.
• Tin-plated oxygen free copper conductors to reduce oxidation, increase conductivity, and clear signal without distortion.
• Double shielding via galvanized foil and tinned copper braiding minimizes interference and prevents signal loss.
• Nickel-plated connectors and gold-plated contacts prevent oxidation and provide a reliable connection.
• Suitable as a cable extension for laptops, tablets, mobile phones and other devices with USB-C connector especially for multiport hubs, port replicators and docking stations.
• The maximum extension length (cable + extension cable) is 2 m.

Other data:
• cable length 0.5 m,
• outer diameter of the cable 5.0 mm.

Package contains:
• USB-C M <-> USB-C F black cable,
• packed in a printed and sealed foil package with hanging hole.

Techninė specifikacija

Savybės

USB versija	USB 3.2 Gen 2x2
Jungtis 1	USB C
Jungtis 2	USB C
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Lizdinis
Produkto spalva	Juoda
1 jungties forma	Tiesus
2 jungties forma	Tiesus
AWG laido dydis	22/32
Jungties medžiaga	Nikelis
Jungties kontaktų dengimas	Auksas
Laido dangos medžiaga	Termoplastinis elastomeras (TPE)
Kabelio apvalkalo tipas	Pintas
Konduktoriaus medžiaga	Neoksiduotas varis
Jungties ekranavimas	Taip
Jungties ekranavimo medžiaga	Varis
Jungties korpuso medžiaga	Metalas
Maksimalaus duomenų perdavimo sparta	20 Gbit/s
Kabelio tipas	Apvalusis kabelis
Spartusis įkrovimas	Taip
„USB Power Delivery“	Taip
USB maitinimo šaltinio peržiūra	3.1
USB maitinimo tiekimas iki	240 W
„USB Type C DisplayPort Alternate Mode“	Taip
Maksimali rezoliucija	7680 x 4320 pikseliai
Maksimalus atnaujinimo dažnis	60 Hz
Suderinami produktai	notebook, phone, tablet and other mobile device
Energijos valdymas	
Įėjimo įtampa	48 V
Įvesties srovė (maks.)	5 A
Svoris ir matmenys	
Kabelio ilgis	0,5 m
Kabelio skersmuo	5 mm
Svoris	27 g
Pakuotės duomenys	

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Pakuotės tipas	Krepšys
Pakuotės plotis	205 mm
Pakuotės gylis	130 mm
Pakuotės aukštis	14 mm
Paketo svoris	33 g
Pakuotės turinys	
Kiekis pakuotėje	1 vnt
Sertifikatai	
Atitikties sertifikatai	RoHS, CE
Sertifikavimas	CE, RoHS
Logistikos duomenys	
Kilmės šalis	Kinija
Garantinis laikotarpis	3 metai
Matmenys ir svoris	
Matmenys (I × P × A)	1,00cm × 13,00cm × 20,00cm

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.
Železná 663/5, 619 00 Brno-jih, CZ
axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt