

Axagon BUCM3-AM15AB USB kabelis USB 3.2 Gen 1 (3.1 Gen 1) 1,5 m USB C USB A 5 Gbit/s Juoda

Gamintojas: **AXAGON** · Modelis: **BUCM3-AM15AB** · EAN: **8595247906267** · Prekės kodas: **580390**



8,91 €

Kaina su PVM

Be PVM: **7,36 €**

Sandėlyje







Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 1,5 m
- ✓ USB C Tiesus Kištukinis
- ✓ USB A Tiesus Kištukinis
- ✓ USB 3.2 Gen 1 (3.1 Gen 1) 5000 Mbit/ai
- ✓ Juoda
- ✓ 1 vnt



Aprašymas

Premium connection USB-C <-> USB-A Data and Charging AXAGON BUCM3-AM15AB SPEED USB 3.2 Gen 1 cable with USB-C male and USB-A male connectors. The cable is designed for fast data transfers and notebook, phone, tablet and other mobile device charging. It supports up to 5 Gb/s data transfer and charging with current up to 3A.

Durable data and power cable with extended service life is equipped with metal terminals, connectors with a nickel-plated surface and gold-plated contacts. Cable conductors are made of Tin-plated oxygen free copper. High-quality cable insulation, made of flexible TPE, guarantees maximum durability and also maintains sufficient flexibility. The final strength of the cable is provided by the nylon braid. The bonus is a practical strip for easy packing of the cable.

Power cables 22AWG (lower number = larger cross-section and lower wire resistance) guarantee fast charging of phones and other mobile devices. Data wires 30AWG together with high-quality shielding, ensure reliable data transmission. Triple shielding protects transmitted signals from adverse interference.

Nylon braid in combination with a cable gland significantly reduces dangerous cable bending. The cable life is extended to more than 8000 standard bends. The mechanical resistance of the cable is also increased by the aluminum terminal covers.

Connectors:

- USB-C (M) male
- USB-A (M) male

Other Features:

- DATA SYNC & FAST CHARGING - simultaneous data transfer and mobile device battery charging.
- SuperSpeed USB - USB 3.2 Gen 1 (formerly USB 3.1 Gen 1 / USB 3.0).
- Compatible with USB 3.2 Gen 2, backward compatible with USB 2.0.
- Supports 5.000 / 480 / 12 / 1.5 Mb/s (SuperSpeed / High / Full / Low speed) transmission rates.
- Support for high-speed charging by current up to 3A.
- Supported charging technologies: Qualcomm Quick Charge 2.0 / 3.0, Samsung Adaptive Fast Charging, Huawei Fast Charge Protocol, SMART Charging and others.
- Cable includes power wires 22AWG, data wires 30AWG.
- Tin-plated oxygen free copper conductors to reduce oxidation, increase conductivity, and clear signal without distortion.
- Double shielding via galvanized foil and oxygen free copper braiding minimizes interference and prevents signal loss.
- Nickel-plated connectors and gold-plated contacts prevent oxidation and provide a reliable connection.
- Suitable for mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector.

Other data:

- cable length 1.5 m,
- 4.5 mm outer diameter.

Package contains:

- USB-C M <-> USB-A M black cable,
- tightening strip,
- packed in a printed and sealed foil package with hanging hole.

Techninė specifikacija

Savybės	
USB versija	USB 3.2 Gen 1 (3.1 Gen 1)
Jungtis 1	USB C
Jungtis 2	USB A
1 jungtis – vidinė ar išorinė	Kištukinis
2 jungtis – vidinė ar išorinė	Kištukinis
Produkto spalva	Juoda

1 jungties forma	Tiesus
2 jungties forma	Tiesus
AWG laido dydis	22/30
Jungties medžiaga	Nikelis
Jungties kontaktų dengimas	Auksas
Laido dangos medžiaga	Termoplastinis elastomeras (TPE)
Kabelio apvalkalo tipas	Pintas
Konduktoriaus medžiaga	Neoksiduotas varis
Jungties ekranavimas	Taip
Jungties ekranavimo medžiaga	Aliuminis
Jungties korpuso medžiaga	Metalas
Didžiausias duomenų perdavimo greitis	5000 Mbit/ai
Maksimalaus duomenų perdavimo sparta	5 Gbit/s
Kabelio tipas	Apvalusis kabelis
Suderinami produktai	mobile phones and smartphones, tablets, powerbanks and other mobile devices with USB-C connector
Energijos valdymas	
Iėjimo įtampa	5 V
Įvesties srovė (maks.)	3 A
Svoris ir matmenys	
Kabelio ilgis	1,5 m
Kabelio skersmuo	4,5 mm
Svoris	55 g
Pakuotės duomenys	
Pakuotės tipas	Krepšys
Pakuotės plotis	205 mm
Pakuotės gylis	130 mm
Pakuotės aukštis	10 mm
Paketo svoris	60 g
Pakuotės turinys	
Kiekis pakuotėje	1 vnt
Sertifikatai	
Atitikties sertifikatai	RoHS, CE
Sertifikavimas	CE, RoHS

Logistikos duomenys

Kilmės šalis	Kinija
Garantinis laikotarpis	3 metai

Matmenys ir svoris

Matmenys (I × P × A)	2,00cm × 13,00cm × 20,00cm
----------------------	----------------------------

Gamintojo ir saugos informacija

GAMINTOJAS

RealQ, s.r.o.

Železná 663/5, 619 00 Brno-jih, CZ

axagon.eu

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt