

Lindy 2m USB 2.0 Type A to B Cable, Anthra Line, Grey

Gamintojas: **LINDY** · Modelis: **36683** · EAN: **4002888366830** · Prekės kodas: **580460**



4,90 €

Kaina su PVM

Be PVM: **4,05 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Professional choice USB 2.0 Type A to B, grey, cable for commercial and high performance AV and IT installations
- ✓ Supports data transfer speeds up to 480Mbps
- ✓ Robust PVC housing, nickel connectors and gold plated contacts
- ✓ Double shielded cable with grey finish, corrosion resistant tinned copper conductors
- ✓ USB 2.0, 480Mbps; 10 year warranty



Aprašymas

From the Lines cable connectivity concept developed by Lindy, Anthra Line USB 2.0 Type A to B, grey, cables are the professional choice for high performance connections in commercial AV and IT installations.

Anthra Line USB 2.0 cables are premium connections that feature double shielded construction with copper conductors for performance and corrosion resistance. High quality gold plated contacts and connectors maintain optimal signal integrity and maximum reliability.

Data transfer speeds up to 480Mbps are supported for the quick and effortless transfer of large data volumes.

This product features a grey finish effect on the cable.

Anthra Line USB 2.0 Type A to B cables are available in lengths from 0.2m to 5m.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB / Lightning Cables [+0][-0]
Features	
USB version	USB 2.0
Connector 1	USB A
Connector 2	USB B
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Grey
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	26/28
Connector material	Nickel
Contact material	Copper
Connector contacts plating	Gold
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Copper
Connector shielding	Yes
Connector shield material	Aluminium
Connector housing material	Polyvinyl chloride (PVC)
Maximum data transfer rate	480 Mbit/s
Maximum data transfer rate	0.48 Gbit/s
Cable type	Round cable
Nominal attenuation	5.8db/km
Weight & dimensions	
Cable length	2 m
Cable diameter	4.4 mm
Bend radius (min)	1.6 cm
Connector 1 dimensions (WxDxH)	15.5 x 35 x 7.8 mm
Connector 2 dimensions (WxDxH)	11.8 x 35 x 10.2 mm
Packaging data	
Package type	Polybag

Packaging content

Quantity per pack	1 pc(s)
-------------------	---------

Operational conditions

Operating temperature (T-T)	0 - 80 °C
-----------------------------	-----------

Storage temperature (T-T)	0 - 60 °C
---------------------------	-----------

Certificates

Certification	RoHS, REACH, UL
---------------	-----------------

Logistics data

Harmonized System (HS) code	84733080
-----------------------------	----------

Matmenys ir svoris

Matmenys (I × P × A)	15,00cm × 15,00cm × 1,00cm
----------------------	----------------------------