

ASUS Dual -RTX5060TI-O8G NVIDIA GeForce RTX 5060 Ti 8 GB GDDR7

Gamintojas: **ASUS** · Modelis: **90YV0MP2-M0NA00** · EAN: **4711387994290** · Prekės kodas: **580666**



607,90 €

Kaina su PVM

Be PVM: **502,40 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 5060 Ti 8 GB GDDR7
- ✓ 7680 x 4320 pixels 128 bit 28 Gbit/s PCI Express 5.0
- ✓ HDMI ports quantity: 1 DisplayPorts quantity: 3
- ✓ OpenGL version: 4.6
- ✓ 1x 8-pin



Aprašymas

DUAL GEFORCE RTX™ 5060 Ti

Dual Fans, Perfect Fit

ASUS Dual GeForce RTX™ 5060 Ti combines powerful thermal performance with broad compatibility. Advanced cooling solutions from flagship graphics cards — including two Axial-tech fans for optimizing airflow to the heatsink. Designed in a compact 2.5-slot form factor, delivering more power in less space. These enhancements make ASUS Dual the perfect choice for gamers who want heavyweight graphics performance in a compact build.

Build Small. Play Big.

You can pack high performance into a smaller footprint with this SFF-Ready Enthusiast GeForce card. Look for cases that are compatible with SFF-Ready Enthusiast GeForce Cards to get a sure fit and streamline your PC build.

Cooling

2.5-slot Design

A carefully designed shroud, heatsink, and heatpipe layout enables the two Axial-tech fans to leverage chassis side-panel ventilation, delivering thermal performance that beyond the compact size.

Axial-tech Upgrades

Two tried-and-true Axial-tech fans feature a smaller hub facilitates longer blades and a barrier ring to increase downward air pressure.

0dB Technology

To eliminate unnecessary noise, the stop mode automatically halts all fans when the GPU temperature drops below 50 degrees and power consumption is low.

Dual Ball Fan Bearings

Fan bearings come in different types, each with its own advantages. Dual ball bearings provide superior durability and can last up to twice as long as sleeve-bearing designs.

Vented Backplate

A vented backplate significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling.

Techninė specifikacija

Specifications	
Sandėlio grupė	VIDEO CARDS [+10][-70]
Processor	
Graphics processor family	NVIDIA
Graphics processor	GeForce RTX 5060 Ti
Maximum resolution	7680 x 4320 pixels
CUDA	Yes
Parallel processing technology support	Not supported
CUDA cores	4608
Processor boost clock speed	2602 MHz
Processor frequency (OC mode)	2632 MHz
Maximum displays per videocard	4
Memory	
Discrete graphics card memory	8 GB
Graphics card memory type	GDDR7
Memory bus	128 bit
Data transfer rate	28 Gbit/s
Ports & interfaces	
Interface type	PCI Express 5.0

HDMI ports quantity	1
DVI-D ports quantity	0
DVI-I ports quantity	0
DisplayPorts quantity	3
HDMI version	2.1b
DisplayPort version	2.1b
Performance	
TV tuner integrated	No
OpenGL version	4.6
HDCP	Yes
HDCP version	2.3
NPU performance up to	759 TOPs
Overclocked (OC) edition	Yes
Design	
Cooling type	Active
Cooling technology	ASUS Axial-tech
Number of fans	2 fan(s)
Number of slots	2.5
SFF ready	Yes
Product colour	Black, Grey
Power	
Minimum system power supply	550 W
Supplementary power connectors	1x 8-pin
Weight & dimensions	
Weight	656 g
Length	229 mm
Depth	50 mm
Height	120 mm
Packaging data	
Package width	364 mm
Package depth	219 mm
Package height	67 mm
Package weight	1.12 kg
Package type	Box

Packaging content

Manual	Yes
--------	-----

Matmenys ir svoris

Matmenys (l × p × A)	37,00cm × 22,00cm × 8,00cm
----------------------	----------------------------