



**Monitorius
Philips 1000
serijos
27E2N1100L/00,
27 colių Full HD
(1920x1080) VA
matrica, 100Hz,
1ms MPRT,
LowBlue
režimas, Juodas**

Modelis: 27E2N1100L/00

Gamintojas: MMD-MONITORS & DISPLAYS

EAN: 8721038000375

Prekės kodas: 581530

185.99€

**Philips 27E2N1100L/00 27 colių Full HD monitorius:
sklandus veikimas ir komfortas akims**

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Philips 1000 serijos 27E2N1100L/00 yra universalus 27 colių (68,6 cm) Full HD kompiuterio monitorius, skirtas maksimaliam produktyvumui ir geresnei pramogų patirčiai namuose. Dėl didelio našumo VA matricos šis ekranas pasižymi puikiu kontrastu (4000:1) ir ypač plačiais 178 laipsnių žiūrėjimo kampais, užtikrinančiais nuoseklią vaizdo kokybę beveik iš bet kurios vietos.

Optimizuotas našumas kasdienėms užduotims ir multimedijai

Mėgaukitės sklandesniais vaizdais ir mažiau susiliejusiu judesiu – nesvarbu, ar naršote dokumentus, ar žiūrite vaizdo įrašus, – dėl padidinto 100 Hz atnaujinimo dažnio. Philips 27E2N1100L/00 taip pat siūlo puikų atsako laiką greitam vaizdų atnaujinimui:

- **100 Hz atnaujinimo dažnis:** Užtikrina žymiai sklandesnį judėjimą, palyginti su standartiniais 60 Hz monitoriais.
- **1 ms MPRT (judančio vaizdo atsako laikas):** Efektyviai pašalina judesio liejimąsi ir šešėlius, o greitas veiksmas lieka ryškus ir aiškus. Standartinis GTG atsako laikas yra 4 ms.
- **Full HD raiška (1920 x 1080):** Pateikia ryškius ir detalius vaizdus visame 27 colių ekrane.
- **SmartImage technologija:** Automatiškai optimizuoja kontrastą, ryškumą ir spalvų sodrumą pagal rodomą turinį.

Išplėstinis komfortas ir jungiamumas

Šis „Philips“ monitorius skirtas ilgalaikiam naudojimui, todėl jame integruotos pažangios funkcijos, skirtos vizualiniam nuovargiui mažinti. Elegantiškas, juodas dizainas puikiai tinka bet kokiai šiuolaikinei darbo vietai, o standartinės jungtys užtikrina suderinamumą su įvairiais įrenginiais.

- **LowBlue režimas ir technologija be mirgėjimo (Flicker-free):** Šios technologijos sumažina kenksmingą trumpųjų bangų mėlynosios šviesos spinduliavimą ir ekrano mirgėjimą, užtikrindamos patogias žiūrėjimo sąlygas net ir ilgomis darbo valandomis.
- **EasyRead režimas:** Optimizuoja ekrano išvaizdą dokumentams skaityti, imituojuant popieriaus tekstūrą.
- **Jungiamumas:** Turi vieną HDMI 1.4 prievadą ir vieną VGA (D-Sub) prievadą, siūlantį lanksčias įvesties galimybes dabartiniams ir senesniems įrenginiams.
- **Tvirtinimas:** Suderinamas su VESA tvirtinimu (100 x 100 mm) ir turi pakreipimo reguliavimą (-5 iki 20°) ergonomiškam pritaikymui.

- **Energijos vartojimo efektyvumas:** D klasės energijos efektyvumas, sunaudojant tik 17,6 W (tipinis).

Philips yra pasaulinio lygio technologijų prekės ženklas, įsipareigojęs gerinti žmonių gyvenimą prasmingomis naujovėmis. Jie specializuojasi sveikatos technologijų ir plataus vartojimo elektronikos srityse, įskaitant aukštos kokybės monitorius, žinomus dėl savo aiškumo ir patogumo.

Užsisakykite šiandien iš ++SHOP++, nes siūlome geriausius pasiūlymus ir patikimą pristatymą visoms Philips ekranų sistemoms.

This monitor is packed with features that allow you to work with absolute precision. Its Full HD resolution, along with a 100Hz refresh rate and 1ms MPRT, this monitor showcases detailed imagery with the utmost definition.

Touchscreen: No | Depth (without stand): 32 mm | Response time (MPRT): 1 ms | Operating temperature (T-T): 0 - 40 °C | Mean time between failures (MTBF): 50000 h | Viewing angle, horizontal: 178° | Cable lock slot type: Kensington | On Screen Display (OSD) languages: Japanese | On Screen Display (OSD) languages: Swedish | On Screen Display (OSD) languages: Hungarian | On Screen Display (OSD) languages: Turkish | Display sRGB: Yes | On Screen Display (OSD) languages: English | On Screen Display (OSD) languages: Ukrainian | On Screen Display (OSD) languages: Finnish | Warnings: Place the monitor on a flat and stable surface to avoid tipping and damage. | On Screen Display (OSD) languages: Greek | Power supply type: External | Warnings: Do not disassemble the monitor casing to avoid risk of electric shock. | Weight (with stand): 3.05 kg | On Screen Display (OSD) languages: Portuguese | Warnings: Unplug the monitor from the power source before cleaning. | Built-in USB hub: No | Tilt adjustment: Yes | Panel type: VA | Display technology: LCD | Power consumption (typical): 17.6 W | Power consumption (standby): 0.5 W | Storage temperature (T-T): -20 - 60 °C | Pixel pitch: 0.3114 x 0.3114 mm | On Screen Display (OSD): Yes | Display number of colours: 16.7 million colours | Non-operating altitude: 3658 - 12192 m | Backlight type: W-LED | Panel mounting interface: 100 x 100 mm | VESA mounting: Yes | Maximum refresh rate: 100 Hz | Viewable size, horizontal: 59.8 cm | Built-in speaker(s): No | Package depth: 126 mm | Display diagonal (metric): 68.6 cm | HDMI version: 1.4 | DDC/CI: Yes | HDMI ports quantity: 1 | Height (without stand): 363 mm | Viewing angle, vertical: 178° | AMD FreeSync: No | Horizontal scan range: 30 - 115 kHz | Flicker-free technology: Yes | Haze rate: 25% | On Screen Display (OSD) languages:

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Russian | On Screen Display (OSD) languages: Czech | On Screen Display (OSD) languages: Spanish | On Screen Display (OSD) languages: Simplified Chinese | Plug and Play: Yes | Operating relative humidity (H-H): 20 - 80% | On Screen Display (OSD) languages: Traditional Chinese | On Screen Display (OSD) languages: French | On Screen Display (OSD) languages: Korean | HDMI: Yes | Regulatory Approvals: CE Mark, CB, ETL, CEC, CEL, CCC, CECP, UKCA, EMF, FCC, ICES-003 | On Screen Display (OSD) languages: Polish | On Screen Display (OSD) languages: German | On Screen Display (OSD) languages: Italian | On Screen Display (OSD) languages: Dutch | Contrast ratio (typical): 4000:1 | Energy efficiency class (SDR): D | Dynamic contrast ratio marketing name: Mega Infinity DCR | Width (without stand): 614 mm | European Product Registry for Energy Labelling (EPREL) code: 2030696 | Component video sync: Separate sync | Compliance certificates: RoHS | Energy consumption (SDR) per 1000 hours: 16 kWh | Weight (without stand): 2.69 kg | Pixel density: 81.59 ppi | Energy efficiency class (HDR): Not available | Vertical scan range: 48 - 100 Hz | HDCP version: 1.4 | Component video sync: Sync-on-green (SOG) | Package height: 420 mm | VGA (D-Sub) ports quantity: 1 | Package width: 690 mm | Anti-glare screen: Yes | Digital vertical frequency: 48 - 100 Hz | Viewable size, vertical: 33.6 cm | Low Blue Light technology: Yes | Surface hardness: 3H | Market positioning: Home | Height adjustment: No | Response time measurement type: GTG (Gray to Gray) | Heavy metals free: Hg (mercury) | Built-in camera: No | Cables included: HDMI | Digital horizontal frequency: 30 - 115 kHz | Number of OSD languages: 21 | Cables included: Power | Doesn't contain: Mercury | Recyclable packaging material: 100% | LowBlue mode: Yes | Adaptive synchronisation: Yes | EasyRead mode: Yes | Picture enhancement: SmartImage | Exterior finish type: Textured | Cable lock slot: Yes | LED backlight: Yes | Product colour: Black | Display resolution: 1920 x 1080 pixels | AC input frequency: 50/60 Hz | HD type: Full HD | Response time: 4 ms | Power consumption (off): 0.3 W | Package weight: 5.2 kg | Tilt angle range: -5 - 20° | Display brightness (typical): 250 cd/m² | NVIDIA G-SYNC: No | Native aspect ratio: 16:9 | LED indicators: Stand-by | LED indicators: Operation | Display diagonal: 68.6 cm (27") | Width (with stand): 614 mm | Depth (with stand): 200 mm | Screen shape: Flat | HDCP: Yes | AC input voltage: 100 - 240 V | Operating altitude: 0 - 3658 m | Height (with stand): 457 mm