



X-SENSE FS31 Smoke Detector Kit



Modelis: FS31

Gamintojas: X-SENSE

EAN: 810194780035

Prekės kodas: 581552

95.99€

X-SENSE FS31 Smoke Detector Kit

Ensure effective home protection with the X-SENSE FS31 kit, which includes three XS01-M smart smoke detectors and an SBS50 base station. The system uses photoelectric smoke sensors and wireless communication in the 868 MHz frequency band, and detection of a hazard by a single sensor can trigger all connected alarms immediately. Real-time notifications are sent to the X-Sense Home Security app, and the transmission range of up to 500 m (in open space) allows for effective protection of multiple rooms and floors.

Instant alerts throughout the home

Each XS01-M sensor emits an alarm at approximately 85 dB from a distance of 3 m, ensuring the signal is clearly audible even in larger rooms. The sensors can operate as a wireless system without a base station or work with the SBS50 control panel, offering additional remote notifications and app support. Up to 24 Link+ alarms can be paired in a single network, or up to 50 devices can be —

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

connected to a single base station.

Remote Monitoring

When connected to the X-Sense Home Security app, you receive instant notifications for smoke detection, low battery levels, and more. You can also use the app to silence alarms, test devices, and share access with other household members. Additionally, you can view event history.

10 years of reliable operation

The XS01-M sensors boast a 10-year lifespan and use replaceable 3V CR123A lithium batteries. The built-in test function and the option to silence the alarm for approximately 9 minutes make daily monitoring and system management easy. Furthermore, the compact dimensions of 78 × 78 × 48 mm and light weight of 95 g allow for discreet installation of the detectors on the ceiling or wall.

SBS50 Smart Control Panel

The included SBS50 base station features an alarm with a volume of up to 100 dB and voice messages with a volume of up to 110 dB. Additionally, it allows you to choose from various melodies. The 2-in-1 button enables both silencing the alarm and network configuration, while the three-color LED indicator shows the device's current status. The control panel supports up to 50 devices and serves as a convenient hub for managing the security of your entire home.

Included in the set

- SBS50 base station
- XS01-M smart smoke detector x3
- CR123A batteries (pre-installed)
- Mounting brackets
- Screws
- Mounting dowels
- Power adapter
- Power cable
- User manual

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Smoke detector

Manufacturer	X-SENSE
Model	XS01-M
Safety standard	EN 14604:2005+AC:2008
Sensor type	Photoelectric
Device lifespan	Up to 10 years
Power supply	Replaceable 3 V CR123A lithium battery
Alarm volume	≥ 85 dB at a distance of 3 m with a pulsating alarm at 3.2 ± 0.3 kHz
Operating temperature	4°C to 38°C
Operating humidity	≤ 85% RH (non-condensing)
Silence time	Approx. 9 min
Indicator light	LED (red/yellow/green)
Operating frequency	868 MHz
Max. number of connected devices	Up to 24 wireless units (compatible only with X-Sense Link+ wireless alarms)
Connection range	Up to 500 m in open space
Weight	95 g
Dimensions	78 × 78 × 48 mm

Base station

Manufacturer	X-SENSE
Model	SBS50
Power supply	Input: 100–240 V AC 50/60 Hz Output: 5 V = 1 A
Alarm volume	100 dB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Operating temperature	4°C to 38°C
Operating humidity	0–85% RH (non-condensing)
Indicator light	LED (red/yellow/green)
Operating frequency	868 MHz
Wi-Fi frequency	2.4 GHz (not compatible with 5 GHz Wi-Fi networks)
Wi-Fi range	Up to 50 m
Wireless network standard	IEEE 802.11 b/g/n
Maximum number of supported devices	50
Weight	78 g
Dimensions	90 × 90 × 26.5 mm

GPSR Link: https://psr-assets.innpro.pl/smarthome/sg_smarthome_actuators.pdf, Gross weight: 620, Net weight: 363, Box length: 16,00, Box width: 16,00, Box height: 10,50, Information about data generation: <https://dataact.innpro.pl/X-Sense/0810194780035>, GARAN: <https://garan.innpro.pl/x-sense/0810194780035>