

Najważniejsze informacje

Główne cechy

Drukowanie

Kopiowanie

Skanowanie

Faks

Dwuzakresowa sieć Wi-Fi®

Automatyczne drukowanie dwustronne

Współczesny interfejs dotykowy

Oświetlenie z funkcją podpowiedzi



Drukarka HP Smart Tank 790

Najważniejsze funkcje



Technologia druku wysokonakładowego
Otrzymaj zapas atramentu na okres nawet do 3 lat / 18 000 stron w czerni lub 8000 stron w kolorze.



Szybki, automatyczny druk dwustronny
Szybkie drukowanie dokumentów wielostronicowych za pomocą opcji automatycznego druku dwustronnego.



Wysoka wydajność pracy na urządzeniach przenośnych
Drukowanie, skanowanie i kopiowanie z dowolnego urządzenia przenośnego z aplikacją HP Smart.



Drukowanie przyjazne dla środowiska
Wykorzystanie w produkcji tworzyw sztucznych z recyklingu – do 25% wagowo.

Dodatkowe funkcje

☒ Dwuzakresowa sieć Wi-Fi® i technologia BTLE

☒ Ethernet

☒ Przewodnik instalacji krok po kroku w aplikacji HP Smart

☒ Wskaźniki świetlne niskiego poziomu atramentu w zbiorniku

☒ Czujnik małej ilości papieru

☒ Drukowanie bez marginesów

☒ Podajnik na 250 arkuszy

☒ Butelki umożliwiające napełnianie bez rozlewania

☒ Automatyczny podajnik dokumentów na 35 arkuszy

☒ Zgodność z Instant Ink

☒ W cenie

☐ Brak

HP Smart Tank 790 All-in-One Printer Thermal inkjet A4 4800 x 1200 DPI 15 ppm Wi-Fi



Modelis: 4WF66A

Gamintojas: HEWLETT-PACKARD

EAN: 195908302858

Prekės kodas: 582185

284.99€

Compatible operating systems: Windows 11 Windows 10 Windows 7 macOS 10.14 Mojave macOS 10.15 Catalina macOS 11 Big Sur macOS 12 Monterey macOS 13 Ventura macOS 14 Sonoma Chrome OS | Recommended system requirements: Windows 10 7 32-bit or 64-bit 2 GB available hard disk space Internet connection Internet Explorer. macOS v10.14 Mojave macOS v10.15 Catalina macOS v11 Big Sur 2 GB HD Internet required. | Bundled software: HP Printer Software, available online | Box contents: HP Smart Tank 790 All-in-One 3 x HP GT53XL 135-ml Black Original Ink Bottle HP GT52 Cyan Original Ink Bottle HP GT52 Magenta Original Ink Bottle HP GT52 Yellow Original Ink Bottle Power cord PHA Setup guide Reference guide Ink caution flyer Regulatory flyers warranty flyers For more information about fill and yield, see <http://www.hp.com/go/learnaboutsupplies> | Certification: CISPR 32:2015/EN 55032:2015+A11:2020 Class B CISPR24:2010+A1:2015/EN

55024:2010+A1:2015 EN55035:2017+A11:2020/CISPR35:2016 EN 61000-3-2:2019 EN 61000-3-

Pateiktą prekęs informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

3:2013+A1:2019 FCC CFR 47 Part 15 Subpart B ICES-003 Issue 7:2020 EN 301 489-1 V2.2.3 EN 301 489-17 V3.2.2 | USB port: Yes | Auto document feeder (ADF) input capacity: 35 sheets | Print technology: Thermal inkjet | Copy speed (colour, normal quality, A4): 22 cpm | Mac operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.15 Catalina | Mac operating systems supported: Mac OS X 11.0 Big Sur | Built-in processor: Yes | Ethernet LAN: Yes | Copying: Colour copying | Custom media length: 127 - 355.6 mm | Operating temperature (T-T): 5 - 40 °C | Mac operating systems supported: Mac OS X 10.14 Mojave | Touchscreen: Yes | Maximum print size: 216 x 355.6 mm | Processor frequency: 800 MHz | Copier resize: 25 - 400% | Mac operating systems supported: Mac OS X 12.0 Monterey | Storage temperature (T-T): -40 - 60 °C | Mac operating systems supported: Mac OS X 14.0 Sonoma | Custom media width: 88.9 - 215.9 mm | Copy speed (black, normal quality, A4): 23 cpm | Operating relative humidity (H-H): 15 - 80% | Mac operating systems supported: Mac OS X 13.0 Ventura | Bluetooth: Yes | PictBridge: No | Card reader integrated: No | Package height: 410 mm | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Printing: Colour printing | Weight: 7.7 kg | Built-in display: Yes | Package depth: 284 mm | Depth: 364 mm | Faxing: Colour faxing | Direct printing: Yes | Maximum scan resolution: 1200 x 1200 DPI | Scanning: Colour scanning | USB 2.0 ports quantity: 1 | AC input voltage: 100 - 240 V | Width: 427.5 mm | Package weight: 10.7 kg | Scanner type: Flatbed scanner | Product colour: Grey | Height: 240.3 mm | Package width: 484 mm | Windows operating systems supported: Windows 7 | AC input frequency: 50/60 Hz | Display diagonal: 7.62 cm (3") | Scan to: Software | Internal memory: 256 MB | Borderless printing media sizes: Letter | Maximum scan area: 216 x 297 mm | Power consumption (off): 0.1 W | Windows operating systems supported: Windows 10 | Cables included: AC | Windows operating systems supported: Windows 11 | Optical scanning resolution: 1200 x 1200 DPI | Borderless printing media sizes: A4 | Wi-Fi: Yes | Scan technology: CIS | Auto fit function: Yes | Auto reduction: Yes | Image formats supported: JPEG | Image formats supported: BMP | ISO A-series sizes (A0...A9): A5 | Total number of input trays: 1 | Fax transmission speed: 4 sec/page | Print margins (top, bottom, right, left): 3.3 mm | Typical electricity consumption (TEC) number: 0.20 kWh/Week | Maximum copy resolution: 600 x 600 DPI | Paper tray media types: Glossy paper | Paper tray media types: Matte paper | TWAIN version: 2.1 | Print speed (colour, normal quality, A4/US Letter): 9 ppm | Document formats supported: PDF | Colour display: No | Maximum resolution: 4800 x 1200 DPI | Modem speed: 33.6 Kbit/s | Power supply type: Internal | Sound power level (printing): 6.5 dB | ISO A-series sizes (A0...A9): A4 | Power consumption (sleep): 1.1 W | Paper tray media types: Recycled paper | Auto document feeder (ADF): Yes | Paper tray media types: Plain paper | JIS B-series sizes (B0...B9): B5 | HP GTIN (EAN/UPC): 195161448027, 195161448034, 195161269653, 195161448058 |

Paper tray media types: Photo paper | Recommended humidity operating range: 20 - 80% | Total

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

output capacity: 100 sheets | Maximum input capacity: 250 sheets | Total input capacity: 250 sheets
| Fax speed dialing (max numbers): 99 | Photo paper sizes: 10x15 cm | Greyscale levels: 256 |
Borderless printing: Yes | Time to first page (colour, normal): 16 s | Other operating systems
supported: ChromeOS | Custom media sizes: 88.9 x 127 mm to 215.9 x 355.6 mm | Print resolution
black: 1200 x 1200 DPI | Envelopes sizes: DL | Duplex printing mode: Auto | Warranty card: Yes |
Duplex copying: Yes | Recommended duty cycle: 400 - 1200 pages per month | Sound pressure level
(printing): 59.4 dB | Input colour depth: 24 bit | Print speed (ISO/IEC 24734) black: 15 ppm |
Envelopes sizes: C6 | Paper tray media weight: 60 - 250 g/m² | Maximum output capacity: 100 sheets
| Recommended operating temperature range (T-T): 15 - 30 °C | Image formats supported: PNG |
Sustainable technologies and materials: 25% post-consumer recycled plastic Recyclable through HP
Planet Partners | Mobile printing technologies: Apple AirPrint | Image formats supported: TIFF |
Number of users: 3 user(s) | Non-ISO print media sizes: Legal | Envelopes sizes: C5 | Maximum ISO A-
series paper size: A4 | Time to first page (black, normal): 14 s | Junk barrier supported: Y | ISO C-
series sizes (C0...C9): C6 | Page description languages: PCL 3 GUI | Duplex functions: Fax | Scan
drivers: TWAIN | Envelope feeder: No | Maximum duty cycle: 6000 pages per month | Fax memory:
100 pages | Print resolution colour: 4800 x 1200 DPI | Print speed (black, draft quality, A4/US Letter):
23 ppm | HP segment: Home | Fax resolution (colour): 200 x 200 DPI | ID-card copy function: Yes |
All-In-One-multitasking: Yes | Fax delayed sending: Yes | Non-operating relative humidity (non-
condensing): 5 - 90% | Fax forwarding: Yes | General Product Safety Regulation (GPSR) URL:
https://kaas.hpcloud.hp.com/pdf-public/pdf_11069394_en-US-1.pdf | Control type: Buttons, Touch |
Duplex scanning: No | Wi-Fi Direct: Yes | UNSPSC-code: 43212110 | Sustainability compliance: Yes |
Maximum number of input trays: 1 | Fax resolution (black): 300 x 300 DPI | Print speed (colour, draft
quality, A4/US Letter): 22 ppm | Duplex printing: Yes | ISO A-series sizes (A0...A9): A6 | Paper tray
media types: Lightweight paper | Mobile printing technologies: Mopria Print Service | Other EU
Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction | HP
GTIN (EAN/UPC) with options: (ABT) 195161448027 (ABY) 195161448034 (B19) 195161269653 (BAZ)
195161448058 | Warnings: Do not dispose of used appliances and toner cartridges in the regular
rubbish bin, they may contain substances harmful to the environment. | Print speed (black, normal
quality, A4/US Letter): 15 ppm | Warnings: Avoid contact with ink, may cause skin irritation. |
Warnings: Follow local regulations for the disposal of electronic multifunctional devices. | Number of
print heads: 2 | Number of print cartridges: 4 | ISO C-series sizes (C0...C9): C5 | Printing colours:
Black, Cyan, Magenta, Yellow | Photo paper sizes (imperial): 5x7 | Photo paper sizes (imperial): 8x10
| Maximum number of copies: 99 copies | Duplex faxing: Yes | Maximum internal memory: 256 MB |
Photo paper sizes (imperial): 4x6" | Speed dialling: Yes | Auto-redialing: Yes | Print speed (ISO/IEC

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be
išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

24734) colour: 9 ppm | Compliance certificates: CECP | Carbon emissions, end-of-life (kg of CO2e):
11 | Total carbon footprint (kg of CO2e): 6.3 | Total carbon emissions, w/o use phase (kg of CO2e): 14
| Carbon emissions, manufacturing (kg of CO2e): 74 | Carbon emissions, logistics (kg of CO2e): 3