Lindy 0.5m USB 3.2 Type A to C Cable, 10Gbps, Black Line

Gamintojas: **LINDY** · Modelis: **36915** · EAN: **4002888369152** · Prekės kodas: **582666**

11,89 €

Kaina su PVM

Be PVM: **9,83 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Entry level USB 3.2 Gen 2 Type A to C cable for home and small office applications
- ✓ SuperSpeed USB 10Gbps - supports data transfer speeds up to 10Gbps (USB 3.1, USB 3.1 Gen 2)
- ✓ Robust PVC housing, nickel connectors, gold plated contacts
- ✓ Triple shielded cable, corrosion resistant tinned copper conductors
- ✓ 10 year warranty

Aprašymas

The Black Line USB 3.2 Type A to C cables from Lindy's Cable Lines concept are fully featured, entry level high resolution connection solutions, perfect for home and small office use.

Black Line USB 3.2 Type A to C cables feature triple shielded construction with tinned copper conductors for premium performance and corrosion resistance. Nickel connectors and gold plated contacts maintain signal integrity and reliability.

USB bandwidths up to 10Gbps are supported for rapid transfer of large data volumes.

USB Type C features a reversible connector, so no matter which orientation the cable is inserted, a connection will always be found. This connector allows a fully bi-directional cable with automatic host and device negotiation.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Black Line USB 3.2 Type A to C cables are available in the following lengths: 0.5m, 1m and 1.5m.

Information about USB generations We have adapted the naming of our USB 3 cables to follow the updated USB specification. USB 3.0 and USB 3.1 Gen 1 have been renamed to USB 3.2 Gen 1, supporting data transfer up to 5Gbps USB 3.1 and USB 3.1 Gen 2 are now called USB 3.2 Gen 2, supporting data transfer rates up to 10 Gbps USB 3.2 Gen 2x2 is a new standard, supporting data transfer rates up to 20 Gbps

USB 3.0, USB 3.1 and USB 3.2 PCs, cables and devices are all compatible with each other, when using either a USB Type A or USB Type C host interface.

Techninė specifikacija

Specifications	
Sandėlio grupė	USB / Lightning Cables [+198][-200]
Features	
USB version	USB 3.2 Gen 1 (3.1 Gen 1)
Connector 1	USB A
Connector 2	USB C
Connector 1 gender	Male
Connector 2 gender	Male
Product colour	Black
Connector 1 form factor	Straight
Connector 2 form factor	Straight
AWG wire size	26/30/30
Connector material	Nickel
Contact material	Phosphor bronze
Connector contacts plating	Gold
Cable jacket material	Polyvinyl chloride (PVC)
Conductor material	Tinned copper
Connector shielding	Yes
Connector shield material	Aluminium
Connector housing material	Polyvinyl chloride (PVC)
Maximum data transfer rate	10000 Mbit/s
Maximum data transfer rate	10 Gbit/s
Cable type	Round cable
Plug and Play	Yes
Nominal attenuation	0.5Mhz €“ 15Ghz 40db
Weight & dimensions	
Cable length	0.5 m

Cable diameter	4.5 mm
Bend radius (min)	4.5 cm
Connector 1 dimensions (WxDxH)	15.5 x 35.1 x 7.8 mm
Connector 2 dimensions (WxDxH)	11 x 25.5 x 7.3 mm
Packaging data	
Package type	Polybag
Packaging content	
Quantity per pack	1 pc(s)
Operational conditions	
Operating temperature (T-T)	-20 - 80 °C
Storage temperature (T-T)	-25 - 85 °C
Certificates	
Certification	RoHS, REACH, UL
Logistics data	
Harmonized System (HS) code	84733080
Matmenys ir svoris	
Matmenys (I × P × A)	15,00cm × 14,00cm × 1,00cm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903