Samsung WM85FX Interaktyvioji lenta 2,16 m (85") 3840 x 2160 pikseliai Lietimui jautrus ekranas Pilka, Balta HDMI

Gamintojas: **SAMSUNG** · Modelis: **LH85WMFWLGCXEN** · EAN: **8806097679936** · Prekės kodas: **582759**



3 792,90 €

Kaina su PVM

Be PVM: **3 134,63 €**

Sandėlyje

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Lietimui jautrus ekranas 2,16 m (85") VA Pilka, Balta
- ✓ 4K Ultra HD 3840 x 2160 pikseliai
- ✓ 450 cd/m² 4000:1 8 ms
- ✓ Bluetooth Ethernet LAN jungtis
- ✓ VESA tvirtinimo pagrindas 600 x 400 mm











Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Aprašymas

Experience writing at a higher standard
Natural & Precise Writing
The Flip offers smooth and accurate pen performance, bringing writing closer to real ink. With 26ms response speed and 2,048 pressure levels, strokes flow naturally, translating ideas instantly onto the screen. Flexible Erasing allows intuitive corrections with hand or palm, maintaing seamless flow.

Share your ideas instantly and clearly
Enhanced Whiteboard
The enhanced Whiteboard App makes every note and sketch editable, enabling you to freely move or resize content with retained clarity and detail. The AI Writing Tool allows direct input of handwritten text into search fields and automatically refines rough shapes into clean, professional graphics.

Your favourite tools, all in one place
Flip Home
Flip Home keeps your frequently used apps — Whiteboard, Note On, Workspace, or Screen Share — right on the screen, exactly where you want them. Customise your toolbar once, and every meeting becomes smoother and more efficient, with quick access to the tools your team relies on.

Reliable performance and enterprise-grade protection
Samsung Knox Security
Keep every discussion and idea secure. Backed by Samsung Knox, The Flip provides multi-layered protection against unauthorised access and data leaks. From boot-up to shutdown, critical business content stays safe, allowing teams to collaborate with confidence — even in connected environments.

Take notes instantly, anywhere on the screen
Annotation On
Users can quickly write on the screen at any moment, thanks to the easily accessible Annotation function. Whether watching a video or browsing online, theres no need to interrupt the session or take screenshots. This feature makes real-time collaboration effortless.

View more. Do more.
Easy Multitasking
Boost meeting efficiency with Easy Multitasking, displaying multiple windows on one screen. Multi-window modes let you review documents, browse the web, and take notes simultaneously — no screen switching needed.

Collaborate between screens with wire-free speed
SMARTVIEW+
Make collaboration seamless with wireless screen sharing across multiple devices up to 9 allowing you to quickly switch between them with a single click.

Present from any Apple device — no cables needed
AirPlay 2
With built-in AirPlay 2, Flip allows users to share content from their iPhone, iPad, or Mac in seconds — no adapters or setup required. Whether it's a quick idea sketch or a high-resolution presentation, The Flip brings it to the room seamlessly and wirelessly.

Seamless access to your work
Workspace
With Workspace, secured by Knox, users can easily access a remote PC, network drive, or cloud-based business applications like Microsoft 365. This keeps teams connected to their resources and workflows, ensuring smooth collaboration and continuous productivity — even outside the office network.

Clear and bright under challenging lighting

Anti-glare
The Flips 450-nit brightness ensures vivid visibility even in well-lit spaces, while the anti-glare coating minimises reflections for distraction-free collaboration. Whether in brightly lit meeting rooms or near windows, every detail remains easy to see and effortless to share.

One display, two ways to create
Rotatable Design
Turn your screen to fit your ideas. The Flips rotatable design allows teams to switch freely between vertical and horizontal modes — vertical for writing and mind-mapping, horizontal for presentations and group discussions. It's a single display that adapts to every phase of collaboration.

One connection for every device
USB-C Hub
The Flips integrated USB-C hub simplifies your meeting setup. With a single connection, external devices like cameras or document readers can be shared between the Flip and a connected PC — no cable swapping or setup delays. Keep the focus on ideas rather than hardware.

Share your screen, expand your impact
HDMI Out
Make every presentation visible to the entire room with HDMI Out. Simply mirror the Flips screen to a larger display or projector for wider viewing — ideal for larger meeting spaces or hybrid sessions. This ensures everyone stays engaged and aligned, no matter where they sit.

Change the way to manage your display
Samsung VXT
The cloud-based Samsung VXT brings together content management and remote device management capabilities. Remotely manage hardware settings and troubleshoot issues, while effortlessly creating and deploying content with no previous training needed.

Empower your business with smart control
SmartThings Pro
SmartThings Pro integrates IoT connectivity into Samsung's digital signage, enabling seamless conenction with other devices across business environments. From lighting to building systems, the signage joins a connected ecosystem — controlled, monitored, and automated through a single platform.

Techninė specifikacija

Ekranas	
Ekrano įstrižainė	2,16 m (85")
Lietimui jautrus ekranas	Taip
Ekrano ryškumas	450 cd/m²
Ekrano rezoliucija	3840 x 2160 pikseliai
HD tipas	4K Ultra HD
Skydo tipas	VA
Kontrasto santykis (tipinis)	4000:1
Reakcijos laikas	8 ms
Vaizdo elementų dažnis (didž.)	148,5 MHz
Liečiamo ekrano tipas	Infraraudonieji
Matymo kampas, horizontalus	178°
Matymo kampas, vertikalus	178°

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Pikselių žingsnis	0,487 x 0,487 mm
Spalvų gama	72%
Horizontali diapazono riba	30 - 81 kHz
Vertikali diapazono riba	48 - 75 Hz
Kompiuterinė sistema	
Numatyta operacinė sistema	Tizen
Operacinės sistemos versija	Tizen 9.0
Prožektorius	
Įmontuotas projektorius	Ne
Tinklas	
„Wi-Fi“	Taip
Bluetooth	Taip
Ethernet LAN jungtis	Taip
Ryšys	
Sąsaja	HDMI
HDCP	Taip
HDCP versija	2.2
HDMI portų kiekis	2
HDMI versija	2.0
Ethernet LAN (RJ-45) portų kiekis	1
Vaizdo „out“ jungtis	Taip
Ergonomija	
Produkto spalva	Pilka, Balta
VESA tvirtinimo pagrindas	Taip
Suderinama su VESA sienos tvirtinimo sistema	600 x 400 mm
Sertifikavimas	CB (Europe) : IEC60950-1/EN60950-1CCC (China) : GB4943.1-2011PSB (Singapore) : PSB+IEC60950-1NOM (Mexico) : NOM-001-SCFI-1993IRAM (Argentina) : IRAM+IEC60950-1SASO (Saudi Arabia) : SASO+IEC60950-1BIS(India) : IEC60950-1 / IS13252NOM(Mexico) : Tuner : NOM-001-SCFI-1993 Tunerless : NOM-019-SCFI-1998KC(Korea) : K 60950-1EAC(Russia) : EAC+IEC60950-1INMETRO(Brazil) : INMETRO+IEC60950-1BSMI(Taiwan) : BSMI+IEC60950-1RCM(Australia) : IEC60950-1/AS/NZS 60950-1UL(USA) : cUL60950
Veikimo charakteristikos	
Darbo valandos (valandos / dienos)	12/7
Energijos valdymas	
Energijos suvartojimas	429 W

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

AC įėjimo įtampa	100 - 240 V
AC įėjimo dažnis	50/60 Hz
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Darbo santykinės drėgmės diapazonas	10 - 80%
Svoris ir matmenys	
Plotis	1957,1 mm
Aukštis	1163,2 mm
Ilgis	83,7 mm
Svoris	66,9 kg
Pakuotės duomenys	
Pakuotės plotis	2130 mm
Pakuotės gylis	220 mm
Pakuotės aukštis	1295 mm
Paketo svoris	78,6 kg
Tvarumas	
Atitikties sertifikatai	Elektromagnetinis suderinamumas (EMS), Federalinė ryšių komisija (FCC), CE, VCCI
Matmenys ir svoris	
Matmenys (I × P × A)	214,00cm × 26,00cm × 132,00cm
Svoris	75,20kg

Gamintojo ir saugos informacija

GAMINTOJAS

Samsung Electronics Co Ltd
Samsung-ro 129, 16677 Suwon-si, KR
samsung.com

ATSAKINGAS ASMUO ES

Samsung Electronics Iberia, S.A
Avenida de Barajas 32, 28108 Alcobendas, ES
samsung.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt