



Switch TP-LINK TL-SG108-M2 Desktop/pedestal TL-SG108-M2

Modelis: TL-SG108-M2

Gamintojas: TP-LINK

EAN: 6935364052904

Prekės kodas: 582909

89.99€

Upgrade to a Super-Fast, Futuristic Network

5/8-Port 2.5G Desktop Switch

Unlock the Highest Performance of

2.5G Multi-Gig Bandwidth and Devices

As the flagship 2.5G products, the 5/8-Port desktop switches with 5/8× 2.5-Gigabit ports unlock the highest performance of your Multi-Gig bandwidth and devices, and provide up to 25/40 Gbps of switching capacity. Auto-negotiation 3-speed (100Mb/1G/2.5G) connections sense the link speeds and intelligently adjust for compatibility and optimal performance for all your devices, including 2.5G NAS, 2.5G PCIe adapter, gaming console, VR gaming, 2.5G WiFi 6 AP, 4K video, desktop, and more.

Powerful Performance for Smooth LAN Parties

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Never host a laggy LAN party again. Experience the unparalleled speed and lower latency, and prioritize gaming traffic with QoS. Let's begin the unprecedented smooth game!

Ideal for Small and Home Office

Work at office or home with lightning-fast connections to workstations, desktop computers, and WiFi 6 access points.

2.5G Super-Fast Speeds

without Changing Cables

Flawlessly integrated into existing gigabit Ethernet network infrastructures, 2.5× faster speeds* with regular Cat5e Ethernet cables, without the need to upgrade to Cat6 wiring, reducing wiring costs and hassle.

*2.5× faster speeds refers to the speeds compared to standard 1G ports. The actual speeds may vary due to the cable quality and type, client limitations, and environmental factors.

Silent Operation with

Industry-Leading Fanless Design

The revolutionary fanless design ensures unprecedented silent operation, ideal for any home or business. Durable metal casing, desktop/wall-mounting design and professional heat dissipation design are well-suited for different environments.

Just Plug and Play for Internet Access

A plug-and-play design allows for easy deployment without the need for a technician. Auto MDI/MDIX eliminates the need for crossover cables.

Flexible Deployment Options

The versatile mounting system gives you the flexibility to place the 2.5G switch on a desktop or mount it to a wall.

- Eight 2.5 Gbps Ports. 8× 2.5-Gigabit ports unlock the highest performance of your Multi-Gig bandwidth and devices, and provide up to 40 Gbps of switching capacity

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

- Super-Fast Connections. Provides super-fast connections to 2.5G NAS, 2.5G Server, gaming computer, 2.5G WiFi 6 AP, 4K video, and more
- Ideal for Various Scenarios. Built for LAN parties, home entertainment, small and home offices, and instant transfer for workstations
- Hassle-Free Cabling. Instantly upgrade to 2.5 Gbps without the need to upgrade to Cat6 wiring, reducing wiring costs and hassle.**
- Silent Operation. Industry-leading fanless design ensures silent operation, ideal for any home or business
- Plug and Play. Allows for easy deployment without the need for a technician
- Metal Casing. Durable metal casing and desktop/wall-mounting design are well-suited for different environments

Summary: TP-Link 8-Port 2.5G Desktop Switch. Switch type: Unmanaged. Basic switching RJ-45 Ethernet ports type: 2.5G Ethernet (100/1000/2500), Basic switching RJ-45 Ethernet ports quantity: 8. MAC address table: 16000 entries, Switching capacity: 40 Gbit/s. Networking standards: IEEE 802.3, IEEE 802.3ab, IEEE 802.3bz, IEEE 802.3p, IEEE 802.3u, IEEE 802.3x. Wall mountable | Vendor Homepage: <https://www.tp-link.com/uk/home-networking/soho-switch/tl-sg108-m2/> | Quality of Service (QoS) support: Yes | Switch type: Unmanaged | 2.5G Ethernet (copper) ports quantity: 8 | Basic switching RJ-45 Ethernet ports quantity: 8 | Basic switching RJ-45 Ethernet ports type: 2.5G Ethernet (100/1000/2500) | 10G support: No | Auto MDI/MDI-X: Yes | Auto-negotiation: Yes | Flow control support: Yes | Networking standards: IEEE 802.3/IEEE 802.3ab/IEEE 802.3bz/IEEE 802.3p/IEEE 802.3u/IEEE 802.3x | Forwarding rate: 29.8 | Jumbo frames: 10000 | Jumbo frames support: Yes | MAC address table: 16000 | Packet buffer memory: 1.5 | Store-and-forward: Yes | Switching capacity: 40 | LED indicators: Yes | Product colour: Black | Rack mounting: No | Wall mountable: Yes | Fanless: Yes | Input current: 1.5 | Input voltage: 12 | Power source: DC | Power supply included: Yes | Power over Ethernet (PoE): No | Heat dissipation: 53.4 | Operating relative humidity (H-H): 10 - 90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage temperature (T-T): -40 - 70 | Depth: 131 | Height: 35 | Width: 226 | Cables included: AC/LAN (RJ-45) | Package depth: 315 | Package height: 70 | Package weight: 1350 | Package width: 240 | Harmonized System (HS) code: 85176990 | Model name: 8-Port 2.5G Desktop Switch | Units per Shipping Box: 1 | Unit Calculated Volume: 0.005376 | Unit Calculated Weight: 1.32