



WRL RANGE EXTENDER 300MBPS/TL- WA850RE TP- LINK

Modelis: TL-WA850RE

Gamintojas: TP-LINK

EAN: 6935364070199

Prekės kodas: 582940

17.99€

- Range Extender mode boosts wireless signal to previously unreachable or hard-to-wire areas flawlessly
- Miniature size and wall-mounted design make it easy to deploy and move flexibly
- Easily expand wireless coverage at a push of Range Extender button
- Ethernet port allows the Extender to function as a wireless adapter to connect wired devices
- Tether App allows easy access and management using any mobile device
- LED Control function includes a Night Mode for peaceful sleep

Boost Your Wireless Network

Tired of Wi-Fi "dead zone"? TP-Link's range extender connects to your router wirelessly, strengthening and expanding its signal into areas it can't on its own. The device also reduces signal

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

interference to ensure reliable Wi-Fi coverage throughout your home or office.

Easy Setup and Flexible Placement

Press the WPS button on your router and the Range Extender button on your 850RE within 2 minutes to easily connect to the network. Once connected with an existing router, you can simply unplug and plug the TL-WA850RE back in a location for the best signal quality and coverage in your house, without needing to configure the extender again.

Ethernet Bridge

The TL-WA850RE's single Ethernet port allows the Extender to function as a wireless adapter to connect wired devices like Blu-ray® players, gaming consoles, DVRs and Internet TVs. At the same time, the device can share the wireless network as well.

Smart Signal Indicator Light

5 signal lights show the strength of signal that TL-WA850RE receives from the existing router, which can help to find the right location to place the range extender.

It's recommended that you choose a location where at least 3 signal light blue in order to guarantee a good performance.

Tether App for Easy Use

Use any mobile device to easily access and manage various features, including the LED Control function's Night Mode, which allows you to enjoy a more peaceful night's sleep.

Summary: TP-Link 300Mbps Wi-Fi Range Extender. Type: Network repeater, Data transfer rate: 300 Mbit/s, Ethernet LAN data rates: 10,100 Mbit/s. Antenna type: Internal, Transmit power range: 0 - 20 dBmW. Ethernet LAN interface type: Fast Ethernet, Cabling technology: 10/100Base-T(X), Networking standards: IEEE 802.11b, IEEE 802.11g, IEEE 802.11n. Product colour: White, Certification: CE, FCC. AC input voltage: 100 - 240 V, AC input frequency: 50 - 60 Hz, Power consumption (typical): 3.3 W | Vendor Homepage: <https://www.tp-link.com/en/products/details/?categoryid=&model=TL-WA850RE#fea> | Data transfer rate: 300 | Ethernet LAN data rates: 10/100 | Linux operating systems supported: Yes | Mac compatibility: Yes | Mac operating systems supported: Yes | Type: Network repeater | Windows operating systems supported: Windows 10 Education/Windows 10 Education

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

x64/Windows 10 Enterprise/Windows 10 Enterprise x64/Windows 10 Home/Windows 10 Home
x64/Windows 10 IOT Core/Windows 10 Pro/Windows 10 Pro x64/Windows 2000/Windows 7
Enterprise/Windows 7 Enterprise x64/Windows 7 Ho | WPS push button: Yes | Antenna type: Internal |
Antennas quantity: 2 | Transmit power range: 0 - 20 | Cabling technology: 10/100Base-T(X) |
Ethernet LAN interface type: Fast Ethernet | Networking standards: IEEE 802.11b/IEEE 802.11g/IEEE
802.11n | Security algorithms: 128-bit WEP/64-bit WEP/WPA2-PSK/WPA-PSK | Top Wi-Fi standard: Wi-
Fi 4 (802.11n) | Wi-Fi: Yes | Wi-Fi band: Single-band (2.4 GHz) | Wi-Fi data rate (max): 300 | Wi-Fi
standards: 802.11b/802.11g/Wi-Fi 4 (802.11n) | Ethernet LAN (RJ-45) ports: 1 | Certification: CE, FCC
| LED indicators: Yes | Product colour: White | Reset button: Yes | AC input frequency: 50 - 60 | AC
input voltage: 100 - 240 | Power consumption (typical): 3.3 | Operating relative humidity (H-H): 10 -
90 | Operating temperature (T-T): 0 - 40 | Storage relative humidity (H-H): 5 - 90 | Storage
temperature (T-T): -40 - 70 | Depth: 66 | Height: 75 | Width: 110 | Quick start guide: Yes | Package
depth: 101.5 | Package height: 89 | Package weight: 200 | Package width: 156.5 | Compliance
certificates: RoHS | Harmonized System (HS) code: 85176990 | Model name: 300Mbps Wi-Fi Range
Extender | Units per Shipping Box: 20 | Unit Calculated Volume: 0.00202 | Unit Calculated Weight:
0.242