

Philips 1000 series 27E2N1110/00 computer monitor 68.6 cm (27") 1920 x 1080 pixels Full HD LCD Black

Gamintojas: **PHILIPS** · Modelis: **27E2N1110/00** · EAN: **8721038000412** · Prekės kodas: **583162**



110,90 €

Kaina su PVM

Be PVM: **91,65 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 68.6 cm (27") Black
- ✓ HDMI HDMI version: 1.4
- ✓ Screen shape: Flat
- ✓ Maximum refresh rate: 120 Hz Response time: 4 ms Response time measurement type: GTG (Gray to Gray) Response time (MPRT): 1 ms
- ✓ 1920 x 1080 pixels Full HD Panel type: IPS
- ✓ Energy efficiency class (SDR): E ENERGY STAR RoHS



Aprašymas

This monitor is packed with features that allow you to work with absolute precision. Its Full HD resolution, along with a 120 Hz refresh rate and 1ms MPRT, this monitor showcases detailed imagery with the utmost definition.

Techninė specifikacija

Specifications

Sandėlio grupė

Monitors [+319][-420]

Display	
Display diagonal	68.6 cm (27")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LCD
Touchscreen	No
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1500:1
Maximum refresh rate	120 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Display brightness (typical)	300 cd/m²
Response time measurement type	GTG (Gray to Gray)
Response time (MPRT)	1 ms
Anti-glare screen	Yes
Dynamic contrast ratio marketing name	Mega Infinity DCR
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81.59 ppi
Horizontal scan range	30 - 85 kHz
Vertical scan range	48 - 60 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 115 kHz
Digital vertical frequency	48 - 100 Hz
Display diagonal (metric)	68.6 cm
DDC/CI	Yes
Haze rate	25%
Surface hardness	3H
Colour gamut standard	sRGB, NTSC, DCI-P3, Adobe RGB

sRGB coverage (typical)	104.02%
NTSC coverage (typical)	91.27%
Adobe RGB coverage	89.71%
DCI-P3 coverage	79.86%
Display sRGB	Yes
Display panel size	27 inch/68.6 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
VESA Adaptive Sync support	Yes
Component video sync	Separate Sync
Flicker-free technology	Yes
Low Blue Light technology	Yes
Multimedia	
Built-in speaker(s)	No
Built-in camera	No
Design	
Market positioning	Home
Product colour	Black
Ports & interfaces	
Built-in USB hub	No
HDMI	Yes
VGA (D-Sub) ports quantity	1
HDMI ports quantity	1
HDMI version	1.4
HDCP	Yes
HDCP version	1.4
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Cable lock slot type	Kensington
Tilt adjustment	Yes

Tilt angle range	-5 - 20°
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Number of OSD languages	21
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	E
Energy efficiency class (HDR)	Not available
Energy consumption (SDR) per 1000 hours	21 kWh
Power consumption (typical)	15.6 W
Power consumption (standby)	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Energy efficiency scale	A to G
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m
Weight & dimensions	
Width (with stand)	617 mm
Depth (with stand)	200 mm
Height (with stand)	451 mm
Weight (with stand)	3.5 kg
Width (without stand)	617 mm
Depth (without stand)	33 mm
Height (without stand)	358 mm
Weight (without stand)	3.13 kg
Packaging data	

Package width	690 mm
Package depth	124 mm
Package height	447 mm
Package weight	5.35 kg
Sustainability	
Sustainability certificates	ENERGY STAR
Doesn't contain	Mercury
Other features	
Compatible operating systems	Windows 11/10
Exterior finish type	Textured
Monitor sync input signal	Separate Sync
EasyRead mode	Yes
LowBlue mode	Yes
Compliance certificates	RoHS
Mean time between failures (MTBF)	50000 h
User controls	Power On/Off; Menu; Brightness; Input; SmartImage
Picture enhancement	SmartImage
Regulatory Approvals	CB; CE Mark; TUV/ISO9241-307; TUV-BAUART; EAC; EAEU RoHS; KC; CEL; CCC; CECP; UKCA; EMF; FCC; ICES-003
Adaptive synchronisation	Yes
Recycling data	
Packaging recyclability rate	100%
Matmenys ir svoris	
Matmenys (I × P × A)	46,00cm × 13,00cm × 69,00cm