



HP LaserJet MFP M140w Printer



Modelis: 7MD72F

Gamintojas: HEWLETT-PACKARD

EAN: 194850677267

Prekės kodas: 583252

132.99€

Replacement cartridges: HP 142A Black LaserJet Toner Cartridge (~950), W1420A | Certification: CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B EN 61000-3-2:2014 EN 61000-3-3:2013 EN 55035:2017 FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6 | Box contents: HP LaserJet MFP M140w Printer Power cord HP Black LaserJet Toner Cartridge (yield: 300 pages) Setup Poster Reference Guide Warranty Guide Flyer | Recommended system requirements: Microsoft Windows 11 10 2 GB available hard disk space Internet connection Microsoft Internet Explorer or Edge. Apple macOS Catalina (v10.15) macOS Big Sur (v11.0) macOS Monterey (v12.0) 2 GB HD Internet required. | Compatible operating systems: Windows 11 Windows 10 macOS 10.14 Mojave macOS 10.15 Catalina macOS 15 Sequoia Linux | Manufacturer warranty: One-year limited warranty | Bundled software: No CD in box. Download software from hp.com or 123.hp.com | Duplex functions: Not supported | Copy speed (black, normal quality, A4): 20 cpm | Sound pressure level (printing): 51 dB | Acoustic pressure emissions bystander (ready): 16 dB | Recommended duty cycle: 100 - 1000 pages per month | Built-in processor: Yes | Recommended operating temperature range (T-T): 17.5 - 25 °C | Maximum duty cycle: 8000 pages per month | Control type: Buttons | UNSPSC-code: 43212110 | Warranty card: Yes | HP Dynamic security: Yes | Print speed (black, normal quality, A4/US Letter): 20 ppm | Paper tray media types: Plain paper | Paper tray media types: Envelopes |

Scan technology: CIS | Auto fit function: Yes | Printing: Mono printing | Copying: Mono copying |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Duplex scanning: No | HP segment: Home office | HP Security tools: Password-protected network embedded Web server enable/disable Network ports SNMPv1/2/3 community password change | HP Management tools: HP Printer Assistant (UDC), HP Device Toolbox | Duplex printing: No | Faxing: No | All-In-One-multitasking: Yes | Print resolution black: 600 x 600 DPI | Page description languages: PCLmS | Paper tray media types: Labels | Document formats supported: PDF | Number of print cartridges: 1 | Image formats supported: BMP | Cartridge(s) included: Yes | Sound power level (printing): 6.2 dB | Typical electricity consumption (TEC) number: 0.255 kWh/Week (Energy Star 3.0) 0.259 kWh/Week (Blue Angel) | Image formats supported: PNG | Server operating systems supported: Windows Server 2012 R2 x64 | Server operating systems supported: Windows Server 2016 x64 | TWAIN version: 2.1 | Secure printing: Yes | Maximum output capacity: 100 sheets | Scanner type: Flatbed scanner | Image formats supported: JPG | Image formats supported: Raw | Image formats supported: TIFF | Total number of input trays: 1 | Non-ISO print media sizes: Letter | Number of users: 3 user(s) | Paper tray media types: Postcard | Sustainable technologies and materials: Recyclable through HP Planet Partners Contains post-consumer recycled plastic | ISO A-series sizes (A0...A9): A5 | Other operating systems supported: Linux | ISO A-series sizes (A0...A9): A4 | HP GTIN (EAN/UPC): 195161448027, 195161448034, 195161269653, 195161448058 | Maximum ISO A-series paper size: A4 | Scan drivers: WIA | Mobile printing technologies: Apple AirPrint | Internal memory: 64 MB | Greyscale levels: 256 | Sustainability compliance: Yes | Envelopes sizes: DL | Recommended humidity operating range: 30 - 70% | Maximum resolution: 600 x 600 DPI | Harmonized System (HS) code: 84433100 | Mobile printing technologies: Mopria Print Service | Server operating systems supported: Windows Server 2012 x64 | Scan to: TWAIN | ISO A-series sizes (A0...A9): A6 | Optical scanning resolution: 600 x 600 DPI | Scan drivers: TWAIN | HP Auto-On/Auto-Off: Yes | Maximum number of input trays: 1 | Scan to: WIA | Scan to: Software | Total input capacity: 150 sheets | Maximum input capacity: 150 sheets | Paper tray media weight: 65 - 120 g/m² | Envelopes sizes: C5 | Custom media sizes: 105 x 148 to 216 to 355.6mm | Print margins (top, bottom, right, left): 2 mm | Time to first copy (black, normal): 11 s | Page description languages: URF | Direct printing: Yes | Scanning: Colour scanning | Wi-Fi Direct: Yes | USB port: Yes | Acoustic power emissions (ready): 23 dB | Warnings: The product requires special disposal - do not dispose of in normal waste. | Carbon emissions, logistics (kg of CO₂e): 3 | Carbon emissions, end-of-life (kg of CO₂e): 11 | Total carbon emissions, w/o use phase (kg of CO₂e): 14 | General Product Safety Regulation (GPSR) URL: https://kaas.hpcloud.hp.com/pdf-public/pdf_11069394_en-US-1.pdf | Page description languages: PWG | ISO C-series sizes (C0...C9): C5 | Page description languages: PCLm | Paper tray 1 input capacity: 150 sheets | Server operating systems supported: Windows Server 2008 R2 x64 | Maximum copy resolution: 600 x 400 DPI | Total output capacity: 100 sheets | Maximum

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

scan area: 216 x 297 mm | Time to first page (black, normal): 8.5 s | Duplex copying: Yes | Input colour depth: 24 bit | Total carbon footprint (kg of CO₂e): 6.3 | Warm-up time: 20 s | Maximum internal memory: 64 MB | Included cartridge capacity (black): 300 pages | Maximum number of copies: 99 copies | Carbon emissions, manufacturing (kg of CO₂e): 74 | Compliance certificates: GS mark | Printing colours: Black | Warnings: Avoid contact with toner, it can irritate the skin and respiratory tract. | Compliance certificates: Federal Communications Commission (FCC) | Compliance certificates: BSMI | Warnings: Be careful when handling the device, it may contain live parts. | Compliance certificates: CE | Compliance certificates: EAC | Built-in display: Yes | Mac operating systems supported: Mac OS X 10.14 Mojave | Display: LCD | Product colour: White | AC input voltage: 220 - 240 V | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Wi-Fi standards: 802.11b | Wi-Fi standards: 802.11g | Processor frequency: 500 MHz | Wi-Fi: Yes | Weight: 5.39 kg | Wi-Fi standards: Wi-Fi 4 (802.11n) | Print technology: Laser | Mac operating systems supported: MacOS | Operating relative humidity (H-H): 10 - 80% | Width: 360 mm | USB 2.0 ports quantity: 1 | Package height: 306 mm | Operating temperature (T-T): 15 - 32.5 °C | Windows operating systems supported: Windows 11 | Custom media width: 105 - 216 mm | Package width: 398 mm | Package depth: 248 mm | Storage temperature (T-T): -20 - 60 °C | Custom media length: 148 - 355.6 mm | Package weight: 6.9 kg | Windows operating systems supported: Windows 10 | Cables included: AC | Height: 197 mm | Mac operating systems supported: Mac OS X 10.15 Catalina | Ethernet LAN: Yes | Depth: 264 mm | Bluetooth: Yes | AC input frequency: 50/60 Hz | Copier resize: 25 - 400% | Security algorithms: SNMP | Maximum print size: 216 x 355.6 mm