



HP Color LaserJet Enterprise LaserJet Enterprise M480f Multifunction Color Printer, Ethernet Only; Copier, Scanner

Modelis: 3QA55A

Gamintojas: HEWLETT-PACKARD

EAN: 193905216840

Prekės kodas: 583625

1,026.00€

Compatible operating systems: Windows 11 Windows 10 Windows 8 Windows 8.1 Windows 7
Windows Client OS Android iOS Mobile OS macOS 10.12 Sierra macOS 10.13 High Sierra macOS
10.14 Mojave macOS 10.15 Catalina | Replacement cartridges: HP 415A Black Original LaserJet Toner
Cartridge (2,400 pages) W2030A, HP 415A Cyan Original LaserJet Toner Cartridge (2,100 pages)
W2031A, HP 415A Yellow Original LaserJet Toner Cartridge (2,100 pages) W2032A, HP 415A Magenta

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be
išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Original LaserJet Toner Cartridge (2,100 pages) W2033A, HP 415X High Yield Black Original LaserJet Toner Cartridge (7,500 pages) W2030X, HP 415X High Yield Cyan Original LaserJet Toner Cartridge (6,000 pages) W2031X, HP 415X High Yield Yellow Original LaserJet Toner Cartridge (6,000 pages) W2032X, HP 415X High Yield Magenta Original LaserJet Toner Cartridge (6,000 pages) W2033X | Manufacturer warranty: One-year, On-site Repair 24-hour / 7 day a week phone support | Certification: CISPR 22:2008 (International) Class A, CISPR 32:2012 (International)/ EN 55032:2012, CISPR 35:2016 (International)/ EN 55035:2017, EN 55024:2010+A1:2015, EN 61000-3-2:2014, EN 61000-3-3:2013. Other EMC approvals as required by individual countries. | Box contents: HP Color LaserJet Enterprise MFP M480f printer HP Black Original LaserJet Toner Cartridge (~2,400 pages) HP Cyan, Magenta, Yellow Original LaserJet Toner Cartridges (~2,100 pages each) Getting started Guide 1 Power cord | Recommended system requirements: 2 GB available hard disk space Internet connection or USB port Internet browser. 2 GB available hard disk space Internet connection or USB port Internet browser. | Product colour: White | Package height: 490 mm | Card reader integrated: No | Operating temperature (T-T): 15 - 32.5 °C | Mac operating systems supported: Mac OS X 10.14 Mojave | Power consumption (PowerSave): 0.08 W | Ethernet LAN data rates: 10,100,1000 Mbit/s | Display: LCD | Mac operating systems supported: MacOS | Mac operating systems supported: Mac OS X 10.13 High Sierra | Mac operating systems supported: Mac OS X 10.15 Catalina | Security algorithms: EAP-TLS | AC input frequency: 50 Hz | Mac operating systems supported: Mac OS X 10.12 Sierra | Storage temperature (T-T): -20 - 40 °C | Mac operating systems supported: Mac OS X 10.15.3 Catalina | Built-in display: Yes | Bluetooth: Yes | Package width: 597 mm | AC input voltage: 200 - 240 V | USB 2.0 ports quantity: 3 | Security algorithms: SNMPv3 | Weight: 23.2 kg | Operating relative humidity (H-H): 30 - 70% | Security algorithms: HTTPS | Security algorithms: EAP-PEAP | Security algorithms: FIPS 140 | Package weight: 26.3 kg | Windows operating systems supported: Windows 8 | Windows operating systems supported: Windows 8.1 | Display diagonal: 10.9 cm (4.3") | Package depth: 497 mm | Power consumption (off): 0.08 W | Processor frequency: 800 MHz | Security algorithms: SSL/TLS | Windows operating systems supported: Windows 11 | Windows operating systems supported: Windows 7 | Width: 415.4 mm | Windows operating systems supported: Windows 10 | Cables included: AC | Total carbon footprint (kg of CO2e): 6.3 | HP GTIN (EAN/UPC): 195161448027, 195161448034, 195161269653, 195161448058 | Power consumption (ready): 21.9 W | Carbon emissions, logistics (kg of CO2e): 3 | Scan speed (black): 29 ppm | Scan speed (colour): 20 ppm | Multi-Purpose tray input capacity: 50 sheets | Fax transmission speed: 3 sec/page | Printing: Colour printing | Other operating systems supported: Android | JIS B-series sizes (B0...B9): B5 | JIS B-series sizes (B0...B9): B6 | Print speed (colour, normal quality, A4/US Letter): 27 ppm | Built-in processor: Yes | Other operating systems supported: iOS | Power supply type: Internal

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

(built-in) Power Supply | Copy speed (colour, normal quality, A4): 27 cpm | Non-ISO print media sizes: 16K | ID-card copy function: Yes | Time to first page (colour, normal): 11 s | ISO A-series sizes (A0...A9): A5 | Carbon emissions, end-of-life (kg of CO₂e): 11 | All-In-One-multitasking: Yes | Duplex functions: Copy | Maximum print size: 212 x 352 mm | Auto document feeder (ADF) input capacity: 50 sheets | Duplex scanning: Yes | Wi-Fi: Yes | Internal memory: 2048 MB | Paper tray 1 input capacity: 50 sheets | USB port: Yes | Greyscale levels: 256 | Custom media width: 76 - 216 mm | Print technology: Laser | ISO A-series sizes (A0...A9): A4 | Scan drivers: TWAIN | Maximum ISO A-series paper size: A4 | Time to first copy (colour, normal): 11.3 s | Time to first page (black, normal): 9.5 s | Carbon emissions, manufacturing (kg of CO₂e): 74 | Time to first copy (black, normal): 9.6 s | Maximum copy resolution: 600 x 600 DPI | Power consumption (sleep): 1 W | Control type: Touch | Print speed (black, normal quality, A4/US Letter): 27 ppm | Maximum duty cycle: 55000 pages per month | Fax delayed sending: No | Scan to: E-mail | Paper tray media weight: 60 - 200 g/m² | Duplex printing mode: Auto | ISO B-series sizes (B0...B9): B5 | Faxing: Colour faxing | Maximum input capacity: 850 sheets | Envelopes sizes: B5 | Mobile printing technologies: Apple AirPrint | Fax forwarding: Yes | Doesn't contain: Mercury | Mobile printing technologies: HP ePrint | Fax memory: 1000 pages | Maximum resolution: 600 x 600 DPI | Auto reduction: Yes | Envelopes sizes: C6 | Power consumption (average operating): 581 W | Copy speed (black, normal quality, A4): 27 cpm | Scan to: File | Mobile printing technologies: Mopria Print Service | Copying: Colour copying | Height: 399.8 mm | Sustainability compliance: Yes | Scan to: FTP | Paper tray media types: Photo paper | Scan technology: CIS | Number of users: 10 user(s) | ISO A-series sizes (A0...A9): A6 | Scan to: USB | Optical scanning resolution: 600 x 600 DPI | Modem speed: 33.6 Kbit/s | Total input capacity: 300 sheets | Recommended duty cycle: 900 - 4800 pages per month | Duplex functions: Print | Scan to: SMB | Ethernet LAN: Yes | Direct printing: Yes | Scanning: Colour scanning | Digital sender: Yes | Photo paper sizes: 10x15 cm | Scan to: PC | Fax resolution (black): 300 x 300 DPI | Envelopes sizes: DL | Scan to: Image | Scan to: Fax | Scanner type: Flatbed scanner | Warm-up time: 170 s | Sound power level (printing): 6.1 dB | Total output capacity: 150 sheets | Multi-Purpose tray: Yes | Maximum output capacity: 150 sheets | Number of print cartridges: 4 | Maximum scan area: 216 x 297 mm | Duplex printing: Yes | Total number of input trays: 2 | Copier resize: 25 - 400% | Custom media length: 127 - 356 mm | Depth: 472 mm | Maximum scan resolution: 600 x 600 DPI | Sound power level (standby): 20 dB | Sustainable technologies and materials: Mercury-free | Paper tray media types: Plain paper | Paper tray media types: Rough paper | Cabling technology: 10/100/1000Base-T(X) | Auto document feeder (ADF): Yes | Paper tray media types: Envelopes | Paper tray media types: Labels | Paper tray media types: Glossy paper | Paper tray media types: Recycled paper | Envelopes sizes: C5 | Maximum number of input trays: 3 | Sound pressure level (printing): 49 dB |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

Page description languages: PDF 1.7 | Paper tray media types: Bond paper | Paper tray media types: Postcard | Input colour depth: 24 bit | HP GTIN (EAN/UPC) with options: (ABT) 195161448027 (ABY) 195161448034 (B19) 195161269653 (BAZ) 195161448058 | Paper tray 2 input capacity: 250 sheets | Maximum internal memory: 2048 MB | Sound pressure level (scanning): 46 dB | Printing colours: Black, Cyan, Magenta, Yellow | Maximum number of copies: 9999 copies | Auto-redialing: Yes | Duplex copying: Yes | Duplex copying mode: Auto | Page description languages: PCL 6 | Page description languages: PCL 5 | Optical scanning resolution (colour): 600 x 600 ppi | Duplex scanning mode: Auto | Colour display: Yes | Book copy function: Yes | Recommended operating temperature range (T-T): 15 - 27 °C | Acoustic pressure emissions bystander (ready): 20 dB | Print resolution black: 600 x 600 DPI | Envelope feeder: No | N-in-1 print function: Yes | Auto fit function: Yes | Optical scanning resolution (black): 600 x 600 ppi | Print resolution colour: 600 x 600 DPI | Internal storage capacity: 16 GB | HP Auto-On/Auto-Off: Yes | Typical electricity consumption (TEC) number: Blue Angel: 1.051 kWh/week Energy Star 3.0: 0.425 kWh/week | Printer fonts: PCL | Duplex scan speed (black): 35 ppm | Printer fonts: PostScript | Printer fonts: TrueType | Power consumption (printing): 581 W | Printer fonts: Scalable | Secure printing: Yes | HP segment: Business | Cartridge(s) included: Yes | UNSPSC-code: 43212110 | Wi-Fi Direct: Yes | Fax resolution (colour): 300 x 300 DPI | Included cartridge capacity (CMY): 2100 pages | Watermark printing: Yes | HP Dynamic security: Yes | ISO C-series sizes (C0...C9): C5 | Included cartridge capacity (black): 2400 pages | N-in-1 copy function: Yes | Duplex scan speed (colour): 46 ppm | Custom media sizes: Tray 1: 76 x 127 to 216 x 356 mm Tray 2: 98 x 148 to 216 x 356 mm Optional Tray: 98 x 148 to 216 x 356 mm | ISO C-series sizes (C0...C9): C6 | Acoustic power emissions (ready): 36 dB | Printer fonts: Windows | Speed dialling: Yes | Recommended humidity operating range: 10 - 90% | Compliance certificates: CECP | Compliance certificates: CCC | Compliance certificates: UL | Compliance certificates: GS mark | Compliance certificates: BSMI | Compliance certificates: BIS | Compliance certificates: CE | Compliance certificates: cUL | General Product Safety Regulation (GPSR) URL: https://kaas.hpcloud.hp.com/pdf-public/pdf_11069394_en-US-1.pdf | Total carbon emissions, w/o use phase (kg of CO2e): 14