



GODOX V1 TTL Flash for Nikon



Modelis: V1N

Gamintojas: GODOX

EAN: 6952344217450

Prekės kodas: 584512

243.98€

GODOX V1N Flash for Nikon

The Godox V1 is an advanced TTL flash for Nikon cameras, equipped with a circular head that provides soft and even lighting across the entire scene. With a flash output of 76 Ws, a recharge time of just 1.5 seconds, and a high-capacity 2600 mAh lithium-ion battery that delivers at least 460 full-power flashes on a single charge, make this flash ideal for dynamic photo shoots. Additionally, full TTL automation, HSS synchronization, and a wide range of head adjustment options provide great flexibility for working in various conditions.

Soft and even light thanks to the round head

The Godox V1's round head generates light with even distribution from the center all the way to the edges of the frame, resulting in natural and aesthetically pleasing effects. This design allows you to create pleasant lighting reminiscent of studio strobes. An additional aid when setting up your lighting is the built-in LED modeling light with power adjustment ranging from 1 to 10, which makes it easier to assess the effects before taking the photo.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Efficient power supply and quick readiness for the next flash

The flash uses a removable VB26 lithium-ion battery with a capacity of 2600 mAh, which provides at least 460 full flashes on a single charge. This allows you to shoot comfortably for long periods without having to frequently replace the power source. A full-power recharge time of up to 1.5 seconds allows you to quickly take consecutive shots and never miss important moments.

Wireless Control and Advanced Operating Modes

The built-in Godox X 2.4G receiver offers extensive wireless control capabilities and compatibility with other devices in the Godox X system. The flash can operate in Master and Slave modes, allowing you to control up to four groups of wireless flashes. The Godox V1 supports TTL auto mode, manual mode, High-Speed Sync (HSS) with fast shutter speeds, Flash Exposure Compensation (FEC), second-curtain sync, and TTL, Multi, M, S1, S2, Master, and Slave trigger modes.

Convenient Operation and Thoughtful Design

The Godox V1 offers a wide range of head position adjustments—from 0° to 330° horizontally and from -7° to 120° vertically—which greatly facilitates photography using bounced light. The magnetic accessory mounting system allows for quick attachment of compatible accessories, such as the AK-R1 kit, and the sturdy hot shoe mount ensures the flash is securely attached to the camera. The unit also features a clear LCD display and the ability to update the firmware via a USB connection.

Included in the set

- Godox V1 Nikon flash x1
- VB26 lithium-ion battery x1
- Charger x1
- USB cable x1
- Carrying case x1
- Hot shoe x1
- User manual x1

Manufacturer	Godox
Model	V1 Nikon
Compatibility	Nikon cameras
Power	76 Ws
Color temperature	5600 K $\pm$ 200 K
Power source	VB26 battery
Battery capacity	2600 mAh
Performance	Minimum 460 full flashes
Maximum recharge time	1.5 s
Flash duration	1/350 – 1/20,000 s
Zoom	28–105 mm
Vertical head adjustment	-7° to 120°
Horizontal head adjustment	0° to 330°
LED modeling light	Yes, power adjustment 1–10
HSS	Yes
Stroboscopic flash (Multi)	Yes
Power control	TTL, System X, via the flash unit
Triggering options	TTL / Multi / M / S1 / S2 / Master / Slave
Triggering	Hot shoe, test button, System X
Groups / channels	5 / 32
Display	LCD
Software update	USB
Battery pack slot	No
Dimensions	7.6 × 9.3 × 19.7 cm
Weight	0.54 kg (with battery)

GPSR Link: <https://psr->

assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photo_accessories.pdf, Gross

weight: 980, Net weight: 965, Box length: 22.00, Box width: 19.50, Box height: 11.50

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kiti gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903