



GODOX V860III TTL Flash for Canon



Modelis: V860IIIC KIT

Gamintojas: GODOX

EAN: 6952344220566

Prekės kodas: 584519

235.99€

GODOX V860III Flash for Canon

The GODOX V860III Flash for Canon combines high flash power with modern features that streamline your workflow during photo shoots. With a guide number of 60 (ISO 100 at 200 mm), a recharge time of up to 1.5 seconds, and the ability to fire up to 480 full-power flashes on a single charge, you can shoot efficiently even during demanding assignments. An additional advantage is the built-in modeling light with 10-step power adjustment, which makes it easier to assess the final result before taking the photo.

Even greater convenience while shooting

The V860III is equipped with a practical switch that allows you to instantly switch between TTL and Manual modes. This keeps the most important settings right at your fingertips, enabling you to quickly adapt to changing lighting conditions and maintain full control over exposure. An improved lithium-ion battery ensures fast charging and a high number of flashes, so you can focus on shooting

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

without frequent interruptions.

Wide Range of Lighting Options

The flash head, with a zoom range of 20 to 200 mm, can operate in either automatic or manual mode, allowing you to precisely adjust the light beam to the scene you're photographing. Additionally, horizontal rotation from 0° to 330° and vertical adjustment from -7° to 120° allow you to conveniently use both direct and bounced flash. Such a wide range of adjustment makes it easy to use various lighting techniques in small rooms as well as when working in larger spaces.

Advanced operating modes for creative photography

The GODOX V860III supports TTL, Manual, and Multi-Flash modes, offering extensive options for adapting its operation to specific situations. The flash also supports HSS up to 1/8000 s, flash exposure compensation (FEC), flash exposure bracketing (FEB), and second-curtain sync, allowing you to take creative photos with high precision and full control over the light.

Stable Communication and Secure Mounting

The built-in Godox X 2.4G wireless system ensures stable communication with compatible Godox X triggers, such as the X1, X2, and Xpro. The flash can be triggered via the hot shoe, the test button, or the X system. The improved hot shoe lock with a quick-release lever ensures the flash is securely mounted on the camera, while also allowing for quick release and removal once you're done.

Included

- Godox Ving V860III flash x1
- Battery x1
- Charger x1
- USB cable x1
- Carrying case x1
- Pouch x1
- Box x1

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Manufacturer	Godox
Model	V860III
Compatibility	Canon
Guide number	60 (ISO 100 at 200 mm)
Color temperature	5600 K $\pm$ 200 K
Flash duration	1/300 to 1/20000 s
Recycle time	Max. 1.5 s

Number of full-power flashes 480

Zoom 20–200 mm

Horizontal rotation range 0°–330°

Vertical adjustment range –7° to 120°

Operating modes TTL; Manual; Multi Flash

Triggering options TTL; Multi; M; S1; S2; Master; Slave

Triggering Hot shoe; Test button; X system

HSS Yes

Groups/Channels 5/32

Stroboscopic flash Yes

Display LCD

Dimensions 195 × 75 × 59 mm

Weight 0.530 kg

GPSR Link: <https://psr->

assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, Box

length: 22,70, Box width: 20,50, Box height: 9,70, Gross weight: 1073, Net weight: 973

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903