



GODOX DP400III V Flash



Modelis: DP400III V

Gamintojas: GODOX

EAN: 6952344225653

Prekės kodas: 584548

311.99€

GODOX DP400III V 2.4G Flash

The GODOX DP400III V 2.4G flash combines high performance with ease of use, ensuring stable operation during a variety of photo shoots. It offers flash power adjustment ranging from 1/1 to 1/64 with an accuracy of up to 61 stops, and a full recharge at maximum power takes just 1 second. The built-in Godox X 2.4 GHz receiver and LED modeling light simplify workflow and allow you to conveniently check the lighting effect before taking the shot.

Versatile Studio Use

The DP400III V is compatible with a wide range of light modifiers equipped with a Bowens mount, making it easy to tailor the lighting to the nature of your shoot. The flash supports reflectors, softboxes, spot reflectors, and beauty dishes, among other accessories, giving you great freedom in creating the right light. It's perfect for wedding, portrait, fashion, and product photography.

Built-in Godox X System for Convenient Operation

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

The integrated 2.4 GHz Godox X wireless receiver allows for convenient control of the flash without the need for additional receivers. The system supports 16 groups (0–9 and A–F), 32 channels, and 99 wireless IDs, which helps minimize interference from other systems operating nearby. This solution makes it easier to work with multiple light sources simultaneously and provides greater flexibility when setting up complex lighting rigs.

Stable Flash and LED Modeling Light

The lamp provides stable output power and precise color temperature, resulting in consistent results during every session. The built-in LED modeling light can operate at a constant brightness or in proportion to the set flash power. This makes it easier to assess the light distribution and predict the final effect even before taking the photo.

Intuitive operation every day

The easy-to-read LCD display allows for quick management of all the device’s key settings. Intuitive operation lets you efficiently adjust operating parameters, and the feature that automatically restores the last settings upon restart saves time and lets you get back to work quickly.

Included

- Godox DP400III-V flash x1
- Power cord x1
- Flash cover x1

Manufacturer	Godox
Model	DP400III-V 2.4G
Power	400 Ws
Guide number	87
Power adjustment	1/1 – 1/64

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Number of power adjustment steps	61
Power control	Continuously adjustable from the flash or the System X remote
Wireless system	Godox X 2.4 GHz
Number of groups	16 (0-9, A-F)
Number of channels	32
Wireless IDs	99 (01-99)
Color temperature	5600 ±200 K
Flash duration	1/800 – 1/2000 s
Recycle time at full power	1 s
Modeling light	30 W LED
Modeling light modes	Constant brightness or proportional to flash power
Display	LCD
Light modifier mount	Bowens
Power supply	AC 100–240 V, 50/60 Hz
Dimensions	13 × 22 × 38 cm
Weight	2.8 kg
Applications	Wedding, portrait, fashion, and product photography

GPSR Link: <https://psr->

assets.innpro.pl/photo_and_accessories/sg_photo_and_accessories_photographic_studio.pdf, Box length: 41,50, Box width: 22,00, Box height: 21,00, Gross weight: 3860, Net weight: 4090