

ASUS Dual -RTX5050-O8G NVIDIA GeForce RTX 5050 8 GB GDDR6

Gamintojas: **ASUS** · Modelis: **90YV0N72-M0NA00** · EAN: **4711636178518** · Prekės kodas: **584857**



596,91 €

Kaina su PVM

Be PVM: **493,31 €**

Sandėlyje




Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ NVIDIA GeForce RTX 5050 8 GB GDDR6
- ✓ 7680 x 4320 pikseliai 128 bitai 20 Gbit/s PCI Express 5.0
- ✓ HDMI portų kiekis: 1 „DisplayPort“ kiekis: 3
- ✓ „DirectX“ versija: 12 Ultimate OpenGL versija: 4.6
- ✓ 1x 8-pin



Aprašymas

DUAL GEFORCE RTX™ 5050

Dual Fans, Perfect Fit

ASUS Dual GeForce RTX™ 5050 combines powerful thermal performance with broad compatibility. Advanced cooling solutions from flagship graphics cards — including two Axial-tech fans for optimizing airflow to the heatsink. Designed in a compact 2-slot form factor, delivering more power in less space. These enhancements make ASUS Dual the perfect choice for gamers who want heavyweight graphics performance in a compact build.

Cooling

2-slot Design

A carefully designed shroud, heatsink, and heatpipe layout enables the two Axial-tech fans to leverage chassis side-panel ventilation, delivering thermal performance that beyond the compact size.

Axial-tech Upgrades

Two tried-and-true Axial-tech fans feature a smaller hub facilitates longer blades and a barrier ring to increase downward air pressure.

0dB Technology

To eliminate unnecessary noise, the stop mode automatically halts all fans when the GPU temperature drops below 50 degrees and power consumption is low.

Dual Ball Fan Bearings

Fan bearings come in different types, each with its own advantages. Dual ball bearings provide superior durability and can last up to twice as long as sleeve-bearing designs.

Vented Backplate

A vented backplate significantly enhance heat dissipation, helping to keep the GPU cooler during intense tasks. This additional airflow helps ensure optimal temperatures, boosting performance, longevity and stability by defending against overheating and thermal throttling.

Unmatched Reliability

ASUS GPU Guard

ASUS GPU Guard applies adhesive to secure all four corners to reduce the risk of cracks.

Protective Backplate

The PCB is reinforced by a backplate that adds structural rigidity, helping to prevent flex and to protect components and trace pathways from damage.

Stainless Steel Bracket

The mounting bracket of the Dual has been beefed up with 304 Stainless Steel that's harder and more resistant to corrosion.

Engineering

Dual BIOS

Do you prioritize lower core temperatures or quieter operation? Performance mode increases fan speed to keep the card running cool all the time. Quiet mode maintains the same power target and performance settings, but applies a less aggressive fan curve for quieter operation at medium temperatures. Want more control? Customize your experience with GPU Tweak III software for fine-tuned fan profiles and performance adjustments.

Auto—Extreme Technology

Auto-Extreme Technology is an automated manufacturing process that sets new standards in the industry by allowing completing all soldering to be completed in a single pass. This reduces thermal strain on components and avoids the use of harsh cleaning chemicals, resulting and minimizes in less environmental impact. The result is lower power consumption during manufacturing and a more reliable, high-quality product.lower manufacturing power consumption, and a more reliable product overall.

RTX. It's On.

The Ultimate in Ray Tracing and AI

RTX is the most advanced platform for full ray tracing and neural rendering technologies that are revolutionizing the ways we play and create. Over 700 games and applications use RTX to deliver realistic graphics and incredibly fast performance with cutting-edge AI features like DLSS Multi Frame Generation.

Creators

Your Creative AI-dvantage

NVIDIA Studio is your creative advantage. GeForce RTX 50 Series GPUs unlock transformative performance in video editing, 3D rendering, and graphic design. Experience RTX accelerations in top creative apps, world-class NVIDIA Studio drivers engineered and continually updated to provide maximum stability, and a suite of exclusive tools that harness the power of RTX for AI-assisted creative workflows.

Techninė specifikacija

Procesorius	
Grafikos procesoriaus šeima	NVIDIA
Grafikos procesorius	GeForce RTX 5050
Maksimali rezoliucija	7680 x 4320 pikseliai
CUDA	Taip
Paralelinio apdorojimo technologijos parama	Nepalaikomas
CUDA šerdys	2560
Procesoriaus laikrodžio greičio padidinimas	2647 MHz
Procesoriaus dažnis (OC režimas)	2677 MHz
Maksimalus ekranų skaičius kiekvienai vienai vaizdo plokštei	4
Atmintis	
Diskrečiojo grafikos adapterio atmintis	8 GB
Grafikos adapterio atminties tipas	GDDR6
Atminties magistralė	128 bitai
Duomenų perdavimo sparta	20 Gbit/s
Ryšys	
Sąsajos tipas	PCI Express 5.0
HDMI portų kiekis	1
DVI-D prievadų skaičius	0
DVI-I prievadų skaičius	0
„DisplayPort“ kiekis	3
3 „Thunderbolt“ prievadų skaičius	0

Mini HDMI portų kiekis	0
HDMI versija	2.1b
VGA (D-Sub) portų kiekis	0
„Mini DisplayPort“ kiekis	0
„DisplayPort“ versija	2.1b
USB tipo C prievadų kiekis	0
Veikimo charakteristikos	
Integruotas TV tiuneris	Ne
„DirectX“ versija	12 Ultimate
OpenGL versija	4.6
Dvi DVI išvestys	Ne
„Virtual Reality“ (VR) funkcijos parengtis	Taip
HDCP	Taip
HDCP versija	2.3
NVIDIA G-SYNC	Taip
NPU sparta iki	421 TOPs
Padidintos spartos (OC) leidimas	Taip
Konstrukcija	
Aušinimo tipas	Aktyvus
Aušinimo technologija	ASUS Axial-tech
Ventiliatorių skaičius	2 ventiliatorius(iai / ių)
Forma	Full-Height/Half-Length (FH/HL)
Laikiklio aukštis	Full-Height (FH)
Lizdų skaičius	2
Iliuminacija	Ne
Suderinama su SFF standartu	Ne
Produkto spalva	Juoda
Energijos valdymas	
Minimalus sistemos maitinimas	550 W
Papildomos maitinimo jungtys	1x 8-pin
Sistemos reikalavimai	
Palaikomos „Windows“ operacinės sistemos	Windows 10 x64, Windows 11 x64
Svoris ir matmenys	
Ilgis	203 mm

Ilgis	40 mm
Aukštis	120,2 mm

Pakuotės duomenys

Pakuotės tipas	„Box“
----------------	-------

Pakuotės turinys

Instrukcija	Taip
-------------	------

Matmenys ir svoris

Matmenys (l × p × A)	22,00cm × 31,00cm × 6,00cm
Svoris	0,92kg

Dokumentai ir vaizdo įrašai

› [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

ASUSTeK Computer Inc
Li-Te Road 15, 112 Taipei, TW
[asus.com](https://www.asus.com)

ATSAKINGAS ASMUO ES

ASUS France S.A.R.L.
Allee bienvenue 10, 93160 Paris, FR
channel.asus.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt