

## TP-Link Omada Gateway gateway/controller 10, 100, 1000 Mbit/s

Gamintojas: **TP-LINK** · Modelis: **ER603WP-4G-Outdoor** · EAN: **1210002620147** · Prekės kodas: **585021**



### 155,90 €

Kaina su PVM

Be PVM: **128,84 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

### Pagrindinės savybės

- ✓ 4G Cat4 up to 300 Mbps
- ✓ Wi-Fi 4, Support 150 Mbps on 2.4 GHz+
- ✓ 3x Gigabit WAN/LAN Ports (2x PoE Out, 1x PoE In)
- ✓ 1x Nano SIM Card Slot
- ✓ 802.3at/bt PoE/Passive PoE/DC Power Supply
- ✓ IP55 Weatherproof & 4 kV Lightning Protection
- ✓ Load Balancing between 4G and Ethernet WAN
- ✓ IPSec/PPTP/L2TP/OpenVPN/WireGuard/GREš VPN
- ✓ Centralized Cloud Management



### Aprašymas

Certification: CE, RoHS | Reset button: Yes | Networking standards: IEEE 802.3bt | Storage relative humidity (H-H): 5 - 90% | Antennas quantity: 2 | Forwarding rate: 1419519 Mpps | Control display unit: No | Operating relative humidity (H-H): 5 - 95% | DHCP server: Yes | Networking standards: IEEE 802.3af | Flash memory: 128 MB | Wi-Fi: Yes | Product colour: White | Mobile network generation: 4G | Power consumption (max): 10 W | SIM card type: NanoSIM | Data network: LTE | Mounting type: Wall mounting | Frequency band: 2.4 GHz | Internal memory: 256 MB | Networking standards: IEEE 802.3at | Height: 174.8 mm | Web-based management: Yes | Operating temperature (T-T): -30 - 60 °C | LED indicators: Status | Antenna type: External | Ethernet LAN data rates: 10 | Power over Ethernet (PoE) type supported: Passive PoE | Width: 100.4 mm | Short Message Service (SMS): Yes | Ethernet LAN data rates: 1000 | Power over Ethernet (PoE): Yes | Storage temperature (T-T): -40 - 70 °C | Internal memory type: DDR3 | Ethernet LAN data rates: 100 Mbit/s | Depth: 38.7 mm | SIM card slot: Yes | Downlink/uplink speed: 150/50 Mbit/s

Techninė specifikacija

|                             |                                          |
|-----------------------------|------------------------------------------|
| Specifications              |                                          |
| Sandėlio grupė              | Routers [ +106][ -120]                   |
| Design                      |                                          |
| Product colour              | White                                    |
| Mounting type               | Wall mounting                            |
| LED indicators              | Status                                   |
| Features                    |                                          |
| Antenna type                | External                                 |
| Antennas quantity           | 2                                        |
| Short Message Service (SMS) | Yes                                      |
| Performance                 |                                          |
| Control display unit        | No                                       |
| Internal memory             | 256 MB                                   |
| Internal memory type        | DDR3                                     |
| Flash memory                | 128 MB                                   |
| Protocols                   |                                          |
| DHCP server                 | Yes                                      |
| Network                     |                                          |
| Ethernet LAN data rates     | 10,100,1000 Mbit/s                       |
| Forwarding rate             | 1419519 Mpps                             |
| Networking standards        | IEEE 802.3at, IEEE 802.3bt, IEEE 802.3af |
| Wi-Fi                       | Yes                                      |
| Mobile network generation   | 4G                                       |
| Data network                | LTE                                      |
| Downlink/uplink speed       | 150/50 Mbit/s                            |
| Frequency band              | 2.4 GHz                                  |
| Ports & interfaces          |                                          |
| SIM card slot               | Yes                                      |
| SIM card type               | NanoSIM                                  |
| Management features         |                                          |
| Web-based management        | Yes                                      |
| Reset button                | Yes                                      |

**Power**

|                                          |             |
|------------------------------------------|-------------|
| Power consumption (max)                  | 10 W        |
| Power over Ethernet (PoE) type supported | Passive PoE |
| Power over Ethernet (PoE)                | Yes         |

**Weight & dimensions**

|        |          |
|--------|----------|
| Width  | 100.4 mm |
| Depth  | 38.7 mm  |
| Height | 174.8 mm |

**Operational conditions**

|                                   |             |
|-----------------------------------|-------------|
| Operating temperature (T-T)       | -30 - 60 °C |
| Storage temperature (T-T)         | -40 - 70 °C |
| Operating relative humidity (H-H) | 5 - 95%     |
| Storage relative humidity (H-H)   | 5 - 90%     |

**Certificates**

|               |          |
|---------------|----------|
| Certification | CE, RoHS |
|---------------|----------|

**Matmenys ir svoris**

|                      |                            |
|----------------------|----------------------------|
| Matmenys (I × P × A) | 28,00cm × 9,00cm × 21,00cm |
| Svoris               | 1,03kg                     |