# HP LaserJet M207dw Printer

Gamintojas: **HP** · Modelis: **8J9K9F** · EAN: **197961893083** · Prekės kodas: **585190**



## 110,90 €

Kaina su PVM

Be PVM: **91,65 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt



### Pagrindinės savybės

- ✓ Namai ir biuras Lazeris
- ✓ 600 x 600 DPI
- ✓ Spausdinimo spalvos: Juoda
- ✓ A4 27 ppm
- ✓ Abipusis spauzdinimas Tiesioginis spausdinimas
- ✓ USB prievadas „Wi-Fi“ Ethernet LAN jungtis
- ✓ LED Įmontuotas ekranas
- ✓ Veikos ciklas (maksimalus): 20000 lapai per mėnesį
- ✓ Bendras įvesties dėklų skaičius: 1 Bendra įvesties talpa: 150 lapai Bendra išvesties talpa: 100 lapai
- ✓ Vidinė atmintis: 64 MB Integruotas procesorius 500 MHz







Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.







## Aprašymas

**Fast, reliable performance. Exceptional value.** Increase productivity with this high-performance black-and-white printer in an award-winning compact design.[3] Experience the fastest two-sided printing in class[9] and reliable Wi-Fi with self-reset,[1] plus simplified setup and time-saving features with the HP app.[3]

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Colour | No |
| Print technology | Laser |
| Duplex printing | Yes |
| Maximum resolution | 600 x 600 DPI |
| Print speed (black, normal quality, A4/US Letter) | 27 ppm |
| Duplex printing mode | Auto |
| Print resolution black | 600 x 600 DPI |
| Print speed (white, normal quality, A4/US Letter) | 27 ppm |
| Duplex print speed (black, normal quality, A4/US Letter) | 18 ppm |
| Time to first page (black, normal) | 7 s |
| Secure printing | Yes |
| **Features** | |
| Maximum duty cycle | 20000 pages per month |
| Printing colours | Black |
| Number of print cartridges | 1 |
| Page description languages | PCLmS, PWG, URF |
| Recommended duty cycle | 200 - 2000 pages per month |
| Country of origin | Vietnam |
| Replacement cartridges | HP 135A Original Black LaserJet Toner Cartridge, W1350A (~1100); HP 135X Original Black LaserJet Toner Cartridge, W1350X (~2400) |
| HP segment | Home office |
| **Input & output capacity** | |
| Total number of input trays | 1 |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Total input capacity | 150 sheets |
| Total output capacity | 100 sheets |
| Paper tray 1 input capacity | 150 sheets |
| Maximum number of input trays | 1 |
| Maximum input capacity | 150 sheets |
| Maximum output capacity | 100 sheets |
| **Paper handling** | |
| Maximum ISO A-series paper size | A4 |
| Paper tray media types | Plain paper, Envelopes, Card stock, Labels, Rough paper, Postcard |
| ISO A-series sizes (A0...A9) | A4, A5, A6 |
| Maximum print size | 216 x 354 mm |
| ISO B-series sizes (B0...B9) | B5 |
| Non-ISO print media sizes | Legal |
| JIS B-series sizes (B0...B9) | B5 |
| Custom media width | 101.6 - 216 mm |
| Custom media length | 152.4 - 356 mm |
| Paper tray media weight | 60 - 163 g/m² |
| **Ports & interfaces** | |
| Direct printing | Yes |
| USB port | Yes |
| USB 2.0 ports quantity | 1 |
| **Network** | |
| Wi-Fi | Yes |
| Ethernet LAN | Yes |
| Cabling technology | 10/100Base-T(X) |
| Ethernet LAN data rates | 10,100 Mbit/s |
| Wi-Fi Direct | Yes |
| Wi-Fi standards | Wi-Fi 4 (802.11n), 802.11g, 802.11b, 802.11a |
| Security algorithms | SNMPv3, SSL/TLS, SNMPv2, SNMP, TLS |
| Supported network protocols (IPv4) | TCP/IP |
| Supported network protocols (IPv6) | LPD; SLP; Bonjour; WS-Discovery; BOOTP/DHCP/AutoIP; SNMP v 1/2/3;HTTP/HTTPS; UDP; IPP |
| Mobile printing technologies | Mopria Print Service, Apple AirPrint |
| **Performance** | |
| Internal memory | 64 MB |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Maximum internal memory | 64 MB |
| Built-in processor | Yes |
| Processor frequency | 500 MHz |
| Sound pressure level (printing) | 52 dB |
| Sound power level (printing) | 6.7 dB |

### Design

| | |
|---|---|
| Market positioning | Home & office |
| Product colour | Grey, White |
| Built-in display | Yes |
| Display | LED |
| Control type | Buttons |
| Certification | CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6. |

### Power

| | |
|---|---|
| Power consumption (printing) | 420 W |
| Power consumption (ready) | 2 W |
| Power consumption (PowerSave) | 0.5 W |
| Power consumption (off) | 0.04 W |
| Energy Star Typical Electricity Consumption (TEC) | 0.251 kWh/week |
| AC input voltage | 220 - 240 V |
| AC input frequency | 50/60 Hz |

### System requirements

| | |
|---|---|
| Windows operating systems supported | Windows 10, Windows 11 |
| Mac operating systems supported | Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS |
| Linux operating systems supported | Yes |
| Other operating systems supported | Linux |

### Operational conditions

| | |
|---|---|
| Operating temperature (T-T) | 15 - 32.5 °C |
| Storage temperature (T-T) | -20 - 60 °C |
| Operating relative humidity (H-H) | 10 - 80% |
| Storage relative humidity (H-H) | 10 - 90% |

### Sustainability

| | |
|---|---|
| Sustainability certificates | ENERGY STAR, Blue Angel |
| Sustainable technologies and materials | Mercury free |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| Doesn't contain | Mercury |
| Sustainability compliance | Yes |
| **Carbon footprint** | |
| Total carbon footprint (kg of CO2e) | 270 |
| Carbon emissions, manufacturing (kg of CO2e) | 227 |
| Carbon emissions, logistics (kg of CO2e) | 19 |
| Carbon emissions, end-of-life (kg of CO2e) | 19 |
| Total carbon emissions, w/o use phase (kg of CO2e) | 10 |
| **Weight & dimensions** | |
| Width | 355 mm |
| Depth | 279.5 mm |
| Height | 205 mm |
| Weight | 5.6 kg |
| Pallet dimensions (W x D x H) | 1200 x 1000 x 2449 mm |
| **Packaging data** | |
| Package width | 432 mm |
| Package depth | 331 mm |
| Package height | 272 mm |
| Package weight | 7.8 kg |
| **Packaging content** | |
| Cables included | AC |
| **Brand-specific features** | |
| HP Auto-On/Auto-Off | Yes |
| HP Security tools | Secure Boot, Secure Firmware Integrity, Runtime Code Integrity, password protected EWS, secure browsing via SSL/TLS 1.0, TLS 1.1, TLS 1.2; TLS 1.0/1.1 disabled by default; Update to OpenSSL version 1.1.1; enable/disable Network ports; SNMPv1, SNMPv2, and SNMPv3, community password change; Secure defaults, Encrypted data at rest, Active FW update, Admin password by default, Cipher & TLS selection; Account lockout; Secure Wi-Fi setup |
| HP GTIN (EAN/UPC) | 197961893106 |
| **Logistics data** | |
| Pallet gross weight | 562.6 kg |
| Layers per pallet | 9 pc(s) |
| Products per pallet | 72 pc(s) |
| **Technical details** | |
| Master (outer) cases per pallet layer | 8 pc(s) |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Compliance certificates | GS mark, CCC, EAC, BIS, Federal Communications Commission (FCC), CE, BSMI |
| **Other features** | |
| Recommended system requirements | Microsoft Windows 11; 10; 32-bit or 64-bit; 2 GB available hard disk space; Internet connection; Microsoft Internet Explorer. macOS v14 Sonoma; macOS v13 Ventura; macOS v12 Monterey; 2 GB HD; Internet required. |
| Power supply type | Internal |
| Electromagnetic compatibility | CISPR32:2012 & CISPR32:2015 /EN55032:2012 & EN55032:2015+AC:2016 - Class B; EN 61000-3-2:2014; EN 61000-3-3:2013; EN 55035:2017; FCC Title 47 CFR, Part 15 Class B/ICES-003, Issue 6. |
| Compatible operating systems | Windows 11; Windows 10; macOS 12 Monterey; macOS 13 Ventura; MacOS v14 Sonoma; Linux |
| Printing | Mono printing |
| Manufacturer warranty | One-year limited warranty |
| Recommended humidity operating range | 30 - 70% |
| Recommended operating temperature range (T-T) | 17.5 - 25 °C |
| Custom media sizes | 101.6 x 152.4 to 216 x 356 mm |
| Pallet dimensions (W x D x H) (imperial) | 1199.9 x 1000 x 2449.1 mm (47.2 x 39.4 x 96.4") |
| Pallet weight (imperial) | 562.6 kg (1240.3 lbs) |
| Acoustic power emissions (ready) | 25 dB |
| Acoustic pressure emissions bystander (ready) | 15 dB |
| Typical electricity consumption (TEC) number | 0.251 kWh/Week (Energy Star) |
| UNSPSC-code | 43212105 |
| Box contents | HP LaserJet M207dw; Preinstalled HP Black Original LaserJet Toner Cartridge; Dust cover; Power Cord; Reference Guide; Setup Poster; Regulatory Flyer |
| **Matmenys ir svoris** | |
| Matmenys (I × P × A) | 33,00cm × 43,00cm × 26,00cm |

## Dokumentai ir vaizdo įrašai

› CE ženklinimas

› Vaizdo įrašas objects.icecat.biz/objects/121713399_58179944.mp4

## Gamintojo ir saugos informacija

GAMINTOJAS

**HP Inc**
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

**HP Printing and Computing Solutions S.L.U.**
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Saugos dokumentai

› CE ženklinimas