

5 YIL GARANTİ UZATMA ÜRÜN KAYIT SAYFASI



*Ürününüzü kaydetmek için QR kodu okutunuz.



ASUS ROG CROSSHAIR X870E EXTREME AMD X870E Socket AM5 Extended ATX

Modelis: 90MB1LB0-M0EAY0

Gamintojas: ASUS

EAN: 4711387984963

Prekės kodas: 585283

1,095.99€

Special features: strong Supports up to 5 x M.2 slots and 1 x SlimSAS connector and 4 x SATA 6Gb/s ports* /strong br / strong AMD Ryzen™ 9000 & 7000 Series Desktop Processors /strong br / M.2_1 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 5.0 x4 mode) br / M.2_2 slot (Key M), type 2242/2260/2280 (supports PCIe 5.0 x4 mode)** br / M.2_3 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 5.0 x4 mode)** br / strong AMD Ryzen™ 8000 Series Desktop Processors /strong br / M.2_1 slot (Key M), type 2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) br / M.2_2 slot (Key M), type 2242/2260/2280 (Not supports) br / M.2_3 slot (Key M), type 2242/2260/2280/22110 (Not supports) br / strong AMD X870E Chipset /strong br / DIMM.2_1 slot (Key M) via ROG Q-DIMM.2, type 2230/2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) br / DIMM.2_2 slot (Key M) via ROG Q-DIMM.2, type 2230/2242/2260/2280/22110 (supports PCIe 4.0 x4 mode) br / SlimSAS connector

supports PCIe 4.0 x4 mode via an SFF-8654 adapter cable. The cable is purchased separately. br / 4

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be

išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

x SATA 6Gb/s ports br / * Specifications vary by CPU types. br / ** When M.2_2 is enabled, but M.2_3 is not in use, PCIe16_1 will run in x8 mode and PCIe16_2 will be disabled. br / ** When M.2_3 is enabled, but M.2_2 is not in use, PCIe16_1 will run in x8 mode and PCIe16_2 will run in x4 mode. br / ** When both M.2_2 and M.2_3 are enabled, PCIe16_1 will run in x8 mode and PCIe16_2 will be disabled. | Other features: 4 x DIMM slots, max. 256GB, DDR5 br / Supports up to br / 8200+MT/s(OC) with Ryzen™ 9000 Series Processors, br / 9000+MT/s(OC) with Ryzen™ 8000 Series Processors, br / 8000+MT/s(OC) with Ryzen™ 7000 Series Processors, br / ECC and Non-ECC, Un-buffered DIMM* br / Dual Channel Memory Architecture br / Supports AMD Extended Profiles for Overclocking (EXPO™) br / ASUS Enhanced Memory Profile (AEMP) br / NitroPath DRAM Technology br / *Supported memory types, data rate (speed), and number of DRAM modules vary depending on the CPU and memory configuration, for more information please refer to CPU/Memory Support list under theSupport tab of product information site or visit <https://www.asus.com/support/download-center/>. br / * Non-ECC, un-buffered DDR5 memory supports On-Die ECC function. | Width: 305 mm | RGB LED pin header: Yes | 3rd M.2 largest key size: 22110 | USB 3.2 Gen 2 (3.1 Gen 2) connectors: 1 | Wi-Fi: Yes | Ethernet LAN: Yes | Ethernet interface type: 5 Gigabit Ethernet | Bluetooth version: 5.4 | Number of memory slots: 4 | 12V power connector: Yes | 4th M.2 largest key size: 22110 | Ethernet interface type: 10 Gigabit Ethernet | Depth: 277 mm | WiFi-AP antenna jack: 1 | PCI Express x16 (Gen 4.x) slots: 2 | 4th M.2 highest PCI Express generation: 4.0 | Number of storage drives supported: 10 | 3rd M.2 highest PCI Express generation: 5.0 | Antenna included: Yes | Compatible processor series: AMD Ryzen 8000 Series | Memory slots type: DIMM | Compatible processor series: AMD Ryzen 7000 Series | Supported memory types: DDR5-SDRAM | Compatible processor series: AMD Ryzen 9000 Series | 5th M.2 highest PCI Express generation: 4.0 | 2nd M.2 largest key size: 2280 | 5th M.2 largest key size: 22110 | 2nd M.2 highest PCI Express generation: 5.0 | Processor socket: Socket AM5 | ECC compatibility: ECC & Non-ECC | USB 3.2 Gen 2x2 connectors: 1 | 1st M.2 highest PCI Express generation: 5.0 | USB4 Gen 3x2 ports quantity: 2 | 1st M.2 largest key size: 22110 | PCI Express x16 (Gen 5.x) slots: 2 | RAID levels: 10 | ATX Power connector (24-pin): Yes | Supported processor sockets: Socket AM5 | Wi-Fi standards: Wi-Fi 7 (802.11be) | Motherboard form factor: Extended ATX | Package width: 380 mm | RAID levels: 1 | RAID support: Yes | Number of M.2 (M) slots: 5 | PS/2 ports quantity: 1 | RAID levels: 5 | RAID levels: 0 | Top Wi-Fi standard: Wi-Fi 7 (802.11be) | Package height: 125 mm | Drivers included: Yes | Motherboard chipset: AMD X870E | Number of SATA III connectors: 4 | Supported storage drive types: HDD & SSD | Ethernet LAN (RJ-45) ports: 2 | On-board graphics card: No | Maximum internal memory: 256 GB | S/PDIF out port: Yes | Number of chassis fan connectors: 2 | Product colour: Black | Package depth: 320 mm | CPU fan connector: Yes | Audio chip: Realtek ALC4082 | Bluetooth: Yes | Supported storage drive interfaces: M.2, SATA III, SlimSAS | USB

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš

įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shoppro.lt | info@shoppro.lt | +370 693 39903

3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity: 8 | BIOS type: UEFI AMI | Motherboard chipset family: AMD | Package weight: 5.66 kg | EPS power connector (8-pin): Yes | Memory channels: Dual-channel | Front panel audio connector: Yes | Audio output channels: 7.1 channels | USB 3.2 Gen 1 (3.1 Gen 1) connectors: 2 | Processor manufacturer: AMD | USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity: 2 | Windows operating systems supported: Windows 11 | Cables included: SATA | Front panel connector: Yes | HDMI ports quantity: 1 | Parallel processing technology support: Not supported | Unbuffered memory: Yes | USB 2.0 connectors: 2