

# DELL UltraSharp U3226Q computer monitor 80 cm (31.5") 3840 x 2160 pixels 4K Ultra HD QD-OLED Black

Gamintojas: **DELL EMC** · Modelis: **DELL-U3226Q** · EAN: **5397321025146** · Prekės kodas: **585426**



## 2 879,90 €

Kaina su PVM

Be PVM: **2 380,08 €**

[Sandėlyje](#)



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ 31.5" QD-OLED
- ✓ 4K Ultra HD, 16:9, 3840 x 2160
- ✓ 120Hz, 0.3ms, 300cd/m<sup>2</sup>
- ✓ USB Hub, USB PD (140W)



## Aprašymas

Designed for colour-critical workflows, this 31.5-inch monitor features DisplayHDR True Black 500, anti-glare low-reflectance, a built-in colorimeter, and Dell Colour Management tools for remote calibration and fleet management.

## Techninė specifikacija

### Specifications

Sandėlio grupė

Displays > Led Small Format [+98][-203]

### Display

Display diagonal

80 cm (31.5")

|                                     |                                                                                                                                                                                                                    |
|-------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Display resolution                  | 3840 x 2160 pixels                                                                                                                                                                                                 |
| Native aspect ratio                 | 16:9                                                                                                                                                                                                               |
| Display technology                  | QD-OLED                                                                                                                                                                                                            |
| Touchscreen                         | No                                                                                                                                                                                                                 |
| HD type                             | 4K Ultra HD                                                                                                                                                                                                        |
| Response time                       | 0.3 ms                                                                                                                                                                                                             |
| Screen shape                        | Flat                                                                                                                                                                                                               |
| Maximum refresh rate                | 120 Hz                                                                                                                                                                                                             |
| Display number of colours           | 1.07 billion colours                                                                                                                                                                                               |
| Display brightness (peak)           | 1000 cd/m²                                                                                                                                                                                                         |
| Display brightness (typical)        | 300 cd/m²                                                                                                                                                                                                          |
| Response time measurement type      | GTG (Gray to Gray)                                                                                                                                                                                                 |
| Anti-glare screen                   | Yes                                                                                                                                                                                                                |
| Supported graphics resolutions      | 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 1024 (SXGA), 1600 x 1200 (UXGA), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160 |
| Supported video modes               | 2160p, 1080p, 720p, 576p, 480p                                                                                                                                                                                     |
| Contrast ratio (dynamic)            | 1500000:1                                                                                                                                                                                                          |
| Viewing angle, horizontal           | 178°                                                                                                                                                                                                               |
| Viewing angle, vertical             | 178°                                                                                                                                                                                                               |
| Pixel pitch                         | 0.1814 x 0.1814 mm                                                                                                                                                                                                 |
| Pixel density                       | 140 ppi                                                                                                                                                                                                            |
| Viewable size, horizontal           | 69.7 cm                                                                                                                                                                                                            |
| Viewable size, vertical             | 39.2 cm                                                                                                                                                                                                            |
| Digital horizontal frequency        | 15 - 270 kHz                                                                                                                                                                                                       |
| Digital vertical frequency          | 48 - 120 Hz                                                                                                                                                                                                        |
| High Dynamic Range (HDR) technology | Dolby Vision, HDR True Black 500                                                                                                                                                                                   |
| Surface hardness                    | 3H                                                                                                                                                                                                                 |
| sRGB coverage (typical)             | 100%                                                                                                                                                                                                               |
| Adobe RGB coverage                  | 94%                                                                                                                                                                                                                |
| BT.2020 coverage                    | 80%                                                                                                                                                                                                                |
| DCI-P3 coverage                     | 99%                                                                                                                                                                                                                |
| <b>Performance</b>                  |                                                                                                                                                                                                                    |
| Flicker-free technology             | Yes                                                                                                                                                                                                                |
| Low Blue Light technology           | Yes                                                                                                                                                                                                                |

**Multimedia**

Built-in speaker(s) No

Built-in camera No

**Design**

Market positioning Office

Product colour Black

Front bezel colour Black

Detachable stand Yes

Feet colour Black

**Ports & interfaces**

Built-in USB hub Yes

HDMI Yes

Headphone out No

USB upstream port type USB Type-C

Number of USB Type-C upstream ports quantity 1

USB Type-A downstream ports quantity 2

USB Type-C DisplayPort Alternate Mode Yes

USB Power Delivery (USB PD) Yes

USB Power Delivery up to 140 W

HDMI ports quantity 2

HDMI version 2.1

DisplayPorts quantity 1

DisplayPort out version 1.4

Thunderbolt 4 ports quantity 2

Built-in KVM switch Yes

HDCP Yes

HDCP version 1.4/2.2

**Network**

Ethernet LAN Yes

**Ergonomics**

VESA mounting Yes

Cable lock slot Yes

Height adjustment Yes

Panel mounting interface 100 x 100 mm

|                                         |                |
|-----------------------------------------|----------------|
| Cable management                        | Yes            |
| Cable lock slot type                    | Kensington     |
| Adjustable height (max)                 | 15 cm          |
| Pivot                                   | Yes            |
| Pivot angle                             | -90 - 90°      |
| Swivelling                              | Yes            |
| Swivel angle range                      | -30 - 30°      |
| Tilt adjustment                         | Yes            |
| Tilt angle range                        | -5 - 21°       |
| Picture-in-Picture                      | Yes            |
| On Screen Display (OSD)                 | Yes            |
| <b>Power</b>                            |                |
| Energy efficiency class (SDR)           | G              |
| Energy efficiency class (HDR)           | G              |
| Energy consumption (SDR) per 1000 hours | 34 kWh         |
| Energy consumption (HDR) per 1000 hours | 34 kWh         |
| Power consumption (typical)             | 33.7 W         |
| Power consumption (standby)             | 0.4 W          |
| Power consumption (max)                 | 460 W          |
| Power consumption (off)                 | 0.3 W          |
| AC input voltage                        | 100 - 240 V    |
| AC input frequency                      | 50/60 Hz       |
| Input current                           | 5.3 A          |
| Power supply type                       | Internal       |
| Energy efficiency scale                 | A to G         |
| <b>Operational conditions</b>           |                |
| Operating temperature (T-T)             | 0 - 45 °C      |
| Storage temperature (T-T)               | -20 - 60 °C    |
| Operating relative humidity (H-H)       | 10 - 90%       |
| Storage relative humidity (H-H)         | 10 - 90%       |
| Operating altitude                      | 0 - 5000 m     |
| Non-operating altitude                  | 5000 - 12192 m |
| <b>Weight &amp; dimensions</b>          |                |
| Width (with stand)                      | 718.3 mm       |
| Depth (with stand)                      | 217.2 mm       |

|                                                         |                                       |
|---------------------------------------------------------|---------------------------------------|
| Height (with stand)                                     | 623.8 mm                              |
| Weight (with stand)                                     | 9.35 kg                               |
| Width (without stand)                                   | 718.3 mm                              |
| Depth (without stand)                                   | 65.5 mm                               |
| Height (without stand)                                  | 436 mm                                |
| Weight (without stand)                                  | 6.43 kg                               |
| Bezel width (side)                                      | 1.23 cm                               |
| Bezel width (top)                                       | 9.3 mm                                |
| Bezel width (bottom)                                    | 3.78 cm                               |
| Packaging data                                          |                                       |
| Package weight                                          | 16.3 kg                               |
| Packaging content                                       |                                       |
| Stand included                                          | Yes                                   |
| Cables included                                         | Power, HDMI, DisplayPort, Thunderbolt |
| Sustainability                                          |                                       |
| Sustainability certificates                             | ENERGY STAR                           |
| Doesn't contain                                         | PVC/BFR, Arsenic, Mercury             |
| Carbon footprint                                        |                                       |
| Total carbon footprint (kg of CO2e)                     | 815                                   |
| Total carbon emissions, standard deviation (kg of CO2e) | 179                                   |
| Carbon emissions, manufacturing (kg of CO2e)            | 448.25                                |
| Carbon emissions, logistics (kg of CO2e)                | 107.58                                |
| Carbon emissions, energy usage (kg of CO2e)             | 246.13                                |
| Carbon emissions, end-of-life (kg of CO2e)              | 12.23                                 |
| PAIA version                                            | PAIA 1.5.3, 2026                      |
| Other features                                          |                                       |
| Compliance certificates                                 | RoHS                                  |
| Matmenys ir svoris                                      |                                       |
| Matmenys (I × P × A)                                    | 95,00cm × 56,00cm × 20,00cm           |
| Svoris                                                  | 16,31kg                               |