

Chieftec CTG-550C power supply unit 550 W 20+4 pin ATX ATX Black

Gamintojas: **CHIEFTEC** · Modelis: **CTG-550C** · EAN: **4710713239364** · Prekės kodas: **586087**



85,90 €

Kaina su PVM

Be PVM: **70,99 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 550 W 230 V 50 Hz
- ✓ Motherboard power connector: 20+4 pin ATX
- ✓ PC ATX 80 PLUS
- ✓ Active 12 cm
- ✓ Black



Aprašymas

this popular PSU series is now extended by new models featuring cable management. With many awards granted, these PSUs are perfectly suited for cost aware users, who pay attention to both good price and high efficiency.

Techninė specifikacija

Specifications

Sandėlio grupė

Netzteile [+0][-0]

Power

Total power	550 W
AC input voltage	230 V
AC input frequency	50 Hz
Input current	6 A
Maximum input current (@110V)	+12V1,+12V2,+3.3V,+5V,+5Vsb,-12V
Power factor	0.9
Power Factor Correction (PFC) type	Active
Combined power (+3.3V)	130 W
Combined power (+12V)	456 W
Combined power (+5V)	130 W
Combined power (-12V)	3.6 W
Combined power (+5Vsb)	15 W
Max output current (+3.3V)	25 A
Max output current (+12V1)	25 A
Max output current (+12V2)	25 A
Max output current (+5V)	22 A
Max output current (-12V)	0.3 A
Max output current (+5Vsb)	3 A
Efficiency	85%
Power protection features	Over current, Over voltage, Overheating, Overload, Short circuit, Under voltage
Ports & interfaces	
Motherboard power connector	20+4 pin ATX
Peripheral (Molex) power connectors (4-pin)	4
Number of SATA power connectors	6
EPS power connector (8-pin)	Yes
PCI Express power connectors (6+2 pin)	2
CPU P4 connector (4-pin)	1
Floppy drive power connector	2
Cabling type	Semi-Modular
Performance	
Purpose	PC
Power supply unit (PSU) form factor	ATX
80 PLUS certification	80 PLUS
ATX version	2.3
Mean time between failures (MTBF)	100000 h

Design

Product colour	Black
Cooling type	Active
Fan diameter	12 cm
Number of fans	1 fan(s)
Fan location	Top

Certificates

Compliance certificates	RoHS
Certification	CE, CB, FCC

Weight & dimensions

Width	150 mm
Depth	140 mm
Height	87 mm

Packaging data

Package type	Box
--------------	-----

Logistics data

Harmonized System (HS) code	84733020
-----------------------------	----------

Other features

Parallel processing technology support	2-Way CrossFireX, 2-Way SLI
--	-----------------------------

Matmenys ir svoris

Matmenys (I × P × A)	25,00cm × 19,00cm × 11,00cm
Svoris	2,32kg