

Epson WorkForce DS-70

Gamintojas: **EPSON** · Modelis: **B11B252402** · EAN: **8715946662831** · Prekės kodas: **586185**



173,90 €

Kaina su PVM

Be PVM: **143,72 €**

Sandėlyje



Prekė internetu

Nuskuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Scan anywhere: Small, lightweight design
- ✓ USB connectivity: Powered by USB
- ✓ Fast scanning speeds: At up to 5.5 seconds per page
- ✓ Simplify your workload: Continuous scanning with automatic feed mode
- ✓ Includes a range of software: Document Capture Pro 2, Epson Scan 2.0 and TWAIN driver support



Aprašymas

Scan anywhere

The small, compact design and USB connectivity make it easy to use the DS-70 wherever it's needed, such as in reception areas, and stores conveniently in a drawer.

Highly organised

Software provided with the DS models includes Document Capture Pro 2 and Epson Scan 2.0, and TWAIN driver support, making it easier to scan, save and share information around the business. Advanced features for naming, separating and routing documents make scanning easy – and logical. Users can save and send files in common formats like PDF, JPEG, TIFF and many more. Continuous scanning with automatic feed mode speeds up the scanning process, while the CIS sensor delivers instant scanning with no warm up time.

Flexible

The ability to scan a wide range of document and media types makes this model a reliable asset. It handles paper from 35gsm to 270gsm, and long

paper up to 1.8 metres.

Techninė specifikacija

Specifications	
Sandėlio grupė	Scanner [+0][-0]
Scanning	
Maximum scan size	216 x 356 mm
Optical scanning resolution	600 x 600 DPI
Duplex scanning	No
Colour scanning	Yes
Input colour depth	48 bit
Output colour depth	24 bit
Input greyscale depth	16 bit
Output greyscale depth	8 bit
Output monochrome depth	8 bit
Scan speed (b/w, low res, A4)	5.5 sec/page
Scan speed (colour, low res, A4)	5.5 sec/page
Design	
Scanner type	Handheld scanner
Built-in display	No
Product colour	White
Performance	
Sensor type	CIS
Daily duty cycle (max)	300 pages
Light source	ReadyScan LED
Scan file formats	BMP, JPEG, PDF, PNG, TIFF
Scan drivers	TWAIN, WIA, SANE, ICA
Input capacity	
Auto document feeder (ADF) input capacity	1 sheets
Paper handling	
Maximum ISO A-series paper size	A4
Scanning media types supported	Business Card, Plastic Card, Post Card(JPN)
Paper tray media weight	35 - 270 g/m²
Auto Document Feeder (ADF) media weight	35 - 270 g/m²

Ports & interfaces

USB port	Yes
USB version	2
Standard interfaces	USB 2.0

Power

Power supply type	USB
-------------------	-----

Weight & dimensions

Width	272 mm
Depth	47 mm
Height	34 mm
Weight	270 g

Packaging data

Quantity per pack	1 pc(s)
Package width	140 mm
Package depth	330 mm
Package height	65 mm
Package weight	553 g

Packaging content

Cables included	USB
Bundled software	Document Capture Pro 2.0, Epson Scan 2

System requirements

Compatible operating systems	Mac OS 10.6+, Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Server 2003, Windows Server 2008 (32/64 Bit), Windows Server 2012 R2, Windows Server 2016, Windows Vista, Windows XP
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Server operating systems supported	Windows Server 2003, Windows Server 2008, Windows Server 2008 x64, Windows Server 2012 R2, Windows Server 2016

Operational conditions

Operating temperature (T-T)	5 - 35 °C
Storage temperature (T-T)	-25 - 60 °C
Operating relative humidity (H-H)	10 - 85%
Storage relative humidity (H-H)	10 - 90%

Other features

Image formats supported	BMP, JPEG, TIFF, PNG
Output resolutions	600 dpi
Logistics data	
Products per pallet	360 pc(s)
Country of origin	China
Pallet gross weight	0 g
Master (outer) case length	360 mm
Master (outer) case height	320 mm
Master (outer) case width	350 mm
Master (outer) case gross weight	0 g
Pallet gross length	120 cm
Pallet gross width	80 cm
Pallet gross height	171 cm
Products per master (outer) case	10 pc(s)
Products per pallet layer	60 pc(s)
Products per pallet layer (UK)	60 pc(s)
Products per pallet (UK)	360 pc(s)
Pallet weight (UK)	0 g
Pallet length (UK)	120 cm
Pallet width (UK)	100 cm
Pallet height (UK)	171 cm
Master (outer) case GTIN (EAN/UPC)	8715946662596
Harmonized System (HS) code	84716070
Matmenys ir svoris	
Matmenys (I × P × A)	33,00cm × 14,00cm × 7,00cm
Svoris	0,56kg