# HP Smart Tank 7005 Wireless All-in-One Color Printer, Two-sided printing; Copier, Scanner

Gamintojas: **HP** · Modelis: **28B54A#BHC** · EAN: **195908302377** · Prekės kodas: **586195**



**276,90 €**

Kaina su PVM

Be PVM: **228,84 €**

**Sandėlyje**

**Prekė internetu**

Nuskenuokite kodą arba apsilankykite www.shopro.lt

## Pagrindinės savybės

- ✓ Scan to PDF
- ✓ Print, scan, copy, wireless
- ✓ Print speed up to 15 ppm (black) and 9 ppm (color)
- ✓ Up to 1200 x 1200 rendered dpi




























## Aprašymas

**Full of features. Full of savings.** Printing is seamless from start to finish with a cartridge-free printer designed for the whole family. Create a variety of outstanding-quality colour documents at a low cost, with up to three years of Original HP ink included in the box.[1].

## Techninė specifikacija

| | |
|---|---|
| **Printing** | |
| Print technology | Thermal inkjet |
| Printing | Colour printing |
| Duplex printing | Yes |
| Maximum resolution | 4800 x 1200 DPI |
| Print speed (black, normal quality, A4/US Letter) | 15 ppm |
| Duplex printing mode | Auto |
| Print resolution colour | 4800 x 1200 DPI |
| Print resolution black | 1200 x 1200 DPI |
| Print speed (colour, normal quality, A4/US Letter) | 9 ppm |
| Print speed (black, draft quality, A4/US Letter) | 23 ppm |
| Print speed (colour, draft quality, A4/US Letter) | 22 ppm |
| Print speed (ISO/IEC 24734) black | 15 ppm |
| Print speed (ISO/IEC 24734) colour | 9 ppm |
| Time to first page (black, normal) | 14 s |
| Time to first page (colour, normal) | 16 s |
| Borderless printing | Yes |
| **Copying** | |
| Copying | Colour copying |
| Duplex copying | Yes |
| Maximum copy resolution | 600 x 600 DPI |
| Copy speed (black, normal quality, A4) | 13 cpm |
| Copy speed (colour, normal quality, A4) | 6 cpm |
| Maximum number of copies | 99 copies |
| Copier resize | 25 - 400% |
| Auto fit function | Yes |
| Copy margin (auto center) | Yes |
| Copy margin (custom) | Yes |
| **Scanning** | |
| Scanning | Colour scanning |

| | |
|---|---|
| Duplex scanning | No |
| Optical scanning resolution | 1200 x 1200 DPI |
| Scanner type | Flatbed scanner |
| Optical scanning resolution (black) | 1200 x 1200 ppi |
| Optical scanning resolution (colour) | 1200 x 1200 ppi |
| Maximum scan resolution | 1200 x 1200 DPI |
| Maximum scan area | 216 x 297 mm |
| Scan technology | CIS |
| Scan to | Software |
| Scan speed (colour) | 3 ppm |
| Scan speed (black) | 5 ppm |
| Image formats supported | JPG, PNG, TIFF |
| Document formats supported | PDF |
| Input colour depth | 24 bit |
| Greyscale levels | 256 |
| Scan drivers | TWAIN |
| **Fax** | |
| Faxing | No |
| **Features** | |
| Maximum duty cycle | 5000 pages per month |
| Number of print cartridges | 4 |
| Printing colours | Black, Cyan, Magenta, Yellow |
| Recommended duty cycle | 400 - 800 pages per month |
| Page description languages | PCL 3 GUI |
| All-In-One-multitasking | Yes |
| Country of origin | China, Thailand |
| Replacement cartridges | HP 32XL 135-ml Black bottle (~6000 pages), HP 31 70-ml Cyan bottle (~8000 pages), HP 31 70-ml Magenta bottle (~8000 pages), HP 31 70-ml Yellow bottle (~8000 pages); For more information about fill and yield see https://www.hp.com/go/learnaboutsupplies |
| HP segment | Home |
| **Input & output capacity** | |
| Total number of input trays | 1 |
| Total input capacity | 250 sheets |
| Total output capacity | 100 sheets |
| Auto document feeder (ADF) | No |

| | |
|---|---|
| Maximum number of input trays | 1 |
| Maximum input capacity | 250 sheets |
| Maximum output capacity | 100 sheets |
| **Paper handling** | |
| Maximum ISO A-series paper size | A4 |
| Paper tray media types | Plain paper, Glossy paper, Photo paper, Recycled paper, Matte paper, Lightweight paper |
| ISO A-series sizes (A0...A9) | A4, A5, A6 |
| Maximum print size | 216 x 355.6 mm |
| ISO B-series sizes (B0...B9) | B5 |
| ISO C-series sizes (C0...C9) | C5, C6 |
| Non-ISO print media sizes | Hagaki card |
| JIS B-series sizes (B0...B9) | B5 |
| Envelopes sizes | C5, C6, DL |
| Borderless printing media sizes | A4, Letter |
| Custom media width | 88.9 - 215.9 mm |
| Custom media length | 127 - 355.6 mm |
| Paper tray media weight | 60 - 250 g/m² |
| Envelope feeder | No |
| **Ports & interfaces** | |
| Direct printing | Yes |
| USB port | Yes |
| USB 2.0 ports quantity | 2 |
| **Network** | |
| Wi-Fi | Yes |
| Wi-Fi standards | 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac) |
| Wi-Fi Direct | Yes |
| Mobile printing technologies | Mopria Print Service, Apple AirPrint |
| **Performance** | |
| Internal memory | 128 MB |
| Maximum internal memory | 128 MB |
| Card reader integrated | No |
| Built-in processor | Yes |
| Processor frequency | 800 MHz |
| Sound power level (printing) | 6.5 dB |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| **Design** | |
| Product colour | White, Grey |
| Market positioning | Home & office |
| Built-in display | Yes |
| Colour name | Light basalt |
| Display | LCD |
| Display diagonal | 1.27 cm (0.5") |
| Control type | Buttons |
| Colour display | Yes |
| **Power** | |
| Power consumption (sleep) | 2 W |
| Power consumption (off) | 0.1 W |
| Energy Star Typical Electricity Consumption (TEC) | 0.3 kWh/week |
| AC input voltage | 100 - 240 V |
| AC input frequency | 50/60 Hz |
| **System requirements** | |
| Windows operating systems supported | Windows 7, Windows 10, Windows 11 |
| Mac operating systems supported | Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS |
| Other operating systems supported | ChromeOS |
| **Operational conditions** | |
| Operating relative humidity (H-H) | 15 - 80% |
| Storage temperature (T-T) | -40 - 60 °C |
| Operating temperature (T-T) | 5 - 40 °C |
| Recommended humidity operating range | 20 - 80% |
| Recommended operating temperature range (T-T) | 15 - 30 °C |
| Non-operating relative humidity (non-condensing) | 5 - 90% |
| **Certificates** | |
| Certification | CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2 |
| **Sustainability** | |
| Sustainability certificates | Blue Angel, EPEAT |
| Sustainable technologies and materials | 25% post-consumer recycled plastic; Recyclable through HP Planet Partners |
| Sustainability compliance | Yes |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

| | |
|---|---|
| **Carbon footprint** | |
| Total carbon footprint (kg of CO2e) | 48 |
| Carbon emissions, manufacturing (kg of CO2e) | 39 |
| Carbon emissions, logistics (kg of CO2e) | 2 |
| Carbon emissions, end-of-life (kg of CO2e) | 3 |
| Total carbon emissions, w/o use phase (kg of CO2e) | 4 |
| **Weight & dimensions** | |
| Width | 427.5 mm |
| Depth | 364 mm |
| Height | 198.6 mm |
| Weight | 6.38 kg |
| **Packaging data** | |
| Package width | 484 mm |
| Package depth | 239 mm |
| Package height | 410 mm |
| Package weight | 9.2 kg |
| **Packaging content** | |
| Cables included | AC |
| Warranty card | Yes |
| Bundled software | HP Printer Software, available online |
| **Logistics data** | |
| Harmonized System (HS) code | 84433100 |
| Pallet gross weight | 574 kg |
| Layers per pallet | 6 pc(s) |
| Products per pallet | 60 pc(s) |
| **Technical details** | |
| Master (outer) cases per pallet layer | 10 pc(s) |
| Compliance certificates | CECP |
| General Product Safety Regulation (GPSR) URL | https://support.hp.com/gb-en/product/setup-user-guides/hp-smart-tank-7000-series/2100178899 |
| Other EU Hazard statement(s) | EUH208: Contains sensitizing substance. May produce an allergic reaction |

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

| | |
|---|---|
| Box contents | HP Smart Tank 7005 All-in-One; 2 x HP 32XL Black Original Ink Bottle; HP 31 Cyan Original Ink Bottle; HP 31 Magenta Original Ink Bottle; HP 31 Yellow Original Ink Bottle; HP Black Printhead; HP Tri-color Printhead; Ink caution flyer; Repacking flyer; Setup guide; Reference guide; Regulatory flyer; PT flyer; RoH-EAC Regulatory flyer; Power cord; Extended warranty flyer. For more information about fill and yield, see http://www.hp.com/go/learnaboutsupplies |
| **Other features** | |
| Number of users | 3 user(s) |
| Power supply type | Internal |
| Recommended system requirements | Windows 11; Windows 10; 1 GHz processor; 2 GB SSD; Internet; Chrome OS. macOS Tahoe 26; macOS Sequoia 15; macOS Sonoma 14; 2 GB SSD; Internet. |
| Compatible operating systems | Windows 11; Windows 10; Windows 7; macOS 12 Monterey; macOS 13 Ventura; macOS 14 Sonoma; macOS 15 Sequoia; Chrome OS |
| PictBridge | No |
| Number of print heads | 2 |
| Manufacturer warranty | Up to 3 years extended warranty upon registration at https://www.hp.com/go/SmartTank3yearswarranty . User replaceable parts have separate warranty periods. |
| Electromagnetic compatibility | CISPR 32:2015/EN 55032:2015+A11:2020 Class B; CISPR24:2010+A1:2015/EN 55024:2010+A1:2015; EN55035:2017+A11:2020/CISPR35:2016; EN 61000-3-2:2019; EN 61000-3-3:2013+A1:2019; FCC CFR 47 Part 15 Subpart B; ICES-003 Issue 7:2020; EN 301 489-1 V2.2.3; EN 301 489-17 V3.2.2 |
| Custom media sizes | 88.9 x 127 mm to 215.9 x 355.6 mm |
| Pallet dimensions (W x D x H) | 1220 x 1015 x 2590 mm |
| Pallet dimensions (W x D x H) (imperial) | 1219.2 x 1016 x 2590.8 mm (48 x 40 x 102") |
| Typical electricity consumption (TEC) number | 0.30 kWh/Week |
| UNSPSC-code | 43212104 |
| **Brand-specific features** | |
| HP GTIN (EAN/UPC) with options | (622) 198828246295; (BHC) 195908302377 |
| HP GTIN (EAN/UPC) | 198828246295, 195908302377 |
| **Matmenys ir svoris** | |
| Svoris | 8,98kg |

## Dokumentai ir vaizdo įrašai

- Gaminio lankstinukas
- Vaizdo įrašas objects.icecat.biz/objects/91417245_66438956.mp4

## Gamintojo ir saugos informacija

GAMINTOJAS

**HP Inc**
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

**HP Printing and Computing Solutions S.L.U.**
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

**MB KOMPIUTERIŲ GURU**
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt

### Įspėjimai

- Other EU Hazard statement(s): EUH208: Contains sensitizing substance. May produce an allergic reaction

### Saugos dokumentai

› Gamintojo saugos informacija