

LevelOne Gigabit PCIe Network Card, Low Profile Bracket included, Low Profile Bracket

Gamintojas: **LEVEL ONE** · Modelis: **GNC-0112** · EAN: **4015867228913** · Prekės kodas: **587120**



36,91 €

Kaina su PVM

Be PVM: **30,50 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 10/100/1000Mbps wire speed transmission and reception
- ✓ Built-in Wake-on-LAN feature to startup computers remotely
- ✓ High-speed gigabit network card with PCI Express v1.1 compliant
- ✓ Supports single-lane PCI Express for link transmission speed at up to 2.5Gbps
- ✓ Supports IEEE 802.1P Layer 2 Priority Queuing for improving traffic flow
- ✓ 802.1Q tag-based VLAN allows network segmentation to enhance performance and security
- ✓ IEEE 802.3x Flow Control protects against lost packets for reliable data transmission
- ✓ Compatible with Windows XP/7/10, Server 2003 and Linux



Aprašymas

The LevelOne GNC-0112 Gigabit network card facilitates high-speed connectivity within network, with PCI Express (v1.1 compliant) supporting speeds of up to 2.5 Gbps. Wake-on-LAN functionality allows remote start-up. GNC-0112 Supports IEEE 802.1P Layer 2 Priority Queuing for improving traffic flow. IEEE 802.1Q VLAN allows network segmentation, further enhancing performance and security.

Techninė specifikacija

Specifications	
Sandėlio grupė	Netzwerkkarten [+0][-0]
Ports & interfaces	
Connectivity technology	Wired
Host interface	PCI Express
Interface	Ethernet
Ethernet LAN (RJ-45) ports	1
Network	
Maximum data transfer rate	1000 Mbit/s
Networking standards	IEEE 802.1ab, IEEE 802.3, IEEE 802.3u
Ethernet LAN	Yes
Ethernet interface type	Fast Ethernet, Gigabit Ethernet
Ethernet LAN data rates	10,100,1000 Mbit/s
Wake-on-LAN ready	Yes
Design	
Internal	Yes
Component for	PC
Product colour	Black, Green, Silver
Chipset	Broadcom BCM5751
LED indicators	Activity, Link
Certification	CE RoHS
System requirements	
Windows operating systems supported	Windows 10, Windows 7, Windows XP
Linux operating systems supported	Yes
Server operating systems supported	Windows Server 2003
Operational conditions	
Operating temperature (T-T)	0 - 45 °C
Operating relative humidity (H-H)	5 - 95%
Weight & dimensions	
Width	82 mm
Depth	56 mm
Height	20 mm
Weight	45.6 g
Packaging content	

Mounting brackets included	Yes
----------------------------	-----

Resource CD	Yes
-------------	-----

Quick installation guide	Yes
--------------------------	-----

Logistics data

Harmonized System (HS) code	85176990
-----------------------------	----------

Matmenys ir svoris

Svoris	0,13kg
--------	--------