

TP-Link Deco X50-5G Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) Balta 3 Vidinis

 Gamintojas: **TP-LINK** · Modelis: **Deco X50-5G(1-pack)** · EAN: **4897098687949** · Prekės kodas: **587253**


315,89 €

Kaina su PVM

 Be PVM: **261,07 €**

Sandėlyje


Prekė internetu

 Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Stiprintuvų tinklo („Mesh“) sistema Balta
- ✓ Antenos tipas: Vidinis Antenų kiekis: 2
- ✓ Didžiausias naudojimo paviršius: 230 m²
- ✓ Dviguba juosta (2,4 GHz / 5 GHz) Wi-Fi 6 (802.11ax) 2402 Mbit/ai
- ✓ WPA, WPA2, WPA3
- ✓ PTP protokolai per Eternetą (PPPoE) Dinaminis IP Statinis IP adresai
- ✓ Belaidės paskirstymo sistemos (WDS) tiltas 5G
- ✓ Paslaugos kokybės (QoS) palaikymas
- ✓ DHCP klientas DHCP serveris
- ✓ Eterneto WAN



Aprašymas

Lower Latency, Enhanced Capacity

With massive MIMO, optimized OFDM, and more, 5G technologies brings fast responsive network connections to tomorrow's mobile devices, with only 1 ms latency. Enjoy your online streaming, gaming, and AR / VR without congestion.

Plug and Play, Enjoy 5G Network Everywhere

Simple, just one SIM card

Traditional broadband or cable installation is expensive and time-consuming for your vacation home, farm, or suburban warehouse. Long contract periods also create headaches for short-rentals, pop-up venues, and temporary shops to access the internet. Deco X50-5G ensures a comfortable and no-block network installation. Plug in your SIM card and enjoy high-speed internet!

WiFi 6 Upgrades Everything

Armed with WiFi 6 technology, Deco whole home mesh WiFi is designed to deliver a huge boost in coverage, speed, and total capacity. Get on the latest mesh WiFi to enjoy the future network that loads faster and connects more.

Deco products are aimed to dramatically improve capacity and efficiency in traffic-dense environments. No matter how many screens or devices are on at once, everyone is able to enjoy a more efficient network that loads faster without dragging down performance.†

Better Signal for Connections Everywhere

With advanced 2.5 Gigabit port, Deco X50-5G provides reliable, warp-speed connections for high-intensive wired devices. When it's set as a wireless router, both Ethernet ports support being used as backup broadband access points.

Furthermore, two external antenna ports allow external antenna access which can receive 5G/4G signals more effectively, resulting in improved 5G/4G performance.

Seamless Roaming with One WiFi Name

TP-Link Mesh means Deco units work together to form one unified network. Your phone or tablet automatically connects to the fastest Deco as you move through your home, creating a truly seamless WiFi experience.

Whole Home Coverage

Eliminate weak signal areas throughout your house

Smart Roaming

Uninterrupted streaming when moving between rooms

One WiFi Name

No more switching WiFi network names

Unified Management

Control your home WiFi by managing the central node via the Deco App

Smart Security for Smart Living

HomeShield provides a series of built-in services that protect all your devices comprehensively with various features for when you're at home or on the go. With HomeShield, safer internet experiences bring more happiness to your smart living.

Parental Controls

Simply configure your gateway and achieve whole home network security. HomeShield examines your network by scanning and identifying potential risks, stopping them in their tracks before they harm your network.*

Maintain Protection Away from Home

Parental Controls protect your kids, while helping them maintain healthy digital habits. Parents can set app blocking, web filtering, YouTube restrictions, SafeSearch, and online time limits to keep kids safe while they're having fun online.*

Quality of Service (QoS)

KidShield AppDevices Security App

Devices remain secure everywhere with devices security app. And through KidShield, parents can monitor their kids' locations and set geofencing. This way, kids stay digitally protected even on the go.*

Simple. Easy. Yet Powerful.

Setup and manage your network anytime and anywhere on the friendly TP-Link Deco app. In just three easy steps your entire home can be blanketed in strong and reliable WiFi.

Easy Management

Manage your WiFi at home or away on the Deco app. See every connected device, prioritize your own, and set up a guest network.

Voice Control

Use an Amazon Alexa or Google Assistant-enabled device to control Deco X50-5G with just your voice.

All Decos Work Together

Deco X50-5G is compatible with every other Deco model to form a Mesh network. Expand Mesh WiFi coverage anytime by adding more Decos.

Techninė specifikacija

Konstrukcija	
Produkto spalva	Balta
Antenos tipas	Vidinis
Gaminio tipas	Stiprintuvų tinklo („Mesh“) sistema
Antenų kiekis	2
Didžiausias naudojimo paviršius	230 m ²
Belaidžio interneto funkcijos	
„Wi-Fi“ dažnių juosta	Dviguba juosta (2,4 GHz / 5 GHz)
„Wi-Fi“ standartas	Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (maks.)	2402 Mbit/ai
Wi-Fi standartai	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax)
WLAN duomenų perdavimo sparta (pirmoji juosta)	2402 Mbit/ai
WLAN duomenų perdavimo sparta (antroji juosta)	574 Mbit/ai
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Apsaugos algoritmų palaikymas	WPA, WPA2, WPA3
Svečių tinklų (5 GHz) skaičius	1

Svečių tinklų (2,4 GHz) skaičius	1
PTP protokolas per Eternetą (PPPoE)	Taip
Dinaminis IP	Taip
Statinis IP adresas	Taip
Belaidės paskirstymo sistemos (WDS) tiltas	Taip
IGMP tarpinis serveris	Taip
IGMP tinklinio judėjimo sekimas	Taip
Žymėtasis VLAN tinklas	Taip
Dinaminis DNS (DDNS)	Taip
Palaikomos valdymo programos	TP-Link Deco
Mobilusis ryšys	
Mobiliojo tinklo generavimas	5G
4G standartai	LTE-TDD & LTE-FDD
Savybės	
Paslaugos kokybės (QoS) palaikymas	Taip
DHCP klientas	Taip
DHCP serveris	Taip
Universali „Plug and Play“ jungtis (UPnP)	Taip
MU-MIMO technologija	Taip
MIMO	Taip
Protokolai	
Palaikomi tinklo protokolai (IPv6)	IPv4/IPv6
Ryšys	
Ethernet LAN (RJ-45) portų kiekis	3
Eterneto WAN	Taip
Sertifikatai	
Sertifikavimas	RoHS, CE, RCM
Aplinkos sąlygos	
Darbo temperatūros diapazonas (TT)	0 - 40 °C
Sandėliavimo temperatūros norma (T-T)	-40 - 60 °C
Darbo santykinės drėgmės diapazonas	10 - 90%
Sandėliavimo santykinis drėgmės diapazonas	5 - 90%
Svoris ir matmenys	
Plotis	130 mm

Ilgis	123 mm
Aukštis	210,5 mm
Pakuotės turinys	
Kintamosios srovės adapteris	Taip
Eterneto laidas	Taip
Pakuotės duomenys	
Pakuotės plotis	237 mm
Pakuotės gylis	276,5 mm
Pakuotės aukštis	147,5 mm
Paketo svoris	1,64 kg
Matmenys ir svoris	
Matmenys (I × P × A)	24,00cm × 28,00cm × 15,00cm
Svoris	1,60kg

Dokumentai ir vaizdo įrašai

- › Naudojimo instrukcija
- › Greitos pradžios vadovas
- › Gaminio lankstinukas
- › Vaizdo įrašas 1 youtube.com/watch?v=j3CXudwik2E
- › Vaizdo įrašas 2 youtube.com/watch?v=JtmMCpiXnaE
- › Vaizdo įrašas 3 youtube.com/watch?v=LTrZ_nkJhCE

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbH

Niederkasseler Lohweg 175, 40547 Düsseldorf,
DE
tp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt