

TP-Link FESTA F54 WLAN prieigos taškas 1300 Mbit/ai Balta Maitinimas per Eternetą (PoE)

 Gamintojas: **TP-LINK** · Modelis: **Festa F54** · EAN: **8885020623437** · Prekės kodas: **587255**


97,90 €

Kaina su PVM

 Be PVM: **80,91 €**



Sandėlyje


Prekė internetu

 Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 2,4 GHz 450 Mbit/ai
- ✓ 5 GHz 1300 Mbit/ai
- ✓ Didžiausias duomenų perdavimo greitis: 1300 Mbit/ai
- ✓ IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
- ✓ WPA, WPA2
- ✓ Maitinimas per Eternetą (PoE)
- ✓ Vidinis





Aprašymas

Festa offers business-class features with consumer-inspired simplicity. Our free cloud-based centralized management is accessible via the Festa app or web, providing essential features for small businesses without the complexity required by larger-scale operations.

Superior Wi-Fi Speeds

Festa F54 provides dual-band 1750 Mbps Wi-Fi for your networks, ensuring online access smooth and swift.

Two Gigabit Ports for More Connections

Festa F54 offers two Gigabit ports for flexible connectivity.

Seamless Mesh Networking For Business

Reduce the need for Additional Wiring

With wireless mesh technology, you won't require extra Ethernet cables to link additional APs across the coverage area. With PoE support, a single cable effortlessly integrates data and power, obviating the necessity for extra wiring.

Seamless, Smooth, and Stable Wi-Fi

Seamless Wi-Fi ensures that all users enjoy uninterrupted connections when moving between different access points through 802.11 k/v/r seamless roaming technology.

Multiple PoE Options for Easy Installation

Festa F54 supports both 802.3af PoE and Passive PoE power supply, which can be either powered by a PoE switch or the provided PoE adapter. Choose a suitable method according to your needs.

Using Festa PoE Switch

Powered and connected by an 802.3at PoE switch using one single cable for convenient deployment.

Using the Provided Passive PoE Adapter

Easily powered and connected using a single cable via the provided passive PoE adapter.

Festa App and Web for Easy Setup and Management

Convenient setup and on-the-go network management via the Festa app

- Zero-Touch Provisioning
- Unlimited Management Scale
- Topology View
- VLAN Settings
- Portal Authentication
- (Password & Voucher)
- Rate Limit
- Fast Roaming

- Network Tools
- Mesh
- Guest Network

Full onsite/remote management of your Festa network via a web interface**Unlimited Management Scale**

- Topology and Heat Map View
- Portal Authentication (Password & Voucher & Form Auth)
- Batch Configuration
- Network Security
- VPN
- More

Techninė specifikacija

Savybės	
2,4 GHz	Taip
5 GHz	Taip
Didžiausias duomenų perdavimo greitis	1300 Mbit/ai
Maksimalus duomenų perdavimo greitis (2,4 GHz)	450 Mbit/ai
Maksimalus duomenų perdavimo greitis (5 GHz)	1300 Mbit/ai
Dažnių juosta	2.4 - 5 GHz
Tinklo standartai	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n
Vartotojų skaičius	220 vartotojas(ai)
MIMO	Taip
MIMO tipas	Multi User MIMO
„Fit AP“ režimo ypatybės	Korinis tinklas
„Wi-Fi“ multimedijos (WMM) / (WME)	Taip
VLAN palaikymas	Taip
Naudotojų nukreipimas	Taip
Didžiausias perdavimo atstumas, kai naudojama viduje	140 m
Saugumas	
Apsaugos algoritmų palaikymas	WPA, WPA2
MAC adresų filtravimas	Taip
IP adreso filtravimas	Taip
Paslaugų rinkinio identifikatoriaus (SSID) ypatybės	Multiple SSIDs
Energijos valdymas	
Maitinimas per Eternetą (PoE)	Taip
Palaikomas maitinimo per eternetą (en. PoE) tipas	Passive PoE

Energijos suvartojimas	12,3 W
------------------------	--------

Konstrukcija

Talpinimo	Lubos, Siena
-----------	--------------

Produkto spalva	Balta
-----------------	-------

LED indikatoriai	Energija
------------------	----------

Antena

Antenos tipas	Vidinis
---------------	---------

Antenos stiprinimo lygis (max)	4 dBi
--------------------------------	-------

Sertifikatai

Atitikties sertifikatai	CE, RoHS
-------------------------	----------

Svoris ir matmenys

Plotis	205,5 mm
--------	----------

Ilgis	181,5 mm
-------	----------

Aukštis	37,1 mm
---------	---------

Svoris	359,2 g
--------	---------

Pakuotės turinys

Kiekis pakuotėje	1 vnt
------------------	-------

Pridėti kabeliai	Energija
------------------	----------

Montavimo rinkinys	Taip
--------------------	------

Greitos pradžios vadovas	Taip
--------------------------	------

Matmenys ir svoris

Svoris	0,98kg
--------	--------

Gamintojo ir saugos informacija

GAMINTOJAS

TP-Link

ATSAKINGAS ASMUO ES

TP-Link Deutschland GmbHNiederkasseler Lohweg 175, 40547 Düsseldorf,
DEtp-link.com

PLATINTOJAS

MB KOMPIUTERIŲ GURUV. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt