

**Monitorius LG
27BA54QB-B 27
colių QHD IPS
Verslo Ekranas
2560x1440 su
USB Šakotuvu ir
Ergonominiu
Stovu**



Modelis: 27BA54QB-B

Gamintojas: LG

EAN: 8806096431160

Prekės kodas: 587488

314.99€

**LG 27BA54QB-B 27 colių QHD IPS Universalus Verslo
Monitorius**

LG 27BA54QB-B yra universalus 27 colių „Quad HD“ (2560 x 1440) monitorius, sukurtas profesionalioms aplinkoms, įskaitant biurus, valstybines įstaigas, ligonines ir klientų aptarnavimo

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

centrus. Naudojant aukštos kokybės IPS panelės technologiją, šis ekranas pateikia išskirtinai aiškias, nuoseklias ir ryškias spalvas plačiais 178 laipsnių apžvalgos kampais, užtikrindamas, kad kiekvienas vartotojas gautų puikią vaizdo kokybę. Beveik berėmis dizainas iš trijų pusių palengvina vientisą kelių monitorių sistemų kūrimą.

Išskirtinis Vaizdas ir Spalvų Tikslumas

Mėgaukitės nuostabiu spalvų gyliu ir detalumu su HDR technologijos suderinamumu. Šis QHD monitorius palaiko pramoninį HDR10 standartą (didelis dinaminis diapazonas) ir apima 99% sRGB spalvų gamos (tipinė). Tai užtikrina, kad dramatiškos spalvos ir specifiniai ryškumo lygiai būtų atkuriami tiksliai, pagerinant turinio peržiūrą, nesvarbu, ar redaguojate nuotraukas, ar peržiūrite detalius dokumentus.

Optimizuotos Jungtys ir Darbo Vietos Valdymas

Sukurtas maksimaliam efektyvumui, 27BA54QB siūlo įvairias esmines jungtis, pašalindamas jungiamumo apribojimus. Jame yra integruotas USB 3.2 Gen 1 šakotuvai su papildomomis jungtimis, dvi HDMI jungtys ir „DisplayPort“, leidžiantys lengvai prijungti daugybę įrenginių ir valdyti periferinius prietaisus. Be to, monitoriuje įmontuotas integruotas maitinimo modulis (vidinis maitinimo šaltinis), pašalinantis išorinius maitinimo blokus ir supaprastinantis jūsų darbo vietą, kad geriau išnaudotumėte erdvę ir užtikrintumėte tvarkingumą.

Patogumas, Produktyvumas ir Akių Apsauga

- **Ergonomiškas Dizainas:** Pilnai reguliuojamas stovas suteikia išsamias komforto galimybes, palaikydamas pakreipimą, pasukimą horizontaliai (nuo -45° iki 45°), vertikalų pasukimą (pivot) ir 150 mm aukščio reguliavimą. Tai leidžia vartotojams, praleidžiantiems daug laiko prie ekrano, rasti optimalią žiūrėjimo padėtį.
- **LG Switch Programėlė:** Lengvai optimizuokite darbo eigą. Ši programa leidžia padalinti ekraną iki šešių pritaikomų sričių, valdyti tvarkaraščius arba greitai pradėti vaizdo skambučius naudojant karštuosius klavišus, didinant kelių užduočių atlikimo efektyvumą.
- **Akių Priežiūros Technologijos:** Apsaugokite savo regėjimą su „Flicker Safe“ (Mirgėjimo Sauga), kuri sumažina nematomą ekrano mirgėjimą, kad sumažintų akių nuovargį. Be to, „Reader Mode“ (Skaitymo Režimas) reguliuoja spalvų temperatūrą ir ryškumą, kad dokumentų

skaitymas būtų patogesnis.

- **Integruotas Garsas:** Integruoti 10W (2 x 5W) stereo garsiakalbiai suteikia aiškų garsą be poreikio naudoti išorinius garsiakalbius.

LG yra pasaulinis technologijų ir inovacijų lyderis, žinomas dėl aukštos kokybės monitorių, kurie pagerina produktyvumą ir vartotojo patirtį tiek namuose, tiek profesionalioje aplinkoje, palaikomas tokių sertifikatų kaip ENERGY STAR ir TCO.

Užsisakykite šiandien iš ++SHOP++, nes siūlome geriausius pasiūlymus ir patikimą profesionalių ekranų pristatymą.

27" QHD IPS display

Vivid color at wide angles

LG QHD (2560 x 1440) monitor with IPS technology delivers a clear and consistent color. It can provide vivid color reproduction and help users to view the screen at a wide angle.

Versatile business monitors for various workspace

This versatile monitor can cover various works at many places, such as offices, public institutions, hospitals, and customer service, with a clear IPS display and 3-side virtually borderless design.

HDR10 with sRGB 99% (Typ.)

See amazing colors

HDR technology is now applied to various content. This monitor is compatible with industry standard HDR10 (High Dynamic Range), based on the sRGB 99% color gamut, supporting specific levels of color and brightness that enables viewers to enjoy the dramatic colors of the content.

Multi ports

A variety of interface

The 27BA54QB offers a variety of ports, solving the problem of limited connectivity for hardworking individuals. With its multiple ports, you can easily connect numerous devices for efficient desk setup. Say goodbye to the frustration of running out of ports.

Integrated power module

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

Fully use your desk

With built-in power, workstations can have a streamlined, spacious setup. This improves space utilization and organization, resulting in a cleaner and more efficient work environment.

LG Switch app

Switch swiftly

LG Switch app helps to optimize the monitor for an efficient work environment. You can divide the display into six areas, manage the schedules, or launch a video call platform with a mapped hotkey effortlessly.

Ergonomic design

Easy and comfy

The 27BA450 supports tilt, swivel, pivot, and height adjustment options to make a comfortable workstation for those who spend extended hours in front of monitors. Also, our ergonomic stand facilitates communication with customers or colleagues by allowing for a downward height adjustment.

Flicker Safe

Flicker Safe reduces invisible flickering on the screen, which helps reduce eye strain.

Reader Mode

Reader Mode adjusts color temperature and luminance that helps to lessen eye fatigue and provide eye comfort while reading documents on a monitor.

27" QHD IPS display

Vivid color at wide angles

LG QHD (2560 x 1440) monitor with IPS technology delivers a clear and consistent color. It can provide vivid color reproduction and help users to view the screen at a wide angle.

Versatile business monitors for various workspace

This versatile monitor can cover various works at many places, such as offices, public institutions, hospitals, and customer service, with a clear IPS display and 3-side virtually borderless design.

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

HDR10 with sRGB 99% (Typ.)

See amazing colors

HDR technology is now applied to various content. This monitor is compatible with industry standard HDR10 (High Dynamic Range), based on the sRGB 99% color gamut, supporting specific levels of color and brightness that enables viewers to enjoy the dramatic colors of the content.

Multi ports

A variety of interface

The 27BA54QB offers a variety of ports, solving the problem of limited connectivity for hardworking individuals. With its multiple ports, you can easily connect numerous devices for efficient desk setup. Say goodbye to the frustration of running out of ports.

Integrated power module

Fully use your desk

With built-in power, workstations can have a streamlined, spacious setup. This improves space utilization and organization, resulting in a cleaner and more efficient work environment.

LG Switch app

Switch swiftly

LG Switch app helps to optimize the monitor for an efficient work environment. You can divide the display into six areas, manage the schedules, or launch a video call platform with a mapped hotkey effortlessly.

Ergonomic design

Easy and comfy

The 27BA450 supports tilt, swivel, pivot, and height adjustment options to make a comfortable workstation for those who spend extended hours in front of monitors. Also, our ergonomic stand facilitates communication with customers or colleagues by allowing for a downward height adjustment.

Flicker Safe

Flicker Safe reduces invisible flickering on the screen, which helps reduce eye strain.

Reader Mode

Reader Mode adjusts color temperature and luminance that helps to lessen eye fatigue and provide eye comfort while reading documents on a monitor.

- 27" QHD (2560 x 1440) IPS display
- HDR10 / sRGB 99% (Typ.)
- Built-in Power
- Flicker Safe & Reader Mode
- Tilt / Height / Swivel / Pivot adjustable stand
- LG Switch app

Summary: LG 27BA54QB-B. Display diagonal: 68.6 cm (27"), Display resolution: 2560 x 1440 pixels, HD type: Quad HD, Display technology: LCD, Response time: 5 ms, Native aspect ratio: 16:9, Viewing angle, horizontal: 178°, Viewing angle, vertical: 178°. Built-in speaker(s). Built-in USB hub, USB hub version: 3.2 Gen 1 (3.1 Gen 1). VESA mounting, Height adjustment. Product colour: Black | Vendor Homepage: <https://www.lg.com/global/business/monitors/lg-27ba54qb#> | Anti-glare screen: Yes | Colour depth: 8 | Colour gamut standard: sRGB | Contrast ratio (typical): 1000:1 | Display brightness (peak): 350 | Display brightness (typical): 350 | Display diagonal: 27 | Display diagonal (metric): 68.466 | Display number of colours: 16.7 million colours | Display resolution: 2560 x 1440 | Display technology: LCD | HD type: Quad HD | High Dynamic Range (HDR) supported: Yes | High Dynamic Range (HDR) technology: HDR Effect/High Dynamic Range 10 (HDR10) | Maximum refresh rate: 75 | Native aspect ratio: 16:9 | Panel type: IPS | Pixel pitch: 0.2331 x 0.2331 | Response time: 5 | Response time measurement type: GTG (Gray to Gray) | Screen shape: Flat | sRGB coverage (typical): 99 | Supported graphics resolutions: 2560 x 1440 | Touchscreen: No | Viewing angle, horizontal: 178 | Viewing angle, vertical: 178 | AMD FreeSync: No | Flicker-free technology: Yes | NVIDIA G-SYNC: No | Built-in camera: No | Built-in speaker(s): Yes | Number of speakers: 2 | RMS rated power: 10 | Frameless design: Yes | Market positioning: Business | Product colour: Black | Built-in KVM switch: Yes | Built-in USB hub: Yes | DisplayPort out quantity: 1 | DisplayPort version: 1.4 | DisplayPorts quantity: 1 | HDCP: Yes | HDMI: Yes | HDMI ports quantity: 2 | HDMI version: 2.2 | Headphone out: Yes | Number of upstream ports: 1 | USB hub version: 3.2 Gen 1 (3.1 Gen 1) | USB Type-A downstream ports quantity: 2 | Adjustable height (max): 150 | Cable lock slot: Yes | Cable lock slot type: Kensington | Height adjustment: Yes | Number of OSD languages: 17 | On Screen Display (OSD): Yes | Panel mounting interface: 100 x 100 | Pivot: Yes | Swivel angle range: -45 - 45 | Swivelling: Yes | Tilt adjustment: Yes | Tilt angle range: -5 - 21 | VESA mounting: Yes | AC input

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt | info@shopro.lt | +370 693 39903

frequency: 50/60 | AC input voltage: 100 - 240 | Energy consumption (HDR) per 1000 hours: 27 | Energy consumption (SDR) per 1000 hours: 16 | Energy efficiency class (HDR): G | Energy efficiency class (SDR): D | Energy efficiency scale: A to G | Power consumption (off): 0.3 | Power consumption (standby): 0.5 | Power supply type: Internal | Depth (with stand): 250 | Depth (without stand): 63 | Height (with stand): 569.7 | Height (without stand): 569.7 | Weight (with stand): 8100 | Weight (without stand): 5300 | Width (with stand): 613.5 | Width (without stand): 613.5 | Package depth: 198 | Package height: 547 | Package type: Box | Package weight: 10700 | Package width: 722 | Cables included: AC/DisplayPort | DisplayPort cable length: 1.8 | Power cable length: 1.8 | Stand included: Yes | Sustainability certificates: ENERGY STAR/EPEAT/TCO | Brand specific technologies: Black Stabilizer, Super+ Resolution | Data Sheet (Link): <https://eprel.ec.europa.eu/api/product/2224735/fiches?language=EN> | Energy efficiency class: D | EPREL Registration Number: 2224735 | EPREL Version Number: 1 | Units per Pallet: 0 | Unit Calculated Volume: 0.08022 | Product Net Weight: 8.1 | Unit Calculated Weight: 11.9