

iiyama TW1625LASC-B3PNR meeting room display 39.6 cm (15.6") 1920 x 1080 pixels LED Wi-Fi 6 (802.11ax), Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11a, 802.11b Black Bluetooth

Gamintojas: **IIYAMA** · Modelis: **TW1625LASC-B3PNR** · EAN: **4948570125692** · Prekės kodas: **588301**



477,90 €

Kaina su PVM

Be PVM: **394,96 €**

Sandėlyje




Prekė internetu

Nusenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 39.6 cm (15.6") 1920 x 1080 pixels Display technology: LED
- ✓ 390 cd/m²
- ✓ Touchscreen
- ✓ VESA mounting
- ✓ Built-in speaker(s)
- ✓ Built-in camera
- ✓ Ethernet LAN Bluetooth USB port Wi-Fi Wi-Fi 6 (802.11ax), Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11a, 802.11b
- ✓ Black



Aprašymas

The ProLite TW1625LASC-B3PNR is a smart and intuitive 15.6" touch panel PC, designed for high-traffic environments such as meeting rooms, info points, or hospitality spaces. Its 10-point PCAP touch technology with Optical Bonding ensures smooth and precise interaction with reduced glare, while protecting the display from humidity and moisture build-up. Powered by Android 14, and equipped with powerful hardware, it allows easy installation of apps directly on the device - making it a all-in-one solution. Thanks to Power over Ethernet (PoE), both power and data are delivered through a single cable, simplifying installation and reducing additional cables. The integrated NFC/RFID reader enables contactless interaction with compatible tags or devices – ideal for quick check-in to rooms, employee authentication or triggering automated actions such as starting a presentation. The RGB LED bar integrated into the bezel shows the availability of rooms at a glance. With a built-in 5MP camera, microphone, and

speakers, the TW1625LASC-B3PNR delivers seamless, modern interaction in any smart space. Additionally, it integrates effortlessly with iiSignage2 , iiyama's Content Management System (CMS), giving you full control over your messages and advertising, in landscape portrait and face-up position.

Techninė specifikacija

Specifications	
Sandėlio grupė	Monitore [+0][-0]
Display	
Display diagonal	39.6 cm (15.6")
Display resolution	1920 x 1080 pixels
Display technology	LED
LED backlight	Yes
Pixel pitch	0.1792 x 0.1792 mm
Response time	20 ms
Display brightness	390 cd/m²
Contrast ratio (typical)	1000:1
Touchscreen	Yes
Touchscreen technology	Projected capacitive system
Number of simultaneous touchpoints	10
Fingerprint resistant	Yes
Design	
Housing colour	Black
VESA mounting	Yes
Panel mounting interface	75 x 75 mm
Certification	CE, EAC, RoHS support, ErP, WEEE, REACH, UKCA
Performance	
Built-in processor	Yes
Processor manufacturer	ARM
Processor family	ARM Rockchip
Processor cores	8
Operating system installed	Android
Audio	
Built-in speaker(s)	Yes
Number of speakers	2
Camera	
Built-in camera	Yes

Network

Wi-Fi	Yes
Wi-Fi standards	Wi-Fi 6 (802.11ax), Wi-Fi 5 (802.11ac), Wi-Fi 4 (802.11n), 802.11g, 802.11a, 802.11b
Bluetooth	Yes
Ethernet LAN	Yes
Bluetooth version	5.3

Ports & interfaces

USB port	Yes
----------	-----

Weight & dimensions

Width	397 mm
Depth	28.5 mm
Height	256 mm
Weight	2 kg

Packaging data

Package width	495 mm
Package depth	75 mm
Package height	305 mm
Package weight	3 kg

Packaging content

Quick start guide	Yes
Packaging content	AC adapter, interchangeable plugs (EU/UK), cable cover/wall mount

Sustainability

Sustainability certificates	ErP
-----------------------------	-----

Technical details

Compliance certificates	CE, EAC, REACH, RoHS, UKCA, WEEE
-------------------------	----------------------------------

Matmenys ir svoris

Matmenys (I × P × A)	50,00cm × 31,00cm × 8,00cm
Svoris	3,00kg