

Yealink AX86R IP phone Black TFT Wi-Fi

Gamintojas: **YEALINK** · Modelis: **1301221** · EAN: **6938818322035** · Prekės kodas: **589997**



177,89 €

Kaina su PVM

Be PVM: **147,02 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ IP67-rated waterproof and dust-proof, drop-proof up to 1.8 meters
- ✓ • Dual-Band Wi-Fi 6 with seamless 802.11k/v/r roaming
- ✓ • HD Voice, AI Noise Cancellation and Acoustic Shield
- ✓ • 4 SIP accounts, 5-way conference
- ✓ • 3100mAh battery, 13-hour talk, 300-hour standby(Laboratory Data)
- ✓ • Red emergency button and Automatic Alarm

Aprašymas

IP67-rated Protection, Robust Performance

Featuring outstanding impermeability, AX86R guards against dust or water intrusion. With its resilient drop-proof performance, AX86R provides long-term durability and reliability.

Enhanced ID Design, More Hygienic and Durable

Featuring enhanced texture, AX86R offers a comfortable grip with its non-slip and anti-scratch performance, ensuring lasting durability. It's also cleaning resistant and anti-bacteria for hygiene.

Wireless, Faster and More Secure Calls

Wi-Fi 6 offers faster speed and greater capacity, while seamless roaming makes no dropped calls. Even in dense environments such as airports, schools, or supermarkets, Wi-Fi 6 reduces network congestion and latency for better connection.

AX86R supports the WPA3 Enterprise protocol, ideal for organizations that have high security requirements. Enjoy reliable, immersive, and secure calling with ruggedized Wi-Fi handset AX86R.

Five-party Communication

Free From Unwanted Noise

AX86R Wi-Fi handset supports 5-way voice conferencing and HD audio with Yealink cutting-edge audio technology. The dual-mic, AI Noise Cancellation, Acoustic Shield, Full-duplex and AEC technologies eliminate overwhelming and hybrid noises to render crystal-clear communication.

Push-to-Talk for Instant Collaboration

Enhance productivity with instant PTT communication. Just in one press, you can instantly communicate with team members in case of urgent notifications, coordinated work, etc.

Emergency Alarm

Away from Risks

AX86R features multiple emergency alarms, such as push-button alarm, no-movement alarm, man-down alarm and running alarm. The alarm function provides timely protection to ensure your work safety.

Quick Charging, Powerful Battery

Stands by You

Powered by a rechargeable 3100 mAh battery, Yealink AX86R is ready for 13 hours talk time or 300 hours standby time (Laboratory Data). It supports quick charging via a charge cradle or a Type C cable. (*Type C cable not included in package)

Effortless Deployment and Management

With Yealink Management Cloud Service (YMCS), you can deploy, upgrade, monitor, and troubleshoot devices remotely.

The YMCS adheres to compliance and guarantees your data security.

Stay manageable, reliable, and secure on Yealink AX series to see your business running soundly.

Techninė specifikacija

Specifications	
Sandėlio grupė	Voice over IP [+0][-0]
Design	
Product type	IP mobile phone
Product colour	Black
Handset type	Wireless handset
Backlight keypad	Yes
Device lock	Yes
Protection features	Anti-bacterial, Chemical resistant, Drop resistant
Performance	
Dual-Tone Multi-Frequency (DTMF) modes	In-band, Out-of band, SIP info
Hearing aid compatibility	Yes
Phone features	
Caller ID	Yes
Phonebook capacity	1000 entries
Number of VoIP accounts	4
Answering machine	Yes
Call waiting	Yes
Speed dialling	Yes
Intercom	Yes

Call hold	Yes
Call forwarding	Yes
Redialing	Yes
Call park	Yes
Call pick up	Yes
Anonymous call	Yes
Full duplex	Yes
Direct call	Yes
Call return	Yes
Call transfer	Yes
Message-waiting indicator (MWI)	Yes
Call history	Yes
Customizable wallpaper	Yes
Emergency call	Yes
Management features	
Integrated voicemail	Yes
Voicemail indication	Yes
Volume control	Buttons
Number of function keys	6
Display	
Touchscreen	No
Display	TFT
Display diagonal	6.1 cm (2.4")
Display resolution	240 x 320 pixels
Audio	
Microphone mute	Yes
Voice codecs	AEC, AGC, AJB, CNG, G.711u, G.722, G.723.1, G.726, G.729, G.729A, G.729B, PCMA, PLC, VAD
Noise reduction	Yes
Network	
Wi-Fi	Yes
Bluetooth	Yes
Wi-Fi standards	Wi-Fi 6 (802.11ax)
Bluetooth version	5
Quality of Service (QoS) support	Yes

DHCP client	Yes
Security algorithms	AES, HTTPS, MD5, SRTP, TLS, WPA, WPA2, WPA3
Networking standards	IEEE 802.1x
Ports & interfaces	
Headset connectivity	3.5 mm
USB Type-C ports quantity	1
Power	
AC adapter input voltage	100 - 240 V
AC adapter output voltage	5 V
AC adapter output current	2 A
Standby time	300 h
Talk time	13 h
Battery	
Battery technology	Lithium-Ion (Li-Ion)
Battery type	Built-in
Battery capacity	3100 mAh
Battery voltage	3.7 V
Endurance	
International Protection (IP) code	IP67
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	10 - 95%
Storage relative humidity (H-H)	-30 - 70%
Weight & dimensions	
Width	55.3 mm
Depth	25.9 mm
Height	160.1 mm
Weight	218 g
Package width	104 mm
Package depth	90 mm
Package height	181 mm
Packaging content	
Number of handles included	1 pc(s)
Quick start guide	Yes

AC adapter included	Yes
---------------------	-----

Matmenys ir svoris

Svoris	0,52kg
--------	--------