

Acer X1329 Standard throw projector 4800 ANSI lumens DLP WXGA (1280x800) Black

Gamintojas: **ACER** · Modelis: **MR.JX711.001** · EAN: **4711474000446** · Prekės kodas: **590134**



407,90 €

Kaina su PVM

Be PVM: **337,11 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Presentation Standard throw projector Black
- ✓ DLP 4800 ANSI lumens
- ✓ Lamp 5000 h
- ✓ WXGA (1280x800) 16:10 20000:1
- ✓ Number of colours: 1.07 billion colours
- ✓ Focus: Manual Zoom capability
- ✓ Built-in speaker(s) 3 W
- ✓ AC 260 W



Aprašymas

Acer X1329. Projektorhelligkeit: 4800 ANSI Lumen, Projektionstechnologie: DLP, native Auflösung des Projektors: WXGA (1280x800). Typ der Lichtquelle: Lampe, Lebensdauer der Lichtquelle: 5000 h, Lebensdauer der Lichtquelle (ökonomischer Modus): 10000 h. Fokus: Manuell, Brennweitenbereich: 22 - 24.1 mm, Blendenbereich (F-F): 2,56 - 2,68. Analoges Signalformatsystem: NTSC, PAL, SECAM, Unterstützte Grafik-Auflösungen: 1280 x 800 (WXGA), 1920 x 1200 (WUXGA). Serielle Schnittstelle: RS-232

Techninė specifikacija

Specifications

Sandėlio grupė	Beamer [+0][-0]
Projector	
Projector brightness	4800 ANSI lumens
Projection technology	DLP
Projector native resolution	WXGA (1280x800)
Contrast ratio (typical)	20000:1
Native aspect ratio	16:10
Supported aspect ratios	4:3, 16:10
Projection distance	1 - 10 m
Number of colours	1.07 billion colours
Projector brightness (economic mode)	3840 ANSI lumens
Uniformity	85%
Horizontal scan range	15 - 100 kHz
Vertical scan range	24 - 120 Hz
Keystone correction, vertical	-40 - 40°
Light source	
Light source type	Lamp
Service life of light source	5000 h
Service life of light source (economic mode)	10000 h
Lamp type	P-VIP
Lamp power	203 W
Lamps quantity	1 lamp(s)
Lens system	
Focus	Manual
Focal length range	22 - 24.1 mm
Aperture range (F-F)	2.56 - 2.68
Zoom capability	Yes
Zoom type	Manual
Zoom ratio	1.1:1
Offset	100%
Video	
Analog signal format system	NTSC, PAL, SECAM
Supported graphics resolutions	1280 x 800 (WXGA), 1920 x 1200 (WUXGA)
Ports & interfaces	

VGA (D-Sub) ports quantity	1
HDMI ports quantity	2
Composite video in	1
DVI port	No
Audio (L/R) in	1
Serial interface type	RS-232
HDMI version	1.4
USB 2.0 ports quantity	1
USB 2.0 Type-A ports quantity	1
Audio (L/R) out	1
PC Audio in	Yes
PC Audio out	Yes
Network	
Smart TV	No
Ethernet LAN	No
Wi-Fi	No
Features	
Noise level	29 dB
Projection modes	Ceiling, Front, Rear
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	3 W
Number of built-in speakers	1
Design	
Product type	Standard throw projector
Market positioning	Presentation
Product colour	Black
Placement	Ceiling
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	260 W
Power consumption (standby)	0.5 W

AC input voltage	120 - 230 V
------------------	-------------

AC input frequency	50 Hz
--------------------	-------

Weight & dimensions

Weight	2.4 kg
--------	--------

Width	299.5 mm
-------	----------

Depth	220 mm
-------	--------

Height	105.1 mm
--------	----------

Packaging content

Remote control included	Yes
-------------------------	-----

Batteries included	Yes
--------------------	-----

Cables included	AC, VGA
-----------------	---------

Carrying case	Yes
---------------	-----

Matmenys ir svoris

Matmenys (I × P × A)	40,00cm × 30,00cm × 16,00cm
----------------------	-----------------------------

Svoris	3,30kg
--------	--------