KYOCERA ECOSYS M8130cidn Laser A3 9600 x 600 DPI 30 ppm

Gamintojas: **KYOCERA** · Modelis: **1102P33NL0** · EAN: **632983046609** · Prekės kodas: **590700**



2,795.90€

Kaina su PVM

Be PVM: **2,310.66€**

In Stock

Prekė internetu
Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Up to 30/15 pages A4/A3 per minute
- ✓ Highly productive, professional print, copy, colour scan and fax functionality
- ✓ Minimum installation and operation requirements
- ✓ Easy to use full colour touch panel with wizard-style navigation
- ✓ Low power consumption saves energy
- ✓ Long-life components provide unprecedented efficiency and reliability
- ✓ HyPAS™ solution platform enables powerful customisations






Aprašymas

This compact, A4/A3 format colour multifunctional, specifically designed to meet the requirements of small offices and workgroups, will satisfy even the most demanding environment. Engineered with KYOCERA ’s renowned longlife components, this ECOSYS device ensures unprecedented reliability and exceptionally low printing costs with significantly less environmental impact.

Techninė specifikacija

Printing	
Print technology	Laser

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Printing	Colour printing
Duplex printing	Yes
Maximum resolution	9600 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	30 ppm
Duplex printing mode	Auto/Manual
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	30 ppm
Print speed (black, normal quality, A3)	15 ppm
Print speed (colour, normal quality, A3)	15 ppm
Duplex print speed (black, normal quality, A4/US Letter)	26 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	26 ppm
Warm-up time	30 s
Time to first page (black, normal)	6.5 s
Time to first page (colour, normal)	8.3 s
N-in-1 print function	Yes
N-up printing	2, 4
Barcode printing	Yes
Watermark printing	Yes
Economical printing	Yes
Secure printing	Yes
Poster printing function	Yes
Secure PDF printing function	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Copy speed (black, normal quality, A4)	30 cpm
Copy speed (colour, normal quality, A4)	30 cpm
Copy speed (black, normal quality, A3)	15 cpm
Copy speed (colour, normal quality, A3)	15 cpm
Duplex copy speed (black, US Letter)	26 ppm
Time to first copy (black, normal)	6.5 s
Time to first copy (colour, normal)	8.3 s

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Maximum number of copies	999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
N-in-1 copy function (N=)	2, 4
Copy programming function	Yes
ID-card copy function	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed & ADF scanner
Duplex scanning mode	Auto
Maximum scan area	297 x 420 mm
Scan technology	CIS/CCD
Scan to	E-mail, FTP, SMB, TWAIN, USB, WIA
Scan speed (colour)	50 ppm
Scan speed (black)	50 ppm
Duplex scan speed (colour)	16 ppm
Duplex scan speed (black)	16 ppm
Image formats supported	JPEG, MMR, TIFF
Document formats supported	PDF, XPS
Greyscale levels	256
Scan drivers	TWAIN, WIA

Fax

Faxing	No
Duplex faxing	Yes
Fax resolution (black)	400 x 400 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax coding methods	JBIG, MH, MMR, MR

Features

Maximum duty cycle	100000 pages per month
Duplex functions	Copy, Print, Scan
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Recommended duty cycle	3000 - 8000 pages per month
Page description languages	Microsoft XPS, OpenXPS, PCL 5e, PCL 6, PCL XL, PostScript 3
Printer fonts	Barcode, Bitmap, PCL, Windows
Number of printer fonts	101
Optional functions	Fax
Replacement cartridges	TK-8115K, TK-8115C, TK-8115M, TK-8115Y

Input & output capacity

Total number of input trays	1
Total input capacity	500 sheets
Total output capacity	280 sheets
Paper tray 1 input capacity	500 sheets
Paper tray 2 input capacity	500 sheets
Paper tray 3 input capacity	500 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Paper input type	Cassette, Paper tray
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	50 sheets
Maximum number of input trays	3
Maximum input capacity	1600 sheets
Maximum output capacity	280 sheets

Paper handling

Maximum ISO A-series paper size	A3
Paper tray media types	Plain paper
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
Maximum print size	297 x 432 mm
Multi-purpose tray media types	Legal, Letter
ISO B-series sizes (B0...B9)	B5
Non-ISO print media sizes	Folio, Ledger (media size), Legal, Letter
Custom media width	98 - 297 mm
Custom media length	148 - 432 mm
Paper tray media weight	60 - 256 g/m²
Multi-Purpose Tray media weight	60 - 256 g/m²
Duplex media weight	60 - 220 g/m²
Media thickness (min)	0.11 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Ports & interfaces	
Direct printing	Yes
Standard interfaces	Ethernet, USB 2.0
USB port	Yes
USB 2.0 ports quantity	3
Optional connectivity	Ethernet, Wireless LAN
Network	
Wi-Fi	No
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Bluetooth	No
Near Field Communication (NFC)	No
Email protocols	POP3, SMTP
Email over SSL	Yes
Mobile printing technologies	Apple AirPrint, Google Cloud Print, Kyocera Mobile Print, Mopria Print Service
Performance	
Internal memory	1500 MB
Maximum internal memory	3000 MB
Card reader integrated	Yes
Compatible memory cards	SD
Built-in processor	Yes
Processor family	ARM Cortex-A9
Processor frequency	1200 MHz
Processor cores	2
Sound pressure level (printing)	54 dB
Sound pressure level (copying)	54 dB
Sound pressure level (standby)	34 dB
Design	
Product colour	Black, White
Market positioning	Business
Built-in display	Yes
Display	TFT
Display diagonal	17.8 cm (7")

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Touchscreen	Yes
Control type	Touch
Colour display	Yes

Power

Power consumption (average operating)	580 W
Power consumption (printing)	600 W
Power consumption (copying)	600 W
Power consumption (ready)	70 W
Power consumption (sleep)	0.5 W
Power consumption (off)	0.1 W
Energy Star Typical Electricity Consumption (TEC)	1.39 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50 - 60 Hz

System requirements

Windows operating systems supported	Yes
Mac operating systems supported	Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks
Linux operating systems supported	Yes

Operational conditions

Operating relative humidity (H-H)	10 - 80%
Storage temperature (T-T)	-20 - 40 °C
Operating temperature (T-T)	10 - 32.5 °C
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 3500 m
Non-operating altitude	0.6 - 15000 m

Certificates

Waste Electrical and Electronic Equipment (WEEE) compliance	Yes
Certification	TÜV/GS, CE

Sustainability

Sustainability certificates	Blue Angel, EPEAT Silver, ENERGY STAR

Weight & dimensions

Width	590 mm
Depth	590 mm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

www.shopro.lt · info@shopro.lt · +370 693 39903

Height	753 mm
Weight	79 kg
Packaging data	
Package width	760 mm
Package depth	760 mm
Package height	995 mm
Package weight	106 kg
Packaging content	
Cartridge(s) included	Yes
Included cartridge capacity (black)	3000 pages
Included cartridge capacity (CMY)	1500 pages
Imaging unit included	Yes
Cables included	AC
Drivers included	Yes
Manual	Yes
Power cord included	Yes
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	84433100
Technical details	
Compliance certificates	REACH, RoHS
Other features	
Finishing option	Yes

Dokumentai ir vaizdo įrašai

- User manual
- Product leaflet

Gamintojo ir saugos informacija

MANUFACTURER

Kyocera Group Global Network
Takeda Tobadono-cho, Fushimi-ku 6 T, 612-8501
Kyoto, JP
global.kyocera.com

EU RESPONSIBLE PERSON

KYOCERA Document Solutions Nederland B.V.
Beechavenue 25, 1119 RA Schiphol-Rijk, NL
kyoceradocumentsolutions.nl

DISTRIBUTOR

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt