HP LaserJet Enterprise Multifunction Color Spausdintuvas, Only Ethernet; Duplex; Copier, Scanner

Gamintojas: **HP** · Modelis: **9S183A#B19** · EAN: **198828505552** · Prekės kodas: **590949**



8 219,91 €

Kaina su PVM

Be PVM: **6 793,31 €**

Sandėlyje


Prekė internetu

Nuskenuokite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Two-sided printing; Two-sided scanning; Scan to email/PDF; Strong Security
- ✓ Print speed up to 60 ppm (black) and 60 ppm (color)
- ✓ Print, copy, scan, fax























Aprašymas

The ultimate workflow experience Boost office productivity with blazing-fast print and scan speeds, and effortless management.[1].

Dynamic security enabled printer Certain HP printers are intended to work only with cartridges that have a new or reused HP chip or electronic circuitry. These printers use dynamic security measures to block cartridges using a non-HP chip or electronic circuitry. Periodic firmware updates will maintain the effectiveness of these measures and block cartridges that previously worked. Reused HP chips and electronic circuitry enable the use of reused, remanufactured, and refilled cartridges.

Techninė specifikacija

Printing	
Print technology	Laser
Printing	Colour printing
Duplex printing	Yes
Maximum resolution	1200 x 1200 DPI
Print speed (black, normal quality, A4/US Letter)	60 ppm
Duplex printing mode	Auto
Print resolution colour	1200 x 1200 DPI
Print resolution black	1200 x 1200 DPI
Print speed (colour, normal quality, A4/US Letter)	60 ppm
Print speed (black, normal quality, A3)	30 ppm
Print speed (colour, normal quality, A3)	30 ppm
Warm-up time	100 s
Time to first page (black, normal)	5.7 s
Time to first page (colour, normal)	6.5 s
N-in-1 print function	Yes
Watermark printing	Yes
Secure printing	Yes
Copying	
Copying	Colour copying
Duplex copying	Yes
Maximum copy resolution	600 x 600 DPI
Duplex copying mode	Auto
Maximum copy size	A4
Copy speed (black, normal quality, A4)	60 cpm
Copy speed (colour, normal quality, A4)	60 cpm
Copy speed (black, normal quality, A3)	30 cpm

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Copy speed (colour, normal quality, A3)	30 cpm
Time to first copy (black, normal)	3.2 s
Time to first copy (colour, normal)	4.2 s
Maximum number of copies	9999 copies
Copier resize	25 - 400%
N-in-1 copy function	Yes
Auto fit function	Yes
Stamp function	Yes
Watermark copying	Yes

Scanning

Scanning	Colour scanning
Duplex scanning	Yes
Optical scanning resolution	600 x 600 DPI
Scanner type	Flatbed scanner
Duplex scanning mode	Auto
Maximum scan resolution	600 x 600 DPI
Maximum scan area	297 x 432 mm
Scan technology	CIS/CCD
Scan to	Network folder, USB
Image formats supported	JPEG, MTIFF, TIFF
Document formats supported	CSV, DOCX, HTML, PDF, RTF, UNICODE, XLSX, XML, XPS
Input colour depth	24 bit
Greyscale levels	256
Scan drivers	TWAIN

Fax

Faxing	Colour faxing
Fax resolution (black)	300 x 300 DPI
Fax transmission speed	3 sec/page
Modem speed	33.6 Kbit/s
Fax memory	500 pages
Auto-redialing	Yes
Speed dialling	Yes
Fax forwarding	Yes
Fax delayed sending	No
Auto reduction	Yes

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Features	
Maximum duty cycle	250000 pages per month
Duplex functions	Print
Number of print cartridges	4
Printing colours	Black, Cyan, Magenta, Yellow
Recommended duty cycle	0 - 60000 pages per month
Digital sender	Yes
Page description languages	PostScript 3, PDF 1.7, PCL 5c, PCL 6
Printer fonts	Scalable, TrueType
All-In-One-multitasking	Yes
Country of origin	Brazil, China, Czech Republic, Mexico
Replacement cartridges	HP 225A Black LJ Toner Cartridge W2250A (ISO Yield 45,000); HP 225A Cyan LJ Toner Cartridge W2251A (ISO Yield 40,000); HP 225A Yellow LJ Toner Cartridge W2252A (ISO Yield 40,000); HP 225A Magenta LJ Toner Cartridge W2253A (ISO Yield 40,000)
HP segment	Business
Input & output capacity	
Total number of input trays	5
Total input capacity	2180 sheets
Total output capacity	500 sheets
Paper tray 1 input capacity	100 sheets
Paper tray 2 input capacity	520 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	100 sheets
Auto document feeder (ADF)	Yes
Auto document feeder (ADF) input capacity	300 sheets
Maximum number of input trays	5
Maximum input capacity	2180 sheets
Maximum output capacity	500 sheets
Paper handling	
Maximum ISO A-series paper size	A3
Paper tray media types	Plain paper, Glossy paper, Bond paper, Recycled paper, Matte paper, Envelopes, Labels, Transparencies, Heavy paper, Lightweight paper, Letterhead
ISO A-series sizes (A0...A9)	A3, A4, A5, A6
Maximum print size	311.5 x 448.7 mm
ISO B-series sizes (B0...B9)	B5, B6
Non-ISO print media sizes	Oficio, 16K

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

JIS B-series sizes (B0...B9)	B4, B5, B6
Envelopes sizes	B5, C5, C6, DL
Photo paper sizes	10x15 cm
Custom media width	98 - 320 mm
Custom media length	139.7 - 457.2 mm
Paper tray media weight	60 - 325 g/m²
Envelope feeder	No
Ports & interfaces	
Direct printing	Yes
USB port	Yes
USB 2.0 ports quantity	1
USB 3.2 Gen 1 (3.1 Gen 1) ports quantity	2
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi Direct	Yes
Security algorithms	SNMPv3, SSL/TLS, EAP-PEAP, EAP-TLS, HTTPS
Mobile printing technologies	Mopria Print Service, Apple AirPrint
Performance	
Internal memory	6144 MB
Maximum internal memory	6144 MB
Internal storage capacity	500 GB
Built-in processor	Yes
Processor frequency	1600 MHz
Sound pressure level (printing)	54 dB
Sound power level (printing)	60 dB
Design	
Product colour	Blue, White
Market positioning	Business
Built-in display	Yes
Display	CGD
Display diagonal	25.6 cm (10.1")

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Control type	Touch
Colour display	Yes

Power

Power consumption (PowerSave)	0.12 W
Power consumption (printing)	13.14 W
Power consumption (ready)	36.29 W
Power consumption (sleep)	0.74 W
Power consumption (off)	0.12 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz

Brand-specific features

HP Dynamic security	Yes
HP Security tools	Identity management: Kerberos authentication, LDAP authentication, 1000 user PIN codes, Optional HP and 3rd party advanced authentication solutions (e.g., badge readers); Network: IPsec/firewall with Certificate/Pre-shared Key authentication, Supports WJA-10 IPsec configuration Plug-in, 802.1X authentication (EAP-PEAP; EAP-TLS), SNMPv3, HTTPS, Certificates; Data: Storage Encryption, Encrypted PDF & Email, SSL/TLS (HTTPS), Encrypted Credentials; Device: HP Sure Start Secure Boot (BIOS Integrity Checking with self-healing capability), Intrusion Detection (Constant in-device monitoring for attacks), Whitelisting (loads only known good code), HP Memory Shield™, Embedded Trusted Platform Module, HP Connection Inspector, Security lock slot, USB port disablement; Security management: Compatible with HP Security Manager, Device Security Syslog Messages processed and accessible in Arcsight and Splunk SIEMs

System requirements

Windows operating systems supported	Windows 8, Windows 8.1, Windows 10, Windows 11
Mac operating systems supported	Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, MacOS
Other operating systems supported	Android, iOS

Operational conditions

Operating relative humidity (H-H)	20 - 80%
Storage temperature (T-T)	-10 - 40 °C
Operating temperature (T-T)	15 - 30 °C
Recommended humidity operating range	20 - 80%
Recommended operating temperature range (T-T)	15 - 30 °C

Certificates

Certification	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Sustainability	
Sustainability certificates	Blue Angel, ENERGY STAR, EPEAT, Forest Stewardship Council (FSC)
Sustainable technologies and materials	FSC Certified Packaging; 10% post-consumer recycled plastic
Sustainability compliance	Yes
Carbon footprint	
Total carbon footprint (kg of CO2e)	900
Carbon emissions, manufacturing (kg of CO2e)	585
Carbon emissions, logistics (kg of CO2e)	42
Carbon emissions, end-of-life (kg of CO2e)	65
Total carbon emissions, w/o use phase (kg of CO2e)	50
Weight & dimensions	
Width	585 mm
Depth	695 mm
Height	1189 mm
Weight	131.4 kg
Packaging data	
Package width	890 mm
Package depth	972 mm
Package height	1394 mm
Package weight	170.9 kg
Packaging content	
Cables included	AC
Quick installation guide	Yes
Logistics data	
Harmonized System (HS) code	8443310000
Pallet gross weight	170.9 kg
Layers per pallet	1 pc(s)
Products per pallet	1 pc(s)
Technical details	
Master (outer) cases per pallet layer	1 pc(s)
Compliance certificates	GS mark, CCC, BIS, cUL, UL, CE, BSMI
Box contents	Installation guide; regulatory flyer; power cords; keyboard/overlay for z/z+; manual
Other features	
Power supply type	Internal (Built-in) power supply

Pateikta prekės informacija yra orientacinio pobūdžio. Techninės savybės, nuotraukos, aprašymai ir kaina gali keistis be išankstinio perspėjimo. Gamintojas ir pardavėjas neatsako už galimus duomenų neatitikimus ar tipografines klaidas. Prieš įsigyjant rekomenduojame pasitikrinti aktualią informaciją.

Recommended system requirements	2 GB available hard disk space; Internet connection; or USB port; Internet browser. 2 GB available hard drive space; Internet connection or USB port; Internet browser.
Compatible operating systems	Windows 11; Windows 10; Windows Client OS; Android; iOS; Mobile OS; macOS 13 Ventura; MacOS v14 Sonoma; macOS 12 Monterey; Windows 8.1
Electromagnetic compatibility	CISPR 22:2008 (International) - Class A, CISPR 32:2015 (International) - Class A, EN 55032: 2015 (EU) - Class A, CISPR 11:2016, EN 55011:2016, EN 61000-3-2: 2019, EN 61000-3-3: 2013+A1:2019, EN 55024: 2010+A1:2015, EN 55035:2017+A11:2020, EN60601-1-2:2015, EMC Directive 2014/30/EU, FCC CFR 47 Part 15 Class A / ICES-003, Issue 7:2020 Class A, Other EMC approvals as required by individual countries
Custom media sizes	Tray 1: 98 x 139.7 to 320 x 457.2 mm; Tray 2: 98 x 139.7 to 297 x 241.5 mm; Tray 3: 140 x 182 to 320 x 457.2 mm; Tray 4: 140 x 182 to 320 x 457.2 mm; Tray 5: 140 x 182 to 320 x 457.2 mm
Pallet dimensions (W x D x H)	890 x 972 x 1394 mm
Pallet dimensions (W x D x H) (imperial)	889 x 972.8 x 1394.5 mm (35 x 38.3 x 54.9")
Pallet weight (imperial)	170.9 kg (376.8 lbs)
Acoustic power emissions (ready)	Inaudible
Typical electricity consumption (TEC) number	0.901 kWh/Week
UNSPSC-code	43212110

Dokumentai ir vaizdo įrašai

› Gaminio lankstinukas

Gamintojo ir saugos informacija

GAMINTOJAS

HP Inc
Page Mill Road 1501, CA 94304 Palo Alto, California, US
hp.com

ATSAKINGAS ASMUO ES

HP Printing and Computing Solutions S.L.U.
Calle Jose Echegaray 18, 28232 Las Rozas (Madrid), ES
hp.com

PLATINTOJAS

MB KOMPIUTERIŲ GURU
V. Nagevičiaus g. 3, LT-08237 Vilnius
info@shopro.lt