

LG HU715QW Short throw projector 3700 ANSI lumens DLP UHD 4K (3840x2160) Ivory

Gamintojas: **LG** · Modelis: **HU915QE.AEU** · EAN: **8806091746030** · Prekės kodas: **591166**



2 168,90 €

Kaina su PVM

Be PVM: **1 792,48 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 3,700 ANSI Lumens Brightness
- ✓ Laser 4K UHD & 8.3 Mega pixel
- ✓ Ultra Short Throw
- ✓ Brightness Optimizer II
- ✓ webOS / Apple AirPlay 2 & HomeKit
- ✓ 2.2Ch 40W Sound



Aprašymas

3 Channel Laser Gen.2

By featuring the latest 3 Channel Laser technology that uses RGB separate primary colors and provides 30% brighter color expression* than the previous generation, LG HU915QE can express a vivid picture while virtually preventing color loss.

Vivid and Clear Picture Quality

With 8.3 mega pixels utilizing 4K UHD Laser technology, LG CineBeam delivers precise details up to 120-inch screen. With 2M:1 contrast ratio it can express the deep darkness and brightness.

Just a Span for Overwhelmingly Large Screen

LG CineBeam gives vivid imagery within a remarkably short throw distance (0.19 Throw Ratio*). Create an impressive home cinema screen up to 120 inches.

Designed for Harmonic Interior

By applying a premium material from Kvadrat Re-wool which is crafted using 45% recycled wool, its environmentally friendly textile seamlessly blends in your home interior.

Iris Mode

Depending on lighting condition of viewing environment, you can change iris mode.

Adaptive Contrast

Adaptive Contrast gives more depth to your image by adaptively adjusting the Laser output to image, in order to create a high contrast ratio. Bright scenes appear brighter, while dark scenes remain detailed with deep blacks and shade detail.

The Smart Way to Access Content

With webOS 6.0, you can explore a variety of TV shows and movies with a simple connect to your Wi-Fi network. Also, you can enjoy video contents with built-in apps like Netflix, Amazon Prime Video, Disney+, YouTube and Apple TV.

Variety of Connectivity with Various Devices

With 3 HDMI ports, 2 USB ports, Optical Digital Audio OUT, and a LAN port, HU915QE supports stable interfaces.

4/9/15 Point WARPING

With the improved 4/9/15 Point WARPING supporting not only 4-corner but also 9-point and 15-point warping functions, you can adjust screen distortion and set up a more precise screen.

Techninė specifikacija

Specifications	
Sandėlio grupė	Beamer [+0][-0]
Projector	
Projector brightness	3700 ANSI lumens
Projection technology	DLP
Projector native resolution	UHD 4K (3840x2160)
Contrast ratio (typical)	2000000:1
Native aspect ratio	16:9
Smart projector	Yes
Screen size compatibility	2286 - 3048 mm (90 - 120")
Supported aspect ratios	4:3, 16:9
Contrast ratio (dynamic)	2000000:1
Digital gamma correction	Yes
Light source	
Light source type	Laser
Service life of light source	20000 h
Lens system	
Focus	Manual

Zoom capability	Yes
Throw ratio	0.19
Video	
3D	No
Ports & interfaces	
VGA (D-Sub) ports quantity	0
HDMI ports quantity	3
Composite video in	0
Component video (YPbPr/YCbCr) in	0
DVI port	No
Audio (L/R) in	0
Serial interface type	RJ-45
HDMI version	2.0/2.1
USB 2.0 ports quantity	2
S/PDIF out port	Yes
Audio Return Channel (ARC)	Yes
Network	
Smart TV	Yes
Ethernet LAN	Yes
Wi-Fi	Yes
Ethernet LAN (RJ-45) ports	1
Web browser	Yes
Storage	
Card reader integrated	No
Features	
Noise level	28 dB
Interactive	No
Noise level (economic mode)	26 dB
HDCP	Yes
Trumotion technology	Yes
Screen mirroring	Yes
Adaptive contrast	Yes
HID support	Yes
4K Ultra HD upscaling	Yes

High Dynamic Range (HDR) supported	Yes
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10), Hybrid Log-Gamma (HLG)
Video apps	Amazon Prime Video, Apple TV, Disney+, Netflix, YouTube
AirPlay	Yes
Noise reduction	Yes
Operating system installed	webOS
Operating system version	6
Multimedia	
Built-in speaker(s)	Yes
RMS rated power	40 W
Audio output channels	2.2 channels
Design	
Product type	Short throw projector
Market positioning	Home cinema
Product colour	Ivory
Display	
Built-in display	No
Power	
Power source	AC
Power consumption (typical)	350 W
Power consumption (standby)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50-60 Hz
Weight & dimensions	
Weight	12.2 kg
Width	681 mm
Depth	348 mm
Height	127 mm
Package width	856 mm
Package depth	460 mm
Package height	254 mm
Package weight	15.1 kg
Packaging content	
Remote control included	Yes

Batteries included	Yes
--------------------	-----

Cables included	AC
-----------------	----

Manual	Yes
--------	-----

AC adapter included	Yes
---------------------	-----

Logistics data

Quantity per pack	1 pc(s)
-------------------	---------