

Philips B Line 222B1TFL/00 kompiuterio monitorius 54,6 cm (21.5") 1920 x 1080 pikseliai „Full HD“ LED Lietimui jautrus ekranas Juoda

Gamintojas: **PHILIPS** · Modelis: **222B1TFL/00** · EAN: **8712581772932** · Prekės kodas: **594262**



565,90 €

Kaina su PVM

Be PVM: **467,69 €**

Sandėlyje



Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ 54,6 cm (21.5") Juoda
- ✓ HDMI HDMI versija: 1.4 „DisplayPort“ kiekis: 1 „DisplayPort“ versija: 1.2
- ✓ Ekrano forma: Plokščias
- ✓ Maksimalus atnaujinimo dažnis: 75 Hz Reakcijos laikas: 4 ms
- ✓ 1920 x 1080 pikseliai „Full HD“ Skydo tipas: IPS
- ✓ Energijos vartojimo efektyvumo klasė (SDR): E RoHS



Aprašymas

„Philips“ atviro rėmo jutiklinis monitorius pasižymi optimaliu pritaikymu montuojant. Tvirtas, atsparus vandeniui ir dulkėms, plonarėmis dizainas atitinka jūsų poreikius. Tobulas ryškumas ir neblizgantis ekranas pasižymi išskirtiniu vaizdo aiškumu.

Techninė specifikacija

Display	
Display diagonal	54.6 cm (21.5")
Display resolution	1920 x 1080 pixels
Native aspect ratio	16:9
Display technology	LED
Touchscreen	Yes
HD type	Full HD
Panel type	IPS
Response time	4 ms
Screen shape	Flat
Contrast ratio (typical)	1000:1
Maximum refresh rate	75 Hz
Display number of colours	16.7 million colours
LED backlight	Yes
Backlight type	W-LED
Touchscreen technology	Projected capacitive system
Touch technology	Multi-touch
Number of simultaneous touchpoints	10
Display brightness (typical)	400 cd/m²
Display brightness	400 cd/m²
Aspect ratio	16:9
Contrast ratio (dynamic)	50000000:1
Dynamic contrast ratio marketing name	SmartContrast
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Pixel pitch	0.24795 x 0.24795 mm
Pixel density	102 ppi
Horizontal scan range	30 - 85 kHz
Vertical scan range	48 - 75 Hz
Viewable size, horizontal	47.6 cm

Viewable size, vertical	26.8 cm
Display diagonal (metric)	54.6 cm
DDC/CI	Yes
Haze rate	5%
Surface hardness	7H
Colour gamut standard	sRGB
Colour gamut	72%
NTSC coverage (typical)	72%
Display sRGB	Yes
Display panel size	21.5 inch/54.6 cm
Performance	
NVIDIA G-SYNC	No
AMD FreeSync	No
Component video sync	Separate Sync, Sync-on-green (SOG)
Flicker-free technology	Yes
Low Blue Light technology	Yes
Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1
Other operating systems supported	Android
Palm rejection	Yes
Multimedia	
Built-in camera	No
Design	
Product colour	Black
Front bezel colour	Black
Ports & interfaces	
Built-in USB hub	Yes
HDMI	Yes
Number of upstream ports	1
USB Type-A downstream ports quantity	2
USB Touch port	Yes
VGA (D-Sub) ports quantity	1
DVI port	Yes
DVI-D ports quantity	1
HDMI ports quantity	1

HDMI version	1.4
DisplayPorts quantity	1
DisplayPort version	1.2
Audio output	Yes
I/O ports	USB 3.2 x 1 (Upstream), USB 3.2 x 2 (Downstream with 1 fast charge B.C 1.2), mini USB x 1
Ergonomics	
VESA mounting	Yes
Cable lock slot	Yes
Height adjustment	No
Panel mounting interface	100 x 100 mm
Wall mountable	Yes
Cable lock slot type	Kensington
On Screen Display (OSD)	Yes
On Screen Display (OSD) languages	Portuguese, Czech, Dutch, English, Finnish, French, German, Greek, Hungarian, Italian, Japanese, Korean, Polish, Russian, Simplified Chinese, Spanish, Swedish, Traditional Chinese, Turkish, Ukrainian
Number of OSD languages	21
Palm rejection area	30 x 30 mm
Plug and Play	Yes
LED indicators	Operation, Stand-by
Power	
Energy efficiency class (SDR)	E
Power consumption (typical)	20.1 W
Power consumption (standby)	0.3 W
Power consumption (off)	0.3 W
Power consumption (PowerSave)	11.2 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	External
Operational conditions	
Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	20 - 80%
Operating altitude	0 - 3658 m
Non-operating altitude	0 - 12192 m

Weight & dimensions	
Width (without stand)	522 mm
Depth (without stand)	49 mm
Height (without stand)	315 mm
Weight (without stand)	4.91 kg
Packaging data	
Package width	595 mm
Package depth	121 mm
Package height	390 mm
Package weight	7.54 kg
Packaging content	
Cables included	HDMI, DisplayPort, USB Type-A to USB Type-B, AC
Manual	Yes
Bundled software	SmartControl
Sustainability	
Doesn't contain	Mercury, PVC/BFR
Other features	
International Protection (IP) code	IP65
Compatible operating systems	DDC/CI; sRGB; Windows 10 / 8.1 / 8 / 7
Exterior finish type	Textured
Display viewable area (HxV)	476.064 x 267.786 mm
Monitor sync input signal	Separate Sync; Sync on Green
Signal input	VGA (Analogue); DVI-D (digital, HDCP); DisplayPort 1.2; HDMI 1.4
Heavy metals free	Hg (mercury)
EasyRead mode	Yes
LowBlue mode	Yes
Energy efficiency class (old)	E
Compliance certificates	RoHS
Mean time between failures (MTBF)	70000 h
Certification	CB, CE Mark, FCC Class B, SEMKO, UKRAINIAN, ICES-003, CU-EAC, EAEU RoHS, TUV Ergo, TUV/GS, TUV Eye Comfort certified
User controls	SmartImage; Input; Brightness; Menu; Power On/Off
Picture enhancement	SmartImage
Regulatory Approvals	CB; CE Mark; FCC Class B; SEMKO; UKRAINIAN; ICES-003; CU-EAC; EAEU RoHS; TUV Ergo; TUV/GS; TUV Eye Comfort certified

Touch method Stylus, Finger, Glove*

Recycling data

Recyclable packaging material 100%


Logistics data

Harmonized System (HS) code 85285210

Matmenys ir svoris

Svoris 7,71kg

Energijos efektyvumas ir ekologinis projektavimas



Energijos efektyvumo klasė

E A-G

- › [Energijos etiketė](#)
- › [Gaminio informacijos lapas](#)
- › [EPREL duomenų bazė](#)

Dokumentai ir vaizdo įrašai

- › [Naudojimo instrukcija](#)

Gamintojo ir saugos informacija

GAMINTOJAS

Philips Nederland B.V.

High Tech Campus 52, 5656 AG Eindhoven, NL

philips.nl

PLATINTOJAS

MB KOMPIUTERIŲ GURU

V. Nagevičiaus g. 3, LT-08237 Vilnius

info@shopro.lt