

# DELL Pro QVS1260 Intel Core Ultra 7 265K 16 GB DDR5-SDRAM 1 TB SSD Windows 11 Pro Slim PC PC Black

Gamintojas: **DELL** · Modelis: **1GTPJ** · EAN: **5397184986097** · Prekės kodas: **594291**



## 1 590,90 €

Kaina su PVM

Be PVM: **1 314,79 €**

**Sandėlyje**



**Prekė internetu**

Nuskenaukite kodą arba apsilankykite [www.shopro.lt](http://www.shopro.lt)

## Pagrindinės savybės

- ✓ PC Black 180 W
- ✓ Intel Core Ultra 7 265K Processor cores: 20
- ✓ 16 GB DDR5-SDRAM 1 x 16 GB
- ✓ 1 TB SSD
- ✓ Intel® Graphics
- ✓ Ethernet LAN 10,100,1000 Mbit/s Wi-Fi 6 (802.11ax) Bluetooth
- ✓ Windows 11 Pro 64-bit



## Aprašymas

DELL Pro QVS1260. Prozessorfamilie: Intel Core Ultra 7, Prozessor: 265K. Speicherkapazität: 16 GB, Interner Speichertyp: DDR5-SDRAM. Gesamtspeicherkapazität: 1 TB, Speichermedien: SSD. Eingebautes Grafikkartenmodell: Intel-Grafik. WLAN. Installiertes Betriebssystem: Windows 11 Pro, Betriebssystemarchitektur: 64-Bit. Stromversorgung: 180 W. Gehäusetyp: Slim PC. Produkttyp: PC. Produktfarbe: Schwarz

## Techninė specifikacija

### Specifications

Sandėlio grupė

Marken PCs [+0][-0]

| Processor                               |                                                |
|-----------------------------------------|------------------------------------------------|
| Processor family                        | Intel Core Ultra 7                             |
| Processor manufacturer                  | Intel                                          |
| Processor model                         | 265K                                           |
| Processor generation                    | Intel Core Ultra (Series 2)                    |
| Processor cores                         | 20                                             |
| Processor threads                       | 20                                             |
| Processor boost frequency               | 5.5 GHz                                        |
| Performance cores                       | 8                                              |
| Efficient cores                         | 12                                             |
| Performance-core Max Turbo Frequency    | 5.2 GHz                                        |
| Efficient-core Max Turbo Frequency      | 4.6 GHz                                        |
| Performance-core base frequency         | 2.4 GHz                                        |
| Efficient-core base frequency           | 1.8 GHz                                        |
| Processor cache                         | 30 MB                                          |
| Processor cache type                    | Smart Cache                                    |
| Number of processors installed          | 1                                              |
| Processor socket                        | LGA 1851 (Socket V1)                           |
| Processor base power                    | 125 W                                          |
| Maximum turbo power                     | 250 W                                          |
| Neural processor unit (NPU)             |                                                |
| Neural processor unit (NPU)             | Intel AI Boost                                 |
| Sparsity support                        | Yes                                            |
| Windows Studio effects support          | Yes                                            |
| AI software frameworks supported by NPU | DirectML, OpenVINO, Windows ML, ONNX RT, WebNN |
| Total processor performance up to       | 33 TOPs                                        |
| NPU performance up to                   | 13 TOPs                                        |
| GPU performance up to                   | 8 TOPs                                         |
| Memory                                  |                                                |
| Internal memory                         | 16 GB                                          |
| Maximum internal memory                 | 32 GB                                          |
| Internal memory type                    | DDR5-SDRAM                                     |
| Memory layout (slots x size)            | 1 x 16 GB                                      |
| Memory slots                            | 2x DIMM                                        |
| Buffered memory type                    | Unregistered (unbuffered)                      |

|                                       |                      |
|---------------------------------------|----------------------|
| Memory data transfer rate             | 4800 MT/s            |
| <b>Storage</b>                        |                      |
| Total storage capacity                | 1 TB                 |
| Optical drive type                    | No                   |
| Storage media                         | SSD                  |
| Total SSDs capacity                   | 1 TB                 |
| Number of SSDs installed              | 1                    |
| SSD capacity                          | 1 TB                 |
| SSD interface                         | PCI Express          |
| NVMe                                  | Yes                  |
| SSD form factor                       | M.2                  |
| <b>Graphics</b>                       |                      |
| Discrete graphics card                | No                   |
| On-board graphics card                | Yes                  |
| Discrete graphics card model          | Not available        |
| On-board graphics card model          | Intel® Graphics      |
| On-board GPU manufacturer             | Intel                |
| On-board graphics card family         | Intel® Graphics      |
| <b>Performance</b>                    |                      |
| Product type                          | PC                   |
| Motherboard chipset                   | Intel Q670           |
| Trusted Platform Module (TPM)         | Yes                  |
| Trusted Platform Module (TPM) version | 2                    |
| <b>Network</b>                        |                      |
| Ethernet LAN                          | Yes                  |
| Wi-Fi                                 | Yes                  |
| Ethernet LAN data rates               | 10,100,1000 Mbit/s   |
| Cabling technology                    | 10/100/1000Base-T(X) |
| LAN controller                        | Realtek RTL8111KD    |
| Top Wi-Fi standard                    | Wi-Fi 6 (802.11ax)   |
| Wi-Fi standards                       | Wi-Fi 6 (802.11ax)   |
| WLAN controller manufacturer          | MediaTek             |
| WLAN controller model                 | MediaTek MT7920      |
| Antenna type                          | 2x2                  |

|                                                 |                |
|-------------------------------------------------|----------------|
| Bluetooth                                       | Yes            |
| MU-MIMO                                         | Yes            |
| Ports & interfaces                              |                |
| USB 2.0 ports quantity                          | 4              |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 3              |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity | 1              |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity | 0              |
| USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity | 0              |
| Thunderbolt 3 ports quantity                    | 0              |
| HDMI ports quantity                             | 1              |
| DisplayPorts quantity                           | 1              |
| DisplayPort version                             | 1.4            |
| HDMI version                                    | 2.1            |
| Ethernet LAN (RJ-45) ports                      | 1              |
| Combo headphone/mic port                        | Yes            |
| Number of rear USB ports                        | 4              |
| Number of front USB ports                       | 4              |
| Number of SATA III connectors                   | 1              |
| Expansion slots                                 |                |
| PCI Express x1 slots                            | 3              |
| PCI Express x16 slots                           | 1              |
| Power                                           |                |
| Power supply                                    | 180 W          |
| Power supply input voltage                      | 90 - 264 V     |
| Power supply input frequency                    | 47 - 63 Hz     |
| 80 PLUS certification                           | 80 PLUS Bronze |
| Design                                          |                |
| Chassis type                                    | Slim PC        |
| Product colour                                  | Black          |
| Cable lock slot                                 | Yes            |
| Cable lock slot type                            | Kensington     |
| Software                                        |                |
| Operating system installed                      | Windows 11 Pro |
| Operating system architecture                   | 64-bit         |

|                                              |  |                                                                                   |
|----------------------------------------------|--|-----------------------------------------------------------------------------------|
| Trial software                               |  | McAfee® Business Protection 1-year,Activate Your Microsoft 365 For A 30 Day Trial |
| Display                                      |  |                                                                                   |
| Display included                             |  | No                                                                                |
| Audio                                        |  |                                                                                   |
| Audio chip                                   |  | Realtek ALC3204                                                                   |
| Audio system                                 |  | High Definition Audio                                                             |
| Operational conditions                       |  |                                                                                   |
| Operating temperature (T-T)                  |  | 10 - 35 °C                                                                        |
| Storage temperature (T-T)                    |  | -40 - 65 °C                                                                       |
| Operating relative humidity (H-H)            |  | 20 - 80%                                                                          |
| Storage relative humidity (H-H)              |  | 5 - 95%                                                                           |
| Operating altitude                           |  | -15.2 - 3048 m                                                                    |
| Non-operating altitude                       |  | -15.2 - 10668 m                                                                   |
| Operating vibration                          |  | 0.26 G                                                                            |
| Non-operating vibration                      |  | 1.37 G                                                                            |
| Operating shock                              |  | 40 G                                                                              |
| Non-operating shock                          |  | 105 G                                                                             |
| Weight & dimensions                          |  |                                                                                   |
| Width                                        |  | 95 mm                                                                             |
| Depth                                        |  | 293 mm                                                                            |
| Height                                       |  | 303.5 mm                                                                          |
| Packaging content                            |  |                                                                                   |
| Cables included                              |  | AC                                                                                |
| Carbon footprint                             |  |                                                                                   |
| Total carbon footprint (kg of CO2e)          |  | 143                                                                               |
| Carbon emissions, manufacturing (kg of CO2e) |  | 68.07                                                                             |
| Carbon emissions, logistics (kg of CO2e)     |  | 9.15                                                                              |
| Carbon emissions, energy usage (kg of CO2e)  |  | 62.78                                                                             |
| Carbon emissions, end-of-life (kg of CO2e)   |  | 3                                                                                 |
| PAIA version                                 |  | GaBi version 1, 2025                                                              |
| Matmenys ir svoris                           |  |                                                                                   |
| Matmenys (I × P × A)                         |  | 49,00cm × 40,00cm × 27,00cm                                                       |
| Svoris                                       |  | 5,54kg                                                                            |