

Brother HL-L8570CDW laser printer Colour 2400 x 600 DPI A4 Wi-Fi

Gamintojas: **BROTHER** · Modelis: **HLL8570CDWRE1** · EAN: **4977766841252** · Prekės kodas: **594673**



657,90 €

Kaina su PVM

Be PVM: **543,72 €**

Sandėlyje




Prekė internetu

Nuskenaukite kodą arba apsilankykite www.shopro.lt

Pagrindinės savybės

- ✓ Print up to 31ppm
- ✓ 6.8cm (2.7") Touchscreen
- ✓ Dual-band WiFi (2.4GHz and 5GHz) Gigabit ethernet
- ✓ 250 Sheet paper tray expandable to 1,29
- ✓ 7,500 Black, 6,500 colour page yield toners



Aprašymas

Reliable performance for demanding businesses. The HL-L8570CDW, is engineered to produce professional quality prints every time. With fast print speeds, enterprise-level security and solutions enabled to streamline operations and enhance productivity across teams.50 Sheet Multi-Purpose input trayAuto paper low/empty detectionNFC for secure authenticationCompatible with Brother and 3rd Party solutions including Tungsten Automation, YSoft and moreAvailable under a Managed Print Service (MPS) contract

Techninė specifikacija

Specifications

Sandėlio grupė

Drucker [+0][-0]

Printing

Colour	Yes
Print technology	Laser
Duplex printing	Yes
Maximum resolution	2400 x 600 DPI
Print speed (black, normal quality, A4/US Letter)	31 ppm
Duplex printing mode	Auto/Manual
Print speed (colour, normal quality, A4/US Letter)	31 ppm
Duplex print speed (black, normal quality, A4/US Letter)	20 ppm
Duplex print speed (colour, normal quality, A4/US Letter)	20 ppm
Time to first page (black, normal)	9.9 s
Time to first page (colour, normal)	9.9 s

Features

Maximum duty cycle	80000 pages per month
Printing colours	Black, Cyan, Magenta, Yellow
Number of print cartridges	4
Page description languages	PCL 6, PDF, BR-Script 3
Recommended duty cycle	0 - 7500 pages per month
Printer fonts	PCL, PostScript, Bitmap, Barcode, Scalable
Number of PCL fonts	73
Number of PostScript fonts	66
Number of barcode fonts	16
Number of bitmap fonts	12
Linear (1D) barcodes supported	Interleaved 2 of 5, Code 39, POSTNET, EAN-8, EAN-13, UPC-A, UPC-E, Codabar, ISBN, Code 128A, Code 128B, Code 128C, EAN 128, Code 93, GS1 DataBar, MSI

Input & output capacity

Total number of input trays	1
Total input capacity	250 sheets
Total output capacity	150 sheets
Multi-Purpose tray	Yes
Multi-Purpose tray input capacity	50 sheets

Paper handling

Maximum ISO A-series paper size	A4
Paper tray media types	Plain paper, Recycled paper, Letterhead, Labels, Envelopes, Glossy paper, Thin paper, Thick paper, Bond paper, Thicker paper

ISO A-series sizes (A0...A9)	A4, A5, A6
Maximum print size	216 x 355 mm
Non-ISO print media sizes	Executive, Legal, Folio, Letter
Envelopes sizes	C5, Com-10, DL, Monarch
Paper tray media weight	60 - 163 g/m²
Ports & interfaces	
Direct printing	Yes
USB port	Yes
Network	
Wi-Fi	Yes
Ethernet LAN	Yes
Cabling technology	10/100/1000Base-T(X)
Ethernet LAN data rates	10,100,1000 Mbit/s
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)
Near Field Communication (NFC)	Yes
Security algorithms	SSL/TLS, 802.1x RADIUS, EAP-FAST, PEAP, EAP-TLS, EAP-TTLS, SMTP-AUTH, SNMP, IPSec, 128-bit WEP, 64-bit WEP, WPA-PSK, TKIP, AES, WPA2-PSK, WPA3-SAE
Supported network protocols (IPv4)	APIPA (Auto IP), Web Services, ARP, BOOTP, CIFS Client, Custom Raw Port/Port 9100, DHCP, DNS Resolver, FTP Server, HTTP/HTTPS Server, ICMP, IPP/IPPS, LDAP, LLNMR Responder, LPR/LPD, mDNS, RARP, SMTP Client, SNMPv1/v2c/v3, SNTP Client, TELNET Server, TFTP Client and Server, WINS/NetBIOS Name Resolution
Supported network protocols (IPv6)	Web Services, NDP, RA, DNS Resolver, mDNS, LLNMR Responder, LPR/LPD, Custom Raw Port/Port 9100, IPP/IPPS, SMTP Client, FTP Server, CIFS Client, TELNET Server, SNMPv1/v2c/v3, HTTP/HTTPS Server, TFTP Client and Server, ICMPv6, SNTP Client, LDAP
Mobile printing technologies	Mopria Print Service, Apple AirPrint, Brother Mobile Connect
Performance	
Internal memory	1024 MB
Built-in processor	Yes
Processor frequency	1200 MHz
Noise level (ready)	31 dB
Design	
Market positioning	Business
Product colour	Grey
Built-in display	Yes
Colour display	Yes
Display diagonal	6.86 cm (2.7")
Control type	Touch

Power

Power consumption (printing)	540 W
Power consumption (ready)	60 W
Power consumption (standby)	7.6 W
Power consumption (PowerSave)	330 W
Power consumption (off)	0.04 W
Energy Star Typical Electricity Consumption (TEC)	0.4 kWh/week
AC input voltage	220 - 240 V
AC input frequency	50/60 Hz

System requirements

Windows operating systems supported	Windows 10 Education, Windows 10 Home, Windows 10 Pro, Windows 10 Enterprise, Windows 10 Home x64, Windows 10 Pro x64, Windows 10 Enterprise x64, Windows 10 Education x64, Windows 10 IOT Core, Windows 10, Windows 10 x64, Windows 11, Windows 11 x64, Windows 11 Home, Windows 11 Pro, Windows 11 Enterprise, Windows 11 Enterprise x64
Mac operating systems supported	Mac OS X 15.0 Sequoia, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma, Mac OS 13.1, Mac OS 14.5
Linux operating systems supported	Yes
Server operating systems supported	Yes
Other operating systems supported	ChromeOS

Operational conditions

Operating temperature (T-T)	10 - 32.5 °C
Storage temperature (T-T)	0 - 40 °C
Operating relative humidity (H-H)	20 - 80%
Storage relative humidity (H-H)	36 - 85%

Sustainability

Sustainability certificates	ENERGY STAR, EPEAT Gold, Blue Angel, Nordic Swan Ecolabel
-----------------------------	---

Weight & dimensions

Width	404 mm
Depth	473 mm
Height	338 mm
Weight	21.3 kg

Packaging data

Package width	606 mm
Package depth	561 mm
Package height	501 mm

Package weight	26.9 kg
----------------	---------

Packaging content

Warranty card	Yes
---------------	-----

Printer drum included	Yes
-----------------------	-----

Cables included	AC
-----------------	----

Quick installation guide	Yes
--------------------------	-----

Technical details

Compliance certificates	GS mark
-------------------------	---------

Other features

Noise level	49 dB
-------------	-------

Online services supported	Dropbox, Evernote, Google Drive, OneDrive, OneNote
---------------------------	--

Matmenys ir svoris

Matmenys (I × P × A)	61,00cm × 56,00cm × 50,00cm
----------------------	-----------------------------

Svoris	27,50kg
--------	---------